



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>


190
Phys 2750.11

**Harvard College
Library**



By Exchange

LENSES AND SYSTEMS OF LENSES.



Alexander J. R. Fiego

LENSES

AND

SYSTEMS OF LENSES,

TREATED AFTER THE MANNER OF GAUSS.

BY

CHARLES PENDLEBURY, M.A., F.R.A.S.,

SENIOR MATHEMATICAL MASTER OF ST. PAUL'S;
LATE SCHOLAR OF ST. JOHN'S COLLEGE, CAMBRIDGE.

CAMBRIDGE:
DEIGHTON, BELL AND CO.
LONDON: GEORGE BELL AND SONS.

1884.

Phys 2750.11

HARVARD COLLEGE LIBRARY
BY EXCHANGE

Dec 28, 1939.

CAMBRIDGE :

PRINTED BY W. METCALFE & SON, TRINITY STREET.

IN the following pages I have limited myself strictly to the consideration of that which is involved in the term "Lenses and Systems of Lenses"; and I have treated the matter in accordance with the methods of Gauss. But I hope that in course of time I may be able to extend the book so as to cover a wider area in the field of Geometrical Optics.

C. P.

ST. PAUL'S SCHOOL,
LONDON.

February, 1884.



CONTENTS.

CHAPTER		PAGE
I.	REFRACTION AT A SINGLE SURFACE	1
II.	REFRACTION AT TWO SURFACES IN SUCCESSION	28
III.	REFRACTION AT ANY NUMBER OF SURFACES	52
IV.	ACHROMATISM	78
V.	THE DETERMINATION OF THE FOCI AND OF THE PRINCIPAL POINTS OF A SYSTEM OF LENSES. THE NODAL POINTS	80
VI.	THE DIFFERENT FORMS OF LENSES	86
<i>Appendix.</i>	ON CONTINUED FRACTIONS	91

LENSES AND SYSTEMS OF LENSES.

CHAPTER I.

REFRACTION AT A SINGLE SURFACE.

1. IF a ray of light, or a pencil of rays traverse a system of coaxial lenses,—the lenses being of any thickness, of any focal lengths, and of any refractive indices whatever—the relation between the positions of the focus of the incident and the focus of the emergent pencil, and a formula for the *magnification* produced by the system of lenses, could formerly be determined only by an exceedingly cumbrous calculation. It was necessary, moreover, to repeat the process for each different system.

For the sake of simplicity it was often assumed that the lenses were indefinitely thin. The laboriousness of the calculations was thereby considerably reduced; but it is clearly a supposition which it is quite improper to make, except under very special circumstances.

In a paper communicated by Gauss to the Royal Society of Göttingen on the 10th of December, 1840,* it was shown how the solution of the problem could be made to depend upon the determination, for each system and once for all, of four fixed points situated upon the axis of the system. These points having been determined, the complete solution of the problem became a matter of simple algebra or Geometry.

* C. F. Gauss *Werke*. Band. V. Göttingen, 1840.

It is true that the calculation of the position of the four points is somewhat laborious, but the formulæ obtained are symmetrical, although long, and the formulæ for a system of $n+1$ lenses can be deduced very easily from that for a system of n lenses.


If therefore a table of formulæ be calculated for 2, 3, 4 ... lenses, which can easily be done, the application to any particular system is a question of Arithmetic and Algebra only.

Gauss' method is applicable to any system of coaxial lenses, whatever be the thicknesses of the lenses, whatever be the refractive indices of the media which occupy the spaces between them, and whether the medium in front of the first lens is the same as that behind the last, or not. The problem however becomes much simpler when these first and last media are the same.

One restriction, however, must be made. It is supposed that the angle which any ray makes with the axis, and also the distance from the axis of the point at which it cuts any refracting surface, are so small that their squares may be neglected. This is equivalent to neglecting *aberration*.

2. Let us consider a number of spherical surfaces, all of which have their centres of curvature upon a certain straight line. This straight line we may call the *axis* of the system.

If a system of this kind be intersected by a plane which contains the axis, the section will be such as is represented in fig. 1.



In this figure the straight line $A_1A_2...A_n$, upon which all the centres of curvature are situated, is the axis of the

system; and the points $A_1, A_2, \dots A_n$ in which the axis meets the successive surfaces may be called the *vertices* of the surfaces.


The surfaces may be of any number, of any degree of curvature, and at any distance apart; moreover, they may have their convex surfaces turned either way.

We will now suppose the spaces between each two consecutive surfaces to be occupied by homogeneous, not doubly refracting, media, of known refractive indices. The media may be all different, or two or more may be alike. But two similar media should not be adjacent to one another, for the effect would be the same as if the dividing surface were not there.

3. If we consider a particular case, and suppose the number of surfaces to be four, and the successive media to be air, glass, air, glass, and air, we so have the telescope in its simplest form, with one eyepiece and one object glass.

4. If now a ray of light proceed from a luminous point L , and cross the successive surfaces at the points $P_1, P_2, P_3, \dots P_n$, its course will be bent at each of these points, but in consequence of our hypothesis concerning the nature of the media, its course between any two of the points will be a straight line. The path of the ray may therefore be represented by the broken line $LP_1P_2P_3 \dots P_nL'$ (fig. 2).

FIG. 2.




The end we aim at is the determination of a relation between the lines LP_1 and P_nL' , so that when we know the initial path of a ray entering the system, we may at once be able to ascertain its final path on leaving it.

5. The general system includes also the case in which one or more of the surfaces are reflective. In order to make our results applicable to it, we have simply to consider the particular surface which is reflective, as if it were the boundary between two media whose refractive indices are μ_r and $-\mu_r$ respectively; μ_r being the refractive index of the medium immediately preceding the surface which reflects.

6. With regard to the rays themselves, we shall consider those only which are inclined at very small angles to the axis of the system, and which cross the surfaces at points very near the vertices.

If P be the point of incidence of a ray, A the vertex, and C the centre of curvature of the surface, it will follow that if the arc PA be small, so also will be the angle PCA (fig. 3).

FIG. 3.



We shall suppose that the angle PCA is so small that all powers of its circular measure, higher than the second, may be neglected. Consequently, to this degree of approximation, we may consider the sine, tangent and circular measure of the angle PCA to be equal to one another.


7. In the first place, we will investigate formulæ connecting the position of the incident ray, with that of the ray after refraction, at *one surface only*.

8. *To find the angle between the incident ray and the refracted ray, after crossing one surface.*

Let C be the centre of curvature of any refracting surface, and A the vertex. Suppose XPX' to be the course of a ray which crosses the surface at the point P ; and let the incident

ray and the refracted ray, produced if necessary, meet the axis at the points X, X' respectively (fig. 4).

FIG 4.



In this, and in all subsequent investigations, we will consider distances measured from left to right to be *positive*, and all distances measured from right to left to be *negative*. The above figure is so drawn that AC and AX' , measured from A are positive, and AX negative.

At the point P , the ray is bent through the angle XPR , the point R being in $X'P$ produced. We will call this angle the *Deviation* at P , and will denote it by δ .

Let the normal CP be produced to C' , and let

$$\left. \begin{aligned} \angle C'PX &= \phi \\ \angle CPX' &= \phi' \end{aligned} \right\},$$

and

then

$$\begin{aligned} \delta &= \angle XPR \\ &= \angle C'PX - \angle CPX' \\ &= \phi - \phi'. \end{aligned}$$

But if μ_0 and μ_1 be the refractive indices of the two media, we have

$$\mu_0 \sin \phi = \mu_1 \sin \phi';$$

therefore by hypothesis

$$\mu_0 \phi = \mu_1 \phi';$$

therefore

$$\phi' = \frac{\mu_0 \phi}{\mu_1};$$

therefore

$$\begin{aligned}\delta &= \phi - \frac{\mu_0 \phi}{\mu_1} \\ &= \frac{\mu_1 - \mu_0}{\mu_1} \cdot \phi.\end{aligned}$$

9. We may put the expression for the deviation in another form.

Let the arc $AP = h$, and denote the distances from A of X , X' , and C , by $-u$, v , and r respectively; we then get

$$\begin{aligned}\delta &= \frac{\mu_1 - \mu_0}{\mu_1} \phi \\ &= \frac{\mu_1 - \mu_0}{\mu_1} \angle XPC' \\ &= \frac{\mu_1 - \mu_0}{\mu_1} (\angle PXC + \angle PCX) \\ &= \frac{\mu_1 - \mu_0}{\mu_1} \left(\frac{h}{r} - \frac{h}{u} \right) + Mh^3 \\ &= \frac{\mu_1 - \mu_0}{\mu_1} \left(\frac{h}{r} - \frac{h}{u} \right),\end{aligned}$$

if we neglect h^3 .

10. *If rays of light proceed from a luminous point X on the axis, they will, after crossing a refracting surface, meet again in one and the same point X' , which also lies upon the axis. To find the relation between the positions of X and X' .*

With the same notation as before, we have (fig. 4)

$$\mu_0 \sin C'PX = \mu_1 \sin CPX';$$

$$\text{therefore } \mu_0 \sin (PXA + PCA) = \mu_1 \sin (PCA - PX'A);$$

$$\text{therefore } \mu_0 \left(\frac{h}{r} - \frac{h}{u} \right) = \mu_1 \left(\frac{h}{r} - \frac{h}{v} \right) + Mh^3;$$

$$\text{therefore } \frac{\mu_1}{v} - \frac{\mu_0}{u} = \frac{\mu_1 - \mu_0}{r} \dots\dots\dots (1),$$

if we neglect h^3 .

In this formula μ_0 , μ_1 , and r are quantities which depend only upon the nature of the media, and upon the curvature of

the separating surface; they are the same whatever be the ray which we may consider. Hence we see, that since the formula gives only one value of v corresponding to a particular value of u , it follows that *all* the rays, which proceed from any point X on the axis, will after refraction meet again in a point X' , also on the axis; the relative positions of these two points being given by equation (1).

Conversely, for a particular value of v we get from (1) only *one* value for u . Hence the rays, which after crossing a refracting surface meet together in a point X' on the axis, must before incidence have proceeded from one and the same point X , also lying upon the axis.

Again, if we consider X' instead of X as the luminous point, or the origin of the rays, and that the rays travel from right to left, it is clear that after refraction at the surface they will all meet together in the point X .

Consequently the point X bears the same relation to X' , when X' is the origin of rays, that X' bears to X , when the origin of rays is at X .

Two points such as X and X' , which are related to one another in this way, are called *Conjugate Points*.

11. There are now two particular cases to be considered :

(1) If the point X is at an infinite distance from A , we have $u = \infty$, and the incident rays are all parallel to the axis.

The equation connecting u and v being

$$\frac{\mu_1}{v} - \frac{\mu_0}{u} = \frac{\mu_1 - \mu_0}{r} \dots\dots\dots (1),$$

if we put $u = \infty$, we get

$$v = \frac{\mu_1 r}{\mu_1 - \mu_0} \dots\dots\dots (2).$$

(2) If the point X' be at an infinite distance from A , we have $v = \infty$; and the rays after refraction are parallel to the axis.

The corresponding value of u is given by the equation

$$u = \frac{\mu_0 r}{\mu_0 - \mu_1} \dots\dots\dots (3).$$

The two points determined by (2) and (3) are called the *Focal Points* or *Foci* of the given surface with respect to the given media, and are such that all rays whose paths in the first medium are parallel to the axis, will after refraction pass through the point given by (2); and all rays whose paths after refraction are parallel to the axis, must in the first medium have travelled in directions which, produced if necessary, would have passed through the point given by (3).

The Foci are commonly denoted by the letters F' and F . Their distances from the vertex A are called the *Focal Distances* of the surface, and are denoted by the symbols f' and f .

Hence
$$f = \frac{\mu_0 r}{\mu_0 - \mu_1},$$

$$f' = \frac{\mu_1 r}{\mu_1 - \mu_0},$$

and therefore
$$\mu_0 f' + \mu_1 f = 0.$$

If we introduce these symbols into equation (1), it becomes

$$\frac{f}{u} + \frac{f'}{v} = 1 \dots\dots\dots (4).$$

12. The equation
$$\frac{f}{u} + \frac{f'}{v} = 1$$


connects the distances of two conjugate points from the *vertex* of the refracting surface. It is sometimes convenient to have a relation between their distances from the *centre of curvature* of the surface, and sometimes between their distances from the *foci*. These relations we will now determine.

13. *To find a relation between the distances of two conjugate points from the centre of curvature of the refracting surface.*

Let C be the centre of curvature and A the vertex of the surface, X the origin of light, XP the path of a ray which meets the surface at P , and after refraction passes in the

direction $X'P$. The refracted ray produced backwards meets the axis at the point X' . CPR is the normal at P (fig. 5).

FIG. 5.



$$\text{Let } \left. \begin{array}{l} CX = p \\ CX' = q \\ CA = r \\ \text{arc } AP = h \end{array} \right\} \text{ and } \left. \begin{array}{l} \angle XPR = \phi \\ \angle X'PR = \phi' \end{array} \right\}.$$

Then we have $\mu_0 \sin XPR = \mu_1 \sin X'PR$;
therefore

$$\mu_0 \sin (PCA + PXA) = \mu_1 \sin (PCA + PX'A);$$

$$\text{therefore } \mu_0 \left(\frac{h}{r} + \frac{h}{p-r} \right) = \mu_1 \left(\frac{h}{r} + \frac{h}{q-r} \right) + Mh^3.$$

Hence, to the required degree of approximation, we have

$$\frac{\mu_0 p h^2}{r(p-r)} = \frac{\mu_1 q h^2}{r(q-r)};$$

$$\text{therefore } p\mu_0(q-r) = q\mu_1(p-r);$$

$$\text{therefore } \frac{\mu_0}{q} - \frac{\mu_1}{p} = \frac{\mu_0 - \mu_1}{r} \dots\dots\dots (5),$$

$$\text{or } \frac{f'}{p} + \frac{f}{q} = 1 \dots\dots\dots (6).$$

The figure to which this article applies has been so drawn, that the distances from C of the various points might be all *positive*. Other cases may easily be deduced from this one.

14. To find a relation between the distances of two conjugate points from the foci.

$$\begin{array}{l} \text{Let} \\ \text{and} \end{array} \quad \left. \begin{array}{l} XF = d \\ X'F' = d' \end{array} \right\}.$$

Then we have

$$d = u - f,$$

$$d' = v - f';$$

therefore

$$\begin{aligned} dd' &= (u - f)(v - f') \\ &= uv - uf' - vf + ff' \\ &= ff' \dots\dots\dots (7) \end{aligned}$$

This relation, $dd' = ff'$, is called Newton's formula.

15. To our degree of approximation, the tangent plane at the vertex may be considered as coincident with the surface itself.

Let the incident and refracted rays meet the tangent plane at the points Q , Q' respectively; and let

$$\left. \begin{array}{l} \angle PXA = \alpha \\ \angle PX'A = \alpha' \\ \angle PCA = \theta \end{array} \right\} \text{ (fig. 6).}$$




FIG. 6.

$$\begin{array}{l} \text{Then we have} \\ \text{therefore} \end{array} \quad \begin{array}{l} AQ = AX \tan \alpha, \\ AQ' = AX' \tan \alpha', \end{array}$$

$$\begin{aligned} \text{therefore} \quad \frac{AQ}{AQ'} &= \frac{AX \tan \alpha}{AX' \tan \alpha'} \\ &= \frac{AX \sin \alpha}{AX' \sin \alpha'}, \text{ approximately} \\ &= \frac{PX'}{AX'} \cdot \frac{AX}{PX} = 1, \end{aligned}$$

since PX' , PX differ from AX' , AX only by quantities of the

second order; therefore

$$AQ = AQ';$$

therefore the points Q , Q' and P coincide to our degree of approximation.

Hence the course of the ray may be represented by the broken line XQX' instead of by XPX' .

16. *If, through the foci F and F' , straight lines be drawn perpendicular to the axis, to meet the incident ray and the refracted ray in the points D and D' respectively, then*


$$FD + F'D' = AY,$$

*Y being the point where the ray crosses the tangent plane at the vertex.**

Let

$$\left. \begin{aligned} FD &= z \\ F'D' &= z' \\ AY &= h \end{aligned} \right\} \text{(fig. 7).}$$

FIG. 7.



Then we have from (4)

$$\frac{f}{u} + \frac{f'}{v} = 1,$$

or

$$\frac{u-f}{u} + \frac{v-f'}{v} = 1;$$

therefore, by similar triangles, $\frac{z}{h} + \frac{z'}{h} = 1$,

or

$$z + z' = h.$$

* *Die Haupt- und Brenn- Punkte eines Linsen-systems*, von Carl Neumann. Leipzig. 1866.

17. If the ray XYX' goes through the vertex A , we have $h=0$; therefore

$$z + z' = 0,$$

or

$$z = -z'.$$

18. From the formula $z + z' = h$ we get a simple geometrical construction, whereby the path of the refracted ray may be determined when that of the incident ray is given; or, conversely.

If the incident ray be given, so are the distances FD and AY . Hence we can find $AY - FD$, which is equal to $F'D'$.

If, therefore, through the focus F' we draw the line $F'D'$ perpendicular to the axis and equal in length to $AY - FD$, we shall so determine the point D' , which is a point on the refracted ray. The straight line YD' is then the path of the ray after refraction.

19. DEFINITION. If any number of rays proceed from the same luminous point, and be refracted in crossing a spherical surface which divides the first medium from another of different refractive index, the rays will after refraction meet again in one and the same point. Two such points, namely the point whence the rays proceed, and the point at which they meet again after refraction, are said to be *conjugate* to one another with respect to the media and the surface considered. They are called briefly *conjugate points*.

20. This definition involves a general theorem, of which we have not yet proved more than a particular case; that case, namely, in which the luminous point lies upon the axis.

We will next prove the theorem to hold for a luminous point which does not lie in the axis, but only for rays from it which lie in a plane passing through the axis.

Finally, we will consider the general case, and prove the theorem to be true for any position of the luminous point, and for rays from it in any directions whatever.

21. *Wherever the luminous point may be, all rays proceeding from it in the plane which contains the luminous point and the axis, will after refraction meet together again in one and the same point.*


We will suppose the plane of the paper to contain the luminous point and the axis.

Let Q , chosen arbitrarily, be the position of a luminous point, and let QP_1Q' , QP_2Q' be the paths of any two rays which proceed from it in the plane of the paper, and which meet the tangent plane at the vertex at P_1 and P_2 respectively; Q' being the point where they meet together after refraction.

Also let QP_3Q'' be a third ray which crosses the tangent plane at P_3 and meets the ray QP_1Q' at the point Q'' .

We will show that the points Q' and Q'' coincide.

From Q , Q' and Q'' draw QN , $Q'N'$ and $Q''N''$ perpendicular to the axis, and meeting it at the points N , N' , N'' respectively (fig. 8).



Through F and F' draw straight lines perpendicular to the axis, and meeting the rays at the points D_1 , D_2 , D_3 and D'_1 , D'_2 , D'_3 respectively.

We have then

$$FD_1 + F'D'_1 = AP_1,$$

and

$$FD_2 + F'D'_2 = AP_2;$$

therefore, by subtraction,

$$D_1 D_2 + D'_1 D'_2 = P_1 P_2;$$

therefore
$$\frac{D_1 D_2}{P_1 P_2} + \frac{D'_1 D'_2}{P_1 P_2} = 1;$$

therefore, by similar triangles,

$$\frac{QD_1}{QP_1} + \frac{Q'D'_1}{Q'P'_1} = 1;$$

therefore
$$\frac{NF}{NA} + \frac{N'F'}{N'A} = 1;$$

therefore
$$\frac{NA - NF}{NA} + \frac{N'A - N'F'}{N'A} = 1;$$

therefore
$$\frac{FA}{NA} + \frac{F'A}{N'A} = 1;$$

therefore
$$\frac{f}{NA} + \frac{f'}{N'A} = 1.$$

In an exactly similar way, by considering the two rays $QP_1 Q''$ and $QP_2 Q''$, we shall get

$$\frac{f}{NA} + \frac{f'}{N''A} = 1.$$

Comparing these two results, we see at once that

$$N'A = N''A.$$

Hence the points N' and N'' , and consequently the points Q' and Q'' , coincide.

Wherefore all rays which proceed from any luminous point Q , will after refraction meet again in one and the same point Q' .*

22. From the result of the preceding article we obtain a simple geometrical construction, whereby we may determine the position of a point conjugate to a given one.

Let Q be the given point. Then we know that the point conjugate to Q is the point of concurrence of *all* the rays

* *Die Haupt- und Brenn- Punkte eines Linsen Systems*, von Carl Neumann. Leipzig. 1866.


which proceed from Q . Hence it will be enough to determine the point of concurrence of any two.

It happens that there are two rays, whose paths we know from beginning to end; namely, the ray which proceeds from Q in a direction parallel to the axis, and the ray which passes through F .

The former of these passes through F' after refraction, and the latter after refraction travels in a direction parallel to the axis.

Hence we have the following geometrical construction for the determination of the point conjugate to Q (fig. 9).

FIG. 9.



From Q draw QP parallel to the axis and meeting the tangent plane at the vertex at P . Join PF' , and produce it. Again, join QF and produce it to meet the tangent plane at P' . Through P' draw $P'Q'$ parallel to the axis, and let it meet PF' produced at Q' .

Then, since the rays QP and QF meet after refraction at the point Q' , it follows that Q' is the point conjugate to Q .

23. In Arts. 10 and 21 have been proved two particular cases of our fundamental theorem. We will now consider the general case, in which the position of the luminous point, and the directions of the rays, are both unrestricted. For this purpose it will be necessary to use the algebraic equations to the straight line in Three Dimensions.*

24. We will take the axis of the surface for the axis of x , and any plane perpendicular to it for the plane of yz .

* *Verdet Œuvres*, tome IV. part ii. Conférences de Physique.

The equations of the incident ray may then be written in the form

$$\left. \begin{aligned} y &= mx + b \\ z &= nx + c \end{aligned} \right\},$$

or, more conveniently, in the equally general form

$$\left. \begin{aligned} y &= \frac{m_0}{\mu_0} (x - a) + b_0 \\ z &= \frac{n_0}{\mu_0} (x - a) + c_0 \end{aligned} \right\},$$

where μ_0 is the index of refraction of the first medium;

$\frac{m_0}{\mu_0}$, $\frac{n_0}{\mu_0}$ the tangents of the angles of inclination to the axis

of x of the projections of the incident ray on the planes of xy and xz respectively;

a the abscissa of the vertex of the refracting surface;

a , b_0 , c_0 the coordinates of the point at which the ray meets the tangent plane at the vertex.

In a similar manner the refracted ray may be represented by the equations

$$\left. \begin{aligned} y &= \frac{m_1}{\mu_1} (x - a) + b_1 \\ z &= \frac{n_1}{\mu_1} (x - a) + c_1 \end{aligned} \right\},$$

μ_1 being the index of refraction of the second medium.

It follows from our hypothesis, that $\frac{m_0}{\mu}$, $\frac{n_0}{\mu_0}$, $\frac{m_1}{\mu_1}$, $\frac{n_1}{\mu_1}$, b_0 , c_0 , b_1 and c_1 are all small quantities of the first order.

25. We will first investigate the relation between b_1 and b_0 , and between c_1 and c_0 .

Let P be the point of incidence,


C the centre and r the radius of curvature of the refracting surface,

A the vertex;

and let a plane drawn through C parallel to the plane xy be met by the incident and refracted rays at T and T' respectively. From the fact that the incident ray, the

refracted ray, and PO the normal at P , are all in the same plane, it follows that $CT'T$ is a straight line (fig. 10).

FIG. 10.



Let

$$\angle PTC = \alpha,$$

$$\angle PT'C = \alpha',$$

$$\angle TPC = \phi_0,$$

$$\angle T'PC = \phi_1,$$

$$\angle PCA = \theta,$$

$$CP = r,$$

$$OA = a,$$

and let x , y , and z be the coordinates of P .

Draw PN , NM perpendicular to the planes xy , xz respectively.

Then

$$OM = OA + AM$$

$$= a + r(1 - \cos \theta).$$

Now, at the point P which is common to the incident and refracted rays, the expressions for y given by their respective equations must be the same, hence

$$\frac{m_0}{\mu_0}(x - a) + b_0 = \frac{m_1}{\mu_1}(x - a) + b_1,$$

where

$$x = OM.$$

Hence, substituting for x the value found for it above, we get

$$\frac{m_0 r}{\mu_0}(1 - \cos \theta) + b_0 = \frac{m_1 r}{\mu_1}(1 - \cos \theta) + b_1;$$

therefore $b_1 = b_0 + r (1 - \cos \theta) \left[\frac{m_0}{\mu_0} - \frac{m_1}{\mu_1} \right]$.

In accordance with our hypotheses $\frac{m_0}{\mu_0}$ and $\frac{m_1}{\mu_1}$ are small quantities of the *first* order, and $1 - \cos \theta$ is a small quantity of the *second* order, consequently

$$r (1 - \cos \theta) \left(\frac{m_0}{\mu_0} - \frac{m_1}{\mu_1} \right)$$

is a small quantity of the *third* order and may be neglected.

Therefore, to this degree of approximation, we get

$$b_1 = b_0;$$

and in a similar way it may be shown that

$$c_1 = c_0;$$

therefore the equations to the refracted ray may be written in the form

$$\left. \begin{aligned} y &= \frac{m_1}{\mu_1} (x - a) + b_0 \\ z &= \frac{n_1}{\mu_1} (x - a) + c_0 \end{aligned} \right\}.$$

26. Next, we will determine the relations between m_1 , n_1 , and m_0 , n_0 .

We have from the figure

$$\begin{aligned} \frac{CT'}{CT} &= \frac{CT'}{CP} \cdot \frac{CP}{CT} \\ &= \frac{\sin \phi_1}{\sin \alpha'} \cdot \frac{\sin \alpha}{\sin \phi_0} \\ &= \frac{\mu_0 \sin \alpha}{\mu_1 \sin \alpha'}. \end{aligned}$$

But the ratio $\frac{CT'}{CT}$ is also equal to the ratio of the y coordinates of the points T' and T , *i.e.* of the points on the two portions of the ray whose abscissa is $a + r$; therefore

$$\frac{\mu_0 \sin \alpha}{\mu_1 \sin \alpha'} = \frac{\frac{m_1 r}{\mu_1} + b_0}{\frac{m_0 r}{\mu_0} + b_0};$$

therefore
$$\frac{m_1 r}{\mu_1} + b_0 = \frac{\mu_0 \sin \alpha}{\mu_1 \sin \alpha'} \left(\frac{m_0 r}{\mu_0} + b_0 \right).$$

But α and α' are both very nearly right angles; therefore $\frac{\sin \alpha}{\sin \alpha'}$ differs from unity by a small quantity of the *second* order. Also $\frac{m_0 r}{\mu_0} + b_0$ is a small quantity of the *first* order; therefore, if we neglect small quantities of the *third* order, we get

$$\frac{m_1 r}{\mu_1} + b_0 = \frac{\mu_0}{\mu_1} \left(\frac{m_0 r}{\mu_0} + b_0 \right);$$

therefore
$$\frac{m_1 r}{\mu_1} = \frac{m_0 r}{\mu_1} + b_0 \left(\frac{\mu_0}{\mu_1} - 1 \right);$$

therefore
$$m_1 = m_0 + \frac{\mu_0 - \mu_1}{r} b_0.$$

In a similar way it may be shown that

$$n_1 = n_0 + \frac{\mu_0 - \mu_1}{r} c_0,$$

subject to the condition, that we may neglect small quantities of the *third* order.

27. We have now found expressions for the constants involved in the equations to the refracted ray, in terms of the constants involved in the equations to the incident ray. It follows that if the equations to the incident ray be

$$\left. \begin{aligned} y &= \frac{m_0}{\mu_0} (x - a) + b_0 \\ z &= \frac{n_0}{\mu_0} (x - a) + c_0 \end{aligned} \right\},$$

then the equations to the refracted ray will be

$$\left. \begin{aligned} y &= \left(m_0 + b_0 \frac{\mu_0 - \mu_1}{r} \right) \frac{1}{\mu_1} (x - a) + b_0 \\ z &= \left(n_0 + c_0 \frac{\mu_0 - \mu_1}{r} \right) \frac{1}{\mu_1} (x - a) + c_0 \end{aligned} \right\}.$$

28. With the help of these equations may be proved the most general case of the proposition, that

All rays which proceed from one and the same point will, after refraction, meet again in one and the same point.

Let ξ, η, ζ be any point on the incident ray, and ξ', η', ζ' a point on the refracted ray; then we have

$$\left. \begin{aligned} \eta &= \frac{m_0}{\mu_0} (\xi - a) + b_0 \\ \eta' &= \left(m_0 + b_0 \frac{\mu_0 - \mu_1}{r} \right) \frac{1}{\mu_1} (\xi' - a) + b_0 \end{aligned} \right\}.$$

Eliminating b_0 from these two equations, we get

$$\eta' - \frac{m_0}{\mu_1} (\xi' - a) = \left[\eta - \frac{m_0}{\mu_0} (\xi - a) \right] \left[\frac{\mu_0 - \mu_1}{\mu_1 r} (\xi' - a) + 1 \right];$$

therefore

$$\begin{aligned} \eta' - \eta \left[\frac{\mu_0 - \mu_1}{\mu_1 r} (\xi' - a) + 1 \right] \\ = m_0 \left[\frac{\xi' - a}{\mu_1} - \frac{\xi - a}{\mu_0} \left\{ \frac{\mu_0 - \mu_1}{\mu_1 r} (\xi' - a) + 1 \right\} \right]. \end{aligned}$$

In a similar manner it may be shown, that

$$\begin{aligned} \zeta' - \zeta \left[\frac{\mu_0 - \mu_1}{\mu_1 r} (\xi' - a) + 1 \right] \\ = n_0 \left[\frac{\xi' - a}{\mu_1} - \frac{\xi - a}{\mu_0} \left\{ \frac{\mu_0 - \mu_1}{\mu_1 r} (\xi' - a) + 1 \right\} \right]. \end{aligned}$$

Each of these relations between ξ', η', ζ' and ξ, η, ζ involves an unknown parameter in the first degree, m_0 in the first relation and n_0 in the second. These quantities depend upon the particular ray considered. Each is constant so long as we consider the same ray, but assumes a different value if we change to another ray.

Now it will be noticed that the coefficient of m_0 is the same as the coefficient of n_0 . If we equate this coefficient to zero, we get

$$\frac{\xi' - a}{\mu_1} = \frac{\xi - a}{\mu_0} \left\{ \frac{\mu_0 - \mu_1}{\mu_1 r} (\xi' - a) + 1 \right\} \dots\dots\dots (i),$$

and consequently

$$\eta' = \eta \left\{ \frac{\mu_0 - \mu_1}{\mu_1 r} (\xi' - a) + 1 \right\} \dots\dots\dots (ii),$$

and

$$\zeta' = \zeta \left\{ \frac{\mu_0 - \mu_1}{\mu_1 r} (\xi' - a) + 1 \right\} \dots\dots\dots (iii).$$

The constants which are involved in these three equations, namely, a , μ_0 , μ_1 , r , depend entirely upon the nature of the media, and on the position and curvature of the refracting surface. They are therefore *absolute* constants.

It follows that these equations hold for *any ray whatever* that before incidence passed through the point $\xi\eta\zeta$.

From (i) we get

$$\frac{\xi' - a}{\mu_1} \left\{ 1 - \frac{\mu_0 - \mu_1}{r} \frac{\xi - a}{\mu_0} \right\} = \frac{\xi - a}{\mu_0};$$

therefore
$$\xi' = a + \frac{\mu_1 r (\xi - a)}{\mu_0 r - (\mu_0 - \mu_1) (\xi - a)},$$

which gives us ξ' in terms of ξ .

If we substitute this value of ξ' in equations (ii) and (iii), we get η' in terms of ξ , η , and ζ' in terms of ξ , ζ .

Hence we see that we have found a point $\xi'\eta'\zeta'$ on the refracted ray, whose position depends solely upon that of $\xi\eta\zeta$, and is independent of the particular ray considered. Consequently, *every* ray which before incidence passes through the point whose coordinates are ξ , η , ζ , will after refraction pass through the point whose coordinates ξ' , η' , ζ' are determined by the equations (i), (ii) and (iii), whether the incident ray meets the axis or not.

This proves the theorem completely.


29. Equation (i) in the preceding article leads to a very important geometrical property of conjugate points. It shows us that ξ' depends upon ξ *alone*, and is independent of η and ζ . Hence, to all points which have the same ξ , correspond conjugate points, all of which have the same ξ' . Consequently, if any number of points lie upon a plane perpendicular to the axis, the points conjugate to them will also all lie upon a plane perpendicular to the axis.

Two such planes are said to be conjugate to one another, and are called briefly *Conjugate Planes*.

The property of conjugate planes may however be proved in an elementary manner in the case in which the plane of incidence contains the axis of the refracting surface. We will assume that the plane of incidence is coincident with the plane of the paper.

30. *To investigate formulæ for the Geometrical determination of the position of the point conjugate to a given one.*

Let P, P' be two points conjugate to one another. The position of P being given, it is required to find that of P' (fig. 11).



We know that PAP' will be the course of the ray which passes through the vertex A .

Draw $PN, P'N'$ perpendicular to the axis and meeting it in N, N' respectively; and through F and F' let $FD, F'D'$ be drawn perpendicular to the axis to meet the incident and refracted rays respectively in D and D' .

From the formula $z + z' = h$ (Art. 16) we have, since $h = 0$,

$$z = -z';$$

therefore FD and $F'D'$ are equal in length, but on opposite sides of the axis; therefore, by similar triangles,

$$\frac{FD}{PN} = \frac{AF}{AN} = \frac{f}{AN},$$

and also

$$\frac{F'D'}{P'N'} = \frac{AF'}{AN'} = \frac{f'}{AN'}.$$

Hence $\frac{f \cdot PN}{AN} = \frac{f' \cdot P'N'}{AN'}$, numerically,

and we have previously shown (Art. 21) that

$$\frac{f}{AN} + \frac{f'}{AN'} = 1.$$

These equations are sufficient to determine AN' and $P'N'$ when AN and PN are known.

If we put u, y, v, y' for $AN, PN, AN', P'N'$ respectively, the equations may be written in the form

$$\left. \begin{aligned} \frac{fy}{u} &= \frac{f'y'}{v} && \dots\dots\dots(i), \\ \frac{f}{u} + \frac{f'}{v} &= 1 && \dots\dots\dots(ii). \end{aligned} \right\}$$

31. Equation (ii) of the preceding article leads at once to the property of conjugate planes, which, in Art. 29, we deduced from the formulæ in the general theorem. The equation shows that the value of v depends only upon that of u , and is independent of y .

Hence, if any number of points be taken, lying upon a plane perpendicular to the axis of the refracting surface, the points conjugate to them will also lie upon a plane perpendicular to the axis.

The distances u, v of two conjugate planes from the vertex are connected by the equation

$$\frac{f}{u} + \frac{f'}{v} = 1.$$

32. In Art. 22 it was shown how the conjugate point might be found graphically by following the paths of two known rays to their point of intersection. Now, however, by means of the equation


$$\frac{f}{u} + \frac{f'}{v} = 1,$$

we may determine the plane conjugate to that which passes through the luminous point; and for the determination of

the *point* conjugate to the luminous point, we need follow only *one* ray to its intersection with the plane.

The ray most suitable for the purpose is that which passes through the centre of curvature of the refracting surface. This ray crosses the surface without undergoing refraction, and its path from beginning to end is in one straight line (fig. 12).

FIG. 12.



Let Q be the luminous point, C the centre of curvature, and QN the plane perpendicular to the axis which contains Q , and let $Q'N'$ be the plane conjugate to QN .

Join QC , and produce it to meet the plane $Q'N'$ at Q' .

Then Q' is the point which is conjugate to Q .

Hence we have the general theorem that *all straight lines which join points to their conjugates pass through the centre of curvature of the refracting surface.*

33. *Definition.* The point Q' , through which pass after refraction all the rays which proceed from Q , is called the *image* of Q .

34. Let us suppose that there are a number of points such as Q , all of which lie on the plane QN . To each of these will correspond an *image* lying on the plane $Q'N'$. And if the points Q form in the aggregate an object of finite size and definite shape, the points Q' will form an image exactly similar in shape to the original object formed by the points Q .

The *size* of the image will not, however, be the same

as that of the object. It is necessary therefore to determine the relation between them.

35. *Definition.* The ratio of the linear dimensions of the image to the linear dimensions of the object is called the *magnification*, or the magnifying power of the surface.

36. *To find an expression for the magnification caused by refraction at a surface.*

Let Q be a point on the boundary of the object, then the conjugate point Q' will be a point on the boundary of the image (fig. 12).

Consequently the magnification is represented by the ratio of $Q'N'$ to QN .

This ratio we will denote by m , and we will find an expression for m in terms of u and v , the distances respectively of N and N' from the vertex A .

$$\begin{aligned} \text{We have} \quad m &= \frac{Q'N'}{QN} \\ &= \frac{CN'}{CN} \text{ by similar triangles,} \\ &= \frac{v-r}{u-r}. \end{aligned}$$

$$\text{But} \quad \frac{\mu_1}{v} - \frac{\mu_0}{u} = \frac{\mu_1 - \mu_0}{r};$$

$$\text{therefore} \quad \mu_1 u (r-v) = \mu_0 v (r-u);$$

$$\text{therefore} \quad \frac{v-r}{u-r} = \frac{\mu_0 v}{\mu_1 u};$$

$$\text{therefore} \quad m = \frac{\mu_0 v}{\mu_1 u} \dots\dots\dots(1).$$

37. We will now introduce a notation which will subsequently be found very useful.

The symbols u and v denote what may be called the *absolute* distances of N and N' from A ,

Let us denote $\frac{u}{\mu_0}$ and $\frac{v}{\mu_1}$ by u' and v' respectively, then the formula for the magnification becomes


$$m = \frac{v'}{u'} \dots\dots\dots (2).$$

We may call u' and v' the *reduced* distances of N and N' from A .

The same notation may be adopted for all linear magnitudes, any *reduced* distance being obtained by dividing the corresponding *absolute* distance by the refractive index of the medium in which it is measured.

38. *Helmholtz' formula for magnification.**

Let α and α' be the angles at which an incident ray XY and the refracted ray YX' are respectively inclined to the axis (fig. 13).



Then $u \tan \alpha = AY = v \tan \alpha';$

therefore
$$m = \frac{\mu_0 v}{\mu_1 u}$$

$$= \frac{\mu_0 \tan \alpha}{\mu_1 \tan \alpha'} \dots\dots\dots (3).$$

This formula is an important one, for it connects the magnification with the angle of divergence of the rays, and is independent of the curvature of the refracting surface.

* Helmholtz, *Optique Physiologique*.

39. It may be noticed that an expression for the magnification may also be obtained from equations (ii) and (iii) of Article 28.

We get
$$m = \frac{\eta'}{\eta} = \frac{\xi'}{\xi}$$

$$= \frac{\mu_0 - \mu_1}{\mu_1 r} (\xi' - a) + 1,$$

where
$$\xi' = a + \frac{\mu_1 r (\xi - a)}{\mu_0 r - (\mu_0 - \mu_1) (\xi - a)}.$$

Hence

$$\begin{aligned} m &= \frac{\mu_0 - \mu_1}{\mu_1 r} \frac{\mu_1 r (\xi - a)}{\mu_0 r - (\mu_0 - \mu_1) (\xi - a)} + 1 \\ &= \frac{(\mu_0 - \mu_1) (\xi - a)}{\mu_0 r - (\mu_0 - \mu_1) (\xi - a)} + 1 \\ &= \frac{\mu_0 r}{\mu_0 r - (\mu_0 - \mu_1) (\xi - a)} \dots\dots\dots (4). \end{aligned}$$

CHAPTER II.

REFRACTION AT TWO SURFACES IN SUCCESSION.


40. Many of the properties which belong to a ray of light when refracted at one surface only, may be extended almost directly to the case in which the ray is bent a second time in traversing a second surface.

We assume that the second surface is related in position to the first in the manner described in fig. 1; that it is wholly independent of it as far as curvature is concerned; and that the two surfaces are at any distance whatever apart.

Two such surfaces combined form an ordinary thick lens, the character of which depends upon the curvatures of the two surfaces, the directions in which their concavities are turned, and the refractive index of the medium between them.

The form of what we may call our *standard* lens is given in fig. 14; for, in accordance with our convention, both the radii of curvature are there positive. It is therefore the simplest case to demonstrate, as well as the one from which particular cases can most easily be deduced.

FIG. 14.



We will also assume, as a rule, that the first and last media are similar—air, for example—and we will denote

the refractive indices of the successive media by μ_0 , μ_1 , μ_2 respectively.

If, then, r_1 and r_2 be the radii of curvature of the two surfaces, the properties of any particular lens may be deduced from this general case by assigning to r_1 and r_2 their proper values, and to μ_1 the value of the refractive index of the particular material.

41. *If rays proceed from a luminous point and traverse two refracting surfaces in succession, they will, after emergence, meet again in one and the same point.*

Suppose P to be the luminous point.

It has been proved in Chap. I. that the rays from P will, after refraction at the *first* surface, meet again in a certain point P_1 .

The point P_1 , or the image of P with respect to the first surface, may be considered as a source of light from which rays proceed across the *second* surface.

All these rays, after refraction at the second surface, will, in consequence of the same law, meet again in a certain point P' , the point P' being the image of P_1 with respect to the second surface.

Hence, all rays which proceed from a luminous point P and traverse two refracting surfaces in succession will, on emergence, meet again in one and the same point P' . This result holds whatever be the position of P , and whether the plane of incidence contain the axis of the lens or not.

42. It is obvious that, just as in the case of one surface only, P and P' are reciprocally related to one another, and that if we were to consider P' as the source of light, all rays from it which traverse the two surfaces would on emergence meet together at the point P .

Hence P and P' are *conjugate* to one another with respect to the lens considered; or, in other words, P' is the image of P .

43. The definition of conjugate points leads directly to the two following propositions:

(i) If s and σ denote any two incident rays, and s' and σ' the corresponding emergent rays, the point of concurrence of s and σ is conjugate to the point of concurrence of s' and σ' .

(ii) If P and Q be a pair of conjugate points, and p and q another pair, a ray which before incidence passes through P and p will after emergence pass through Q and q .

44. *If a number of points P lie upon a plane perpendicular to the axis, all the points P' conjugate to them will also lie upon a plane perpendicular to the axis.*

For the points which are conjugate to the system P with respect to the first surface lie upon a certain plane perpendicular to the axis. This was proved in the former chapter.

We will call this system of points P_1 , and we may consider the points as sources of light from which rays traverse the second surface.

Again, we know that all the points P' which are conjugate to the points P_1 with respect to the second surface also lie upon a certain plane perpendicular to the axis.

But the points P' are conjugate to the points P with respect to the lens.

Whence the proposition follows.


45. *If P and P' be conjugate points, and planes pass through them perpendicular to the axis, it follows that any point on one of the planes has its conjugate on the other. Two such planes are said to be conjugate to one another with respect to the lens, and are called briefly *Conjugate Planes*.*

Also the points where the planes meet the axis of the lens are called *Conjugate Foci*.

46. *If any two conjugate planes be taken, and any number of points on one plane be joined to their conjugate points on the other, all these straight lines will meet the axis in the same point.*

Let PN , P_1N_1 , $P'N'$ be planes such that PN and P_1N_1 are conjugate to one another with respect to the first surface, and P_1N_1 and $P'N'$ conjugate with respect to the second surface; and let C_1 , C_2 be the centres of curvature of the two surfaces respectively (fig. 15).

FIG. 15.



Let P' be conjugate to P with respect to the lens, and let the straight line PP' meet the axis at the point C' . We will show that C' is a fixed point, for different positions of P in the plane PN .

If P_1 be conjugate to P with respect to the first surface, and therefore conjugate to P' with respect to the second surface, it has been proved in Art. 32, that the straight lines PP_1 and P_1P' pass through C_1 and C_2 respectively.

We have
$$\frac{PN}{P_1N_1} = \frac{NC_1}{N_1C_1} = \text{constant},$$

and
$$\frac{P_1N_1}{P'N'} = \frac{N_1C_2}{N'C_2} = \text{constant};$$

therefore
$$\frac{PN}{P'N'} = \text{constant};$$

therefore
$$\frac{NC'}{N'C'} = \text{constant};$$

therefore
$$\frac{NN'}{N'C'} = \text{constant};$$

therefore
$$N'C' = \text{constant};$$

therefore C' is a fixed point for all positions of P in the plane PN .

47. If the point N move along the axis to an infinite distance from the lens, the rays which proceed from it, in the limiting position, will before incidence be parallel to the axis, and after emergence will meet at a certain point N' on the axis.

Again, if the point N' move along the axis to an infinite distance from the lens, the emergent rays which converge to N' will, in the limiting position, be parallel to the axis, and must before incidence have issued from an origin of light at a point N situated upon the axis.

The limiting position of N' as N moves off to an infinite distance, and the limiting position of N as N' moves off to an infinite distance, are called the *Principal Foci* of the lens. They are commonly referred to simply as *the Foci*, and are denoted by the letters F'' and F' respectively.

Hence all rays which before incidence are parallel to the axis will after refraction pass through the point F'' , and all rays which after emergence are parallel to the axis must have proceeded before incidence from the point F' .

48. If we denote by I and I' respectively the infinitely distant points towards which N and N' move, it follows that I and F'' , and F' and I' are pairs of conjugate points.

49. The planes through the foci F' and F'' perpendicular to the axis are called the *Focal Planes*.

50. The planes conjugate to the Focal Planes are at an infinite distance.

Hence, if the luminous point be on a Focal Plane, it follows that all the rays which proceed from it will, on emergence, be parallel to one another.

Also, if an image fall on a Focal Plane, it follows in the same way that the incident rays must all have been parallel to one another.

51. In the case of refraction at *one* surface only it was shown that the distances u and v of conjugate foci from the vertex of the surface are connected by the equation

$$\frac{\mu_1}{v} - \frac{\mu_0}{u} = \frac{\mu_1 - \mu_0}{r},$$

or by


$$\frac{f}{u} + \frac{f'}{v} = 1.$$

We will now investigate the corresponding formula for the case of two surfaces.

52. *To find the relation between the positions of conjugate foci when a ray is refracted through a lens.*

Let $QPP'X_3$ be the path of a ray, which crosses the surfaces at the points P , P' respectively, and let X_1 , X_2 be the points at which the portions QP , PP' , produced if necessary, meet the axis: X_3 being the point at which the axis is met by the emergent ray.

FIG. 16.



Then X_1 , X_2 are conjugate to one another with respect to the first surface; and X_2 , X_3 are conjugate with respect to the second surface.

Let A and A' be the two vertices. The thickness of the lens, AA' , is a positive quantity, but we may represent it by $-t$, if we consider t to be itself negative. With this notation we shall make the formulæ more symmetrical.

Let u, v_1 , be the distances of X_1, X_2 respectively from the vertex A ;

$v_1 + t, v$, the distances of X_2, X_3 respectively from the vertex A' ;

r, s , the radii of the first and second surfaces respectively.

Then we have

$$\frac{\mu_1}{v_1} - \frac{\mu_0}{u} = \frac{\mu_1 - \mu_0}{r},$$

and also

$$\frac{\mu_0}{v} - \frac{\mu_1}{v_1 + t} = \frac{\mu_0 - \mu_1}{s}.$$

For simplicity we will denote $\frac{\mu_1 - \mu_0}{r}$ by ρ and $\frac{\mu_0 - \mu_1}{s}$ by σ . Then we get

$$\frac{\mu_1}{v_1} - \frac{\mu_0}{u} = \rho,$$

$$\frac{\mu_0}{v} - \frac{\mu_1}{v_1 + t} = \sigma.$$

These equations may be simplified still further by using *reduced* distances instead of *absolute* distances; as explained in Art. 37.

We will write u' for $\frac{u}{\mu_0}$, v_1' for $\frac{v_1}{\mu_1}$, t' for $\frac{t}{\mu_1}$, and so on.

The equations then become

$$\frac{1}{v_1'} - \frac{1}{u'} = \rho,$$

$$\frac{1}{v'} - \frac{1}{v_1' + t'} = \sigma.$$

It will however be unnecessary to use the accents if we remember that in future the symbols represent *reduced* and not *absolute* distances.

So we get

$$\frac{1}{v_1} - \frac{1}{u} = \rho,$$

$$\frac{1}{v} - \frac{1}{v_1 + t} = \sigma.$$

$$\begin{aligned}
 \text{Hence } v &= \frac{1}{\sigma + \frac{1}{v_1 + t}} \\
 &= \frac{1}{\sigma + \frac{1}{t + \frac{1}{\rho + \frac{1}{u}}}} \\
 &= \frac{1}{\sigma + t} \frac{1}{t} \frac{1}{\rho + \frac{1}{u}} \dots\dots\dots (i),
 \end{aligned}$$

$$\begin{aligned}
 \text{or } v &= \frac{u(\rho t + 1) + t}{u(\sigma \rho t + \sigma + \rho) + \sigma t + 1} \\
 &= \frac{Cu + D}{Au + B} \dots\dots\dots (ii),
 \end{aligned}$$

$$\begin{aligned}
 \text{where } A &= \sigma \rho t + \rho + \sigma, \\
 B &= \sigma t + 1, \\
 C &= \rho t + 1, \\
 D &= t.
 \end{aligned}$$

53. We may notice that the constants B , C and D can be expressed in terms of A .

$$\begin{aligned}
 \text{For } B &= \frac{dA}{d\rho}, \\
 C &= \frac{dA}{d\sigma}, \\
 D &= \frac{d^2 A}{d\rho d\sigma}.
 \end{aligned}$$

54. The constants A , B , C , D are also connected by the equation

$$\begin{aligned}
 AD - BC &= (\sigma \rho t + \rho + \sigma)t - (\sigma t + 1)(\rho t + 1) \\
 &= \sigma \rho t^2 + \rho t + \sigma t - (\sigma \rho t^2 + \sigma t + \rho t + 1) \\
 &= -1.
 \end{aligned}$$

55. If in the formula

$$v = \frac{Cu + D}{Au + B}$$

we put $u = \infty$, we get

$$A'F' = v = \frac{C}{A} \dots\dots\dots (i),$$

and if we put $v = \infty$, we get

$$AF = u = -\frac{B}{A} \dots\dots\dots (ii).$$

These values give the positions of the Principal Foci.

56. If P and P' be a pair of conjugate points upon the axis, we have

$$\begin{aligned} FP.F'P' &= (AP - AF)(A'P' - A'F') \\ &= \left(u + \frac{B}{A}\right) \left(v - \frac{C}{A}\right) \\ &= \frac{Au + B}{A} \cdot \left(\frac{Cu + D}{Au + B} - \frac{C}{A}\right) \\ &= \frac{AD - BC}{A^2} \\ &= -\frac{1}{A^2} \dots\dots\dots (i). \end{aligned}$$

Hence FP and $F'P'$ are of contrary signs; that is, two points which are conjugate to one another must lie either both between or else both outside the Principal Foci.

It must be remembered that in this formula FP and $F'P'$ denote *reduced*, not *absolute* distances. The proper formula for absolute distances is

$$FP.F'P' = -\frac{\mu_o^2}{A^2} \dots\dots\dots (ii).$$

57. *The image formed by a lens.*

The image of a point is its conjugate point. Hence if an object be situated in a plane perpendicular to the axis, its image formed by a lens will also be in a plane perpendicular to the axis.

Also, if m_1 be the magnification produced by the first surface, m_2 that produced by the second surface, and m the resultant magnification produced by the lens, we clearly have

$$m = m_1 m_2.$$

We will now investigate formulæ for the determination of m .

58. *To investigate a formula for the magnification produced by a lens.*

In the case of a single refracting surface it has been proved that

$$m_1 = \frac{v_1}{u}$$

where u and v_1 are *reduced* distances.

Similarly for the second surface we have

$$m_2 = \frac{v}{v_1 + t};$$

therefore
$$\frac{1}{m_2} = \frac{v_1 + t}{v};$$

But
$$\frac{1}{v} - \frac{1}{v_1 + t} = \sigma;$$

therefore
$$\frac{v_1 + t}{v} = 1 + \sigma (v_1 + t);$$

therefore
$$\begin{aligned} \frac{1}{m_1 m_2} &= \frac{u}{v_1} [1 + \sigma (v_1 + t)] \\ &= \frac{u}{v_1} (1 + \sigma t) + u\sigma. \end{aligned}$$

But
$$\frac{1}{v_1} - \frac{1}{u} = \rho;$$

therefore
$$\frac{u}{v_1} = 1 + u\rho;$$

therefore
$$\begin{aligned} \frac{1}{m_1 m_2} &= (1 + u\rho) (1 + \sigma t) + u\sigma \\ &= 1 + \sigma t + u (\rho + \sigma + \rho\sigma t) \\ &= B + Au; \end{aligned}$$

therefore $\frac{1}{m} = B + Au \dots\dots\dots (i),$

a formula which expresses the magnification in terms of u .

59. We may find a formula for m in terms of v in a similar way, or we may deduce it from Art. 58.

For, we have

$$v = \frac{Cu + D}{Au + B}.$$

Hence

$$u = \frac{D - Bv}{Av - C};$$

therefore

$$\begin{aligned} \frac{1}{m} &= B + \frac{AD - ABv}{Av - C} \\ &= \frac{AD - BC}{Av - C} \\ &= \frac{1}{C - Av}; \end{aligned}$$

therefore

$$m = C - Av \dots\dots\dots (ii).$$

60. *Helmholtz' Formula for the magnification.*

From Art. 38, we have for the first surface

$$m_1 = \frac{\mu_0 \tan \alpha}{\mu_1 \tan \alpha_1}.$$

Using a similar notation for the second surface, we get

$$m_2 = \frac{\mu_1 \tan \alpha_1}{\mu_2 \tan \alpha_2};$$

therefore

$$\begin{aligned} m &= \frac{\mu_0 \tan \alpha}{\mu_1 \tan \alpha_1} \times \frac{\mu_1 \tan \alpha_1}{\mu_2 \tan \alpha_2}, \\ &= \frac{\mu_0 \tan \alpha}{\mu_2 \tan \alpha_2}. \end{aligned}$$

61. *Points of unit magnification.*

If, in the formulæ for the magnification, we put $m = 1$, we get

$$\left. \begin{aligned} u &= \frac{1 - B}{A} \\ v &= \frac{C - 1}{A} \end{aligned} \right\}.$$

These values of u and v determine two points on the axis, which we will denote by H and H' respectively. They are conjugate points; and are such, that if an object lie in a plane through either of them perpendicular to the axis, an image of exactly the same size as the object will be produced on a corresponding plane through the other point.

62. These two points H and H' are of the very greatest importance in the discussion of the path of a ray of light through a thick lens, or through a system of thick lenses. They are fixed points, whose positions depend entirely upon the constants of the lens, and they may therefore be used very conveniently as origins, with reference to which the positions of other points may be reckoned.

Gauss was the first to introduce them into the problem. They were called by him *Haupt-puncte* or Principal Points. The planes through them, perpendicular to the axis, he called *Haupt-ebene* or Principal Planes.

We may define these Principal Planes and Principal Points as *Planes and Points of Unit Magnification*.

63. *Formulæ for the magnification, when the foci are the origins from which distances are measured.*

The foci are given by

$$\left. \begin{aligned} u &= -\frac{B}{A} \\ v &= \frac{C}{A} \end{aligned} \right\}.$$

Taking these points for origins, the magnification formulæ become

$$\begin{aligned} \frac{1}{m} &= A \left(u - \frac{B}{A} \right) + B \\ &= Au \dots\dots\dots (i), \end{aligned}$$

$$\begin{aligned} \text{and} \quad m &= C - A \left(v + \frac{C}{A} \right) \\ &= -Av \dots\dots\dots (ii), \end{aligned}$$

u and v being measured from F and F' respectively.

Hence we see again that $uv = -\frac{1}{A}$ (Art. 56).

64. *Formulae for the magnification when the Principal Points are the origins from which distances are measured.*

The principal points are given by

$$\left. \begin{aligned} u &= \frac{1-B}{A} \\ v &= \frac{C-1}{A} \end{aligned} \right\}.$$

Taking these points for origins, the magnification formulæ become

$$\begin{aligned} \frac{1}{m} &= A \left(u + \frac{1-B}{A} \right) + B \\ &= Au + 1 \dots\dots\dots (i), \end{aligned}$$

$$\begin{aligned} \text{and} \quad m &= C - A \left(v + \frac{C-1}{A} \right) \\ &= -Av + 1 \dots\dots\dots (ii), \end{aligned}$$

u and v being measured from H and H' respectively.

65. *The formula connecting u and v when these distances are measured from the Principal Points.*

We have, from Art. 52, the relation

$$v = \frac{Cu + D}{Au + B},$$

u and v being measured from the *vertices*.

Hence, if we transfer the origins to the principal points, we get

$$\begin{aligned} v + \frac{C-1}{A} &= \frac{C \left(u + \frac{1-B}{A} \right) + D}{A \left(u + \frac{1-B}{A} \right) + B} \\ &= \frac{ACu + C - BC + AD}{A^2u + A - AB + BA} \\ &= \frac{ACu + C - 1}{A(Au + 1)}; \end{aligned}$$

therefore $(Av + C - 1)(Au + 1) = ACu + C - 1$;

therefore $A^2uv + Av + Au(C - 1) = ACu$;

therefore $Auv + v - u = 0$,

or
$$\frac{1}{v} - \frac{1}{u} = A.$$

66. If, in the formula,

$$\frac{1}{v} - \frac{1}{u} = A,$$

we put $v = \infty$, we get

$$u = -\frac{1}{A};$$

and if we put $u = \infty$, we get

$$v = \frac{1}{A}.$$

Hence
$$\left. \begin{aligned} HF &= -\frac{1}{A} \\ H'F' &= \frac{1}{A} \end{aligned} \right\};$$

that is, the reduced distance between either Focus and the corresponding Principal Point is equal to the reduced distance between the other Focus and the other Principal Point; and, moreover, the Foci are either both between or else both outside the Principal Points.

The *absolute* distances are $-\frac{\mu_0}{A}$, $\frac{\mu_0}{A}$, and are therefore also equal to one another, if the extreme media are the same; but they are not necessarily equal, if the extreme media are different.

67. *Definition.* The distance $H'F'$ is called the *Focal Length* of the Lens.

We may however take the *reduced* distance for the Focal Length, if it be distinctly understood that we do so. The two are the same when $\mu_0 = 1$.

If we denote it by f , we have $f = \frac{1}{A}$, and the formula of Art. 65 becomes $\frac{1}{v} - \frac{1}{u} = \frac{1}{f}$.

68. *Definition.* The quantity A is called the *Power* of the Lens.

69. The property of Principal Planes may be viewed in a slightly different way.

If we consider a pair of conjugate planes, and join any number of points on one plane to their conjugates on the other, we know that all these straight lines will meet the axis in one and the same point (Art. 46). But if one of the straight lines be parallel to the axis, it may be supposed to meet it at an infinite distance. Hence they will all meet the axis at an infinite distance, and consequently they will all be parallel to the axis.

But if two conjugate planes be so situated that the line joining any point on one of them to its conjugate on the other be parallel to the axis, it is obvious that to an object on one plane will correspond an image of exactly the same size on the other.

This is the property which belongs by definition to *Principal Planes*.

Consequently we may define Principal Planes and Principal Points as follows:


If two conjugate planes be such that the lines joining pairs of conjugate points on them are all parallel to the axis, these planes are called *Principal Planes*, and the points where they meet the axis are called *Principal Points*.

70. It may be noticed that conversely if any straight line parallel to the axis, meet the Principal Planes at the points P and P' respectively, then P and P' are conjugate to one another.

71. *To determine geometrically the position of a point P' which is conjugate to a given point P .*

We will assume that the Foci F and F' , and the Principal Points H and H' have been determined, and that both the Principal Points lie between the Foci (fig. 17).

FIG. 17.



We know from the definition that all the rays from P will, after refraction, pass through P' ; hence it will be sufficient to find the ultimate intersection of any two of them.

We will select that which proceeds from P in the direction Pa , parallel to the axis, and which meets the first Principal Plane at a point α ; and also the ray $PF\beta$ which passes through the focus F and meets the Principal Plane at a point β .

The incident ray Pa passes through I , the point at infinity, and α . Hence, (Art. 43), the corresponding emergent ray will pass through the points conjugate respectively to I and α . Let Pa be produced to meet the other Principal Plane in α' . Then we know that α' is conjugate to α , and F' to I . Consequently $\alpha'F'$ will be the direction of the ray on emergence.

Again, the incident ray $PF\beta$ passes through F and β . If a straight line be drawn through β parallel to the axis, and meeting the other principal plane at β' , then β' is conjugate to β . Also I is conjugate to F . Hence $\beta'P'$ drawn parallel to the axis, will be the path of this ray on emergence.

The point P' , which is conjugate to P , is the intersection of $\alpha'F'$ and $\beta\beta'$ produced.

We have consequently the following Geometrical construction for the determination of P' ; through P draw $Pa\alpha'$ parallel to the axis to meet the second Principal Plane at α' , and draw also $PF\beta$ to meet the first Principal Plane at β . Draw $\beta\beta'$ parallel to the axis. Then $\alpha'F'$ meets $\beta\beta'$, produced if necessary, at the point P' required.


72. It should be noticed that if the first and last media be the same, the figure $Pa'P'\beta$ will be a parallelogram.

73. To investigate algebraical formulæ connecting the positions of two conjugate points which do not lie upon the axis.

The letters in the accompanying figure have their customary signification.

We will assume, for simplicity, that H and H' lie between F and F' , and we will consider numerical values only. The signs can be readily determined by inspection.

FIG. 18.



Let PN , $P'N'$ be drawn perpendicular to the axis; and let

$$\left. \begin{aligned} PN &= y, & NH &= x \\ P'N' &= y', & N'H' &= x' \\ HF &= f, & H'F' &= f' \end{aligned} \right\}.$$

Then, from the similar triangles βHF and $\beta \alpha P$, we get

$$\frac{HF}{\alpha P} = \frac{\beta H}{\beta \alpha},$$

or
$$\frac{f}{x} = \frac{y'}{y + y'}.$$

Again, from the triangles $\alpha' H' F'$ and $\alpha' \beta' P'$, we get in a similar way

$$\frac{f'}{x'} = \frac{y}{y + y'};$$

therefore
$$\frac{f}{x} + \frac{f'}{x'} = 1 \dots\dots\dots (i),$$

and
$$\frac{fy}{x} = \frac{f'y'}{x'} \dots\dots\dots (ii).$$

If x and y be given, these two equations are sufficient to determine x' and y' . Hence, if P be given, the position of P' can be determined.


74. If the extreme media be the same, we have f and f' equal to one another numerically, but of opposite signs. In this case the formulæ of the preceding article reduce to

and
$$\left. \begin{aligned} \frac{1}{x} + \frac{1}{x'} &= \frac{1}{f} \\ \frac{y}{x} &= \frac{y'}{x'} \end{aligned} \right\}.$$

The first of these is similar to the formula obtained in the case of refraction at one surface only; the distances u and v in that case being measured from the vertex.

The second formula, $\frac{y}{x} = \frac{y'}{x'}$, shows that if P and P' (fig. 19) be any two conjugate points, and if they be joined to H and H' respectively, the straight lines PH and $P'H'$ are parallel to one another; that is to say, an incident ray through the

FIG. 19.



Principal Point H will produce a parallel emergent ray through the other Principal Point H' .

Hence for a lens, when the extreme media are the same, the Principal Points possess the property which belongs in the general case to what are called the *Nodal Points*. The general case will be considered in a subsequent chapter.

75. The results of Art. 73 may be put in another form. We have

$$\frac{x}{f} = \frac{y + y'}{y'};$$

therefore
$$\frac{x - f}{f} = \frac{y}{y'};$$

similarly
$$\frac{x' - f'}{f'} = \frac{y'}{y};$$


therefore
$$(x - f)(x' - f') = ff' \dots\dots\dots \text{(iii).}$$

76. If straight lines be drawn through F and F' perpendicular to the axis, to meet the incident and emergent rays respectively in D and D' then

$$FD + F'D' = Ha.$$

Let the incident and emergent rays, produced if necessary, meet the axis at the points X , X' respectively (fig. 20).

FIG. 20.



Then we know that X and X' are conjugate to one another; therefore

$$\frac{f}{HX} + \frac{f'}{H'X'} = 1;$$

therefore
$$\frac{HX - f}{HX} + \frac{H'X' - f'}{H'X'} = 1;$$

therefore
$$\frac{FX}{HX} + \frac{F'X'}{H'X'} = 1;$$

therefore
$$\frac{FD}{Ha} + \frac{F'D'}{H'a'} = 1;$$

therefore
$$FD + F'D' = Ha,$$

for $\alpha\alpha'$ is parallel to the axis, and therefore $H'a' = Ha$.

If we denote FD , $F'D'$, Ha by z , z' , h respectively, we get

$$z + z' = h,$$

which is similar to the corresponding formula obtained in Art. 16 in the case of a ray refracted at one surface only.*

77. *The image of a plane luminous object formed by a thick lens.*

We assume that the object lies on a plane P perpendicular to the axis; and that it may be regarded as a cluster of luminous points, each of which has its image on the plane

* Carl Neumann: *Ueber die Haupt- und Brenn- Punkte.*

P' conjugate to P . These point-images, in the aggregate form the image required.

The determination of the position of the plane P' when the Principal Planes have been found, has been explained in Arts. 71, 73. It will be shown in Chapter V. how the Principal Planes themselves may be determined experimentally.

Again, it has been proved that all the lines joining corresponding points of object and image, meet one another at a point C' on the axis. Hence the image is similar in form to the object, and will be inverted or upright according as C' lies between them or not.

78. *To determine the image graphically.*

Let us take any point of the object and join it to its conjugate point. This line, produced if necessary, will meet the axis at a point C' .

If we now describe a cone which has its vertex at C' , and the object P for its base, then the section of this cone made by the conjugate plane P' will be the image required.

79. *Definition.* When a ray parallel to the axis is refracted by a lens, it receives a certain deviation. A *thin* lens, which, when placed coaxally with the lens, would produce the same deviation in the same ray, is said to be *equivalent* to the given lens. It is called, briefly, the *Equivalent Lens*.

80. *To find the deviation produced by a thick lens.*


Let $QPP'Q'$ be the course of a ray, which before incidence is parallel to the axis, and which crosses the refracting surfaces at the points P and P' respectively (fig. 20 a).

Let $A_1P = h$, and let the radii of the surfaces be r and s .

We will consider all deviations positive when they are towards the axis, and we will denote the deviation at P by $-\delta$; then from Art. 8 we have

$$\begin{aligned} -\delta &= \frac{\mu_1 - \mu_0}{\mu_1} \frac{h}{r} \\ &= \frac{\rho h}{\mu_1} \dots\dots\dots (i). \end{aligned}$$

FIG. 20.(a)



We have, from the Geometry of the figure,

$$\begin{aligned}
 A_2P' &= A_1P + PG \tan P'PG \\
 &= h + t\delta \\
 &= h + t \frac{\rho h}{\mu_r}, \text{ if } -t = \text{absolute thickness of lens,} \\
 &= h(1 + \rho t), \text{ if } -t = \text{reduced thickness.}
 \end{aligned}$$

Again, deviation at P'

$$\begin{aligned}
 &= \frac{\mu_o - \mu_1}{\mu_o} \left\{ \frac{A_2P'}{s} - \delta \right\}, \text{ by Art. 8,} \\
 &= \frac{\mu_o - \mu_1}{\mu_o} \left\{ \frac{h(1 + \rho t)}{s} - \delta \right\} \\
 &= \frac{h\sigma(1 + \rho t)}{\mu_o} - \frac{\mu_o - \mu_1}{\mu_o} \delta.
 \end{aligned}$$

But total deviation = deviation at P + deviation at P' ;
 therefore total deviation = $+\delta + \frac{h\sigma(1 + \rho t)}{\mu_o} - \frac{\mu_o - \mu_1}{\mu_o} \delta$

$$\begin{aligned}
 &= \frac{h\sigma(1 + \rho t)}{\mu_o} + \frac{\mu_1}{\mu_o} \delta \\
 &= \frac{h}{\mu_o} \{ \sigma(1 + \rho t) + \rho \} \\
 &= \frac{Ah}{\mu_o}.
 \end{aligned}$$

81. *The focal length of the equivalent Lens.*

In Art. 9 we have shewn that a single refracting surface, which may be considered as an indefinitely thin lens, produces in a ray parallel to the axis a deviation

$$\begin{aligned} &= \frac{h}{r} \frac{\mu_1 - \mu_0}{\mu_1} \\ &= \frac{h}{f}, \end{aligned}$$

f being the *absolute* focal length of the surface.

Also (Art. 80) a thick lens produces a deviation

$$= \frac{Ah}{\mu_0}.$$

Hence the absolute focal length of the thin lens which would produce the same deviation as a given thick lens, or, in other words, the absolute focal length of the *equivalent lens*, is given by the formula

$$\frac{h}{f} = \frac{Ah}{\mu_0},$$

or

$$f = \frac{\mu_0}{A}.$$


Consequently, the *reduced* focal length of the equivalent lens

$$= \frac{1}{A}.$$

82. If the results of Arts. 67 and 81 be compared, it will be seen that the focal length of the equivalent lens is equal to what we have defined as the focal length of the thick lens itself, for each is equal to $\frac{1}{A}$.

This equality is evident geometrically. For if we consider a ray which before incidence is parallel to the axis, we know that on emergence it will pass through F' (see fig. 21); the deviation being represented in the figure by the angle between Paa' produced and $a'F'$. And if the ray pass through the equivalent lens, the deviation produced being the same,

FIG. 21.



it is clear that the emergent ray will cut the axis at a distance from the lens equal to $H'F'$, the same as before. Consequently the two focal lengths are equal to one another.

83. In this chapter we have considered the passage of a ray of light across *two* surfaces only, and we have proved (Arts. 52, 58, 59) that the positions of conjugate points are connected by the relation

$$v = \frac{Cu + D}{Au + B},$$

and that the *magnification* is given by the formula

$$m = C - Av,$$

or

$$\frac{1}{m} = B + Au.$$

In the next chapter we shall prove that however many surfaces be crossed by the ray, the formulæ which correspond to those given above are exactly analogous to them; and that in the general case, for any number of surfaces, the constants A , B , C , D are connected with one another in exactly the same manner as in the case of an ordinary thick lens (Art. 53).

CHAPTER III.

REFRACTION AT ANY NUMBER OF SURFACES.

84. The refracting surfaces to be considered are spherical, and have all their centres of curvature upon the same straight line, which is the axis of the system.

The spaces between the surfaces are supposed to be occupied by homogeneous media, such that the medium on one side of any surface and that on the other side have different refractive indices.

By assigning suitable values to the indices of refraction, to the distances between the vertices, and to the radii of curvature, this system of refracting surfaces may be adapted to the case of any system whatever of any number of co-axial lenses, simple or compound.

85. Several of the properties that have been proved for a lens can be extended at once to the general case. It will be sufficient if we merely state the propositions, and then leave the reader to prove them by generalising the corresponding propositions in Chapter II. In many cases the requisite alterations will be but verbal.

86. (i) *If any number of rays proceed from a luminous point P , and traverse a system of any number of refracting surfaces in succession, they will, after emergence from the system, pass through one and the same point P' (Art. 41).*

Two points such as P and P' are said to be conjugate to one another with respect to the system of surfaces.

(ii) *The point of concurrence of any two incident rays is conjugate to the point of concurrence of the corresponding emergent rays.*

(iii) If P, P' be a pair of conjugate points, and p, p' another pair, then the incident ray which passes through P and p will produce an emergent ray passing through P' and p' .

(iv) To a system of points P lying on a plane perpendicular to the axis, corresponds a system of points P' , which are conjugate respectively to the points P , and also lie on a plane perpendicular to the axis.

Two such planes are called *Conjugate Planes*, that is to say, planes conjugate to one another with respect to the system of surfaces considered. The points where they meet the axis are called *Conjugate Foci*.

(v) If P and P' be two conjugate points, a plane through P perpendicular to the axis will be conjugate to a plane through P' perpendicular to the axis.

(vi) If two conjugate planes be taken, and any number of points on one be joined to their conjugates on the other, all these straight lines will meet the axis at the same point.

87. If the incident rays are all parallel to the axis, they may be considered as proceeding from a point I on the axis at an infinite distance from the vertex of the first surface. After emergence from the system they will meet together at a point F'' on the axis.

Again, the rays which after emergence from the system are all parallel to the axis may be supposed to meet the axis at an infinitely distant point I' , and must before incidence on the first surface have proceeded from a certain point F on the axis.

The points F and F'' are called the *Principal Foci*, or briefly, *the Foci* of the system. The planes through them perpendicular to the axis are the *Focal Planes* of the system.

Also F, I' and I, F'' are pairs of conjugate points.

The properties (Art. 50) of rays which before incidence or after emergence, meet at a point on a Focal Plane, are true also whatever be the number of surfaces crossed by the rays.

88. We will now suppose that the source of light is at a point X on the axis of the system, and we will denote by u

its *reduced* distance from the vertex of the refracting surface nearest to it. The reduced distance of X_1 , the point conjugate to X with respect to the first surface, will be denoted by v_1 .

If X_2 be conjugate to X_1 with respect to the second surface, their distances from the second vertex may be denoted by

$$v_1 + t_1 \text{ and } v_2,$$

where, with the notation explained in Art. 52, $-t_1$ is the reduced distance between the two vertices.

Again, if $-t_2$ be the distance between the second and third vertices, the distances from the third vertex of X_2 and the point conjugate to it with respect to the third surface may be denoted by

$$v_2 + t_2 \text{ and } v_3;$$

and so on.

In this way, if we suppose that there are n surfaces, we have for the last pair of distances

$$v_{n-1} + t_{n-1} \text{ and } v_n.$$

We will suppose the radii of curvature of the surfaces to be $r_1, r_2, r_3, \dots r_n$ successively; and the indices of refraction of the successive media to be $\mu_0, \mu_1, \mu_2, \mu_3, \dots \mu_n$; μ_n and μ_0 being equal to one another, when the first and last media are the same.

The expressions

$$\frac{\mu_1 - \mu_0}{r_1}, \frac{\mu_2 - \mu_1}{r_2}, \dots \frac{\mu_n - \mu_{n-1}}{r_n},$$

will be denoted by $\rho_1, \rho_2, \rho_3, \dots \rho_n$ respectively.

The above notation will be employed throughout the subsequent articles. It will be observed that the distances are *reduced* distances.

We will now proceed to consider the relation between the positions of two conjugate foci.

89. *To find the relation between the positions of two conjugate foci, when a ray is refracted at n surfaces in succession.*

From Art. 52 we have, with the notation explained in the preceding article,

$$\begin{aligned}\frac{1}{v_1} - \frac{1}{u} &= \rho_1, \\ \frac{1}{v_2} - \frac{1}{v_1 + t_1} &= \rho_2, \\ \frac{1}{v_3} - \frac{1}{v_2 + t_2} &= \rho_3, \\ &\dots\dots\dots \\ \frac{1}{v_n} - \frac{1}{v_{n-1} + t_{n-1}} &= \rho_n.\end{aligned}$$

Hence

$$\begin{aligned}v_n &= \frac{1}{\rho_n + \frac{1}{t_{n-1} + v_{n-1}}} \\ &= \frac{1}{\rho_n + t_{n-1}} + \frac{1}{\rho_{n-1} + t_{n-2}} + \dots + \frac{1}{t_1} + \frac{1}{\rho_1} + \frac{1}{u}.\end{aligned}$$

90. If $\frac{C}{A}$ and $\frac{D}{B}$ be the penultimate and ante-penultimate convergents to the continued fraction

$$\frac{1}{\rho_n + t_{n-1}} + \frac{1}{\rho_{n-1} + t_{n-2}} + \dots + \frac{1}{t_1} + \frac{1}{\rho_1} + \frac{1}{u},$$

we get

$$v_n = \frac{Cu + D}{Au + B}.$$

Now, the number of quantities such as

$$u, \rho_1, t_1, \rho_2, t_2, \dots, t_{n-1}, \rho_n$$

is $2n$.

Hence $\frac{C}{A}$ is an odd, and $\frac{D}{B}$ an even convergent to v_n ; consequently

$$\frac{D}{B} - \frac{C}{A} = -\frac{1}{BA};$$

therefore

$$AD - BC = -1.$$

For simplicity we will suppress the subscript letter in v , and call the distance v . We have then

$$v = \frac{Cu + D}{Au + B} \dots\dots\dots (i),$$

where the constants A , B , C and D are connected by the relation

$$AD - BC = -1 \dots\dots\dots (ii).$$

It will be seen that the formulæ (i) and (ii) are precisely analogous to those obtained in Arts. 52 and 54, in the case of a single thick lens.

91. If in the formula

$$v = \frac{Cu + D}{Au + B}$$

we put $u = \infty$, we get

$$v = \frac{C}{A} \dots\dots\dots (i),$$

and if we put $v = \infty$, we get

$$u = -\frac{A}{B} \dots\dots\dots (ii),$$

which determine the positions of the *Principal Foci* of the system.

92. If P , P' be two conjugate points on the axis, and F , F' be the Foci, we have, as in Art. 56,

$$FP.F'P' = -\frac{1}{A^2},$$

if FP and $F'P'$ denote *reduced* distances, or

$$FP.F'P' = -\frac{\mu_o \mu_n}{A^2},$$

if they denote *absolute* distances.

93. In Art. 53, it was shewn that each of the constants B , C , D can be expressed in terms of A . This is a very important property, and we will now show that it is a general one; that it holds for the case of a system of n surfaces as well as for a simple thick lens.

94. If $\frac{1}{a} + \frac{1}{b} + \frac{1}{c} + \dots$ denote any continued fraction, its successive convergents may be written in the form

$$\frac{(1)}{(a)}, \frac{(b)}{(ab)}, \frac{(bc)}{(abc)}, \frac{(bcd)}{(abcd)}, \&c.$$

the successive numerators and denominators being connected by the relations

$$\begin{aligned}(bc) &= c(b) + (1), \\(bcd) &= d(bc) + (b), \\(abcd) &= d(abc) + (ab), \\&\&c.\end{aligned}$$

The functional sign is purposely the same throughout, for we know that (bcd) in the fourth numerator is exactly the same function of b, c, d , that (abc) in the third denominator is of a, b, c .

Among the known properties of the numerators and denominators of these successive convergents we have the following;

$$(abcd\dots hk) \equiv (kh\dots dcba) \dots\dots\dots \text{I},$$

that is to say, any function $(abcd\dots hk)$ is unaltered if we reverse the order of the letters. Also

$$\left. \begin{aligned}(bc) &= \frac{d}{da} (abc) = \frac{d}{da} (cba) \\(bcd) &= \frac{d}{da} (abcd) = \frac{d}{da} (dcba)\end{aligned} \right\} \dots\dots\dots \text{II}.$$

&c.

These theorems are very important, but we have not been able to find them in any English book on the subject. It may therefore be useful to the reader if we give proofs of them in an Appendix at the end of this volume.

95. The quantity A is the denominator of the penultimate convergent to the continued fraction

$$\frac{1}{\rho_n} + \frac{1}{t_{n-1}} + \frac{1}{\rho_{n-1}} + \dots\dots\dots \frac{1}{t_1} + \frac{1}{\rho_1} + \frac{1}{u},$$

and is consequently a function of

$$\rho_n, t_{n-1}, \rho_{n-1}, \dots, t_1, \rho_1.$$

Hence, we may write

$$A = \phi(\rho_n, t_{n-1}, \rho_{n-1}, \dots, t_1, \rho_1),$$

and therefore by Theorem I of the preceding article, we have also

$$A = \phi(\rho_1, t_1, \rho_2, t_2, \dots, \rho_{n-1}, t_{n-1}, \rho_n) \dots \dots \dots (i);$$

and, by Theorem II, we have

$$\left. \begin{aligned} B &= \frac{dA}{d\rho_1} \\ C &= \frac{dA}{d\rho_n} \\ D &= \frac{d^2 A}{d\rho_1 d\rho_n} \end{aligned} \right\} \dots \dots \dots (ii).$$

Hence, whatever be the number of surfaces, B , C and D can always be expressed in terms of A .

These results are precisely analogous to those obtained in Art. 53.

96. Let us represent the denominators of the successive convergents to the continued fraction

$$\frac{1}{\rho_n + \frac{1}{t_{n-1} + \frac{1}{\rho_{n-1} + \dots \dots \dots \frac{1}{t_1 + \frac{1}{\rho_1}}}},$$

by $A_1, A_2, A_3, \dots, A_{2n-1}$;

then we know that each of these quantities is connected with the two preceding it by the relations

$$A_{2n-1} - \rho_1 A_{2n-2} - A_{2n-3} = 0,$$

$$A_{2n-2} - t_1 A_{2n-3} - A_{2n-4} = 0,$$

$$A_{2n-3} - \rho_2 A_{2n-4} - A_{2n-5} = 0,$$

$$\dots \dots \dots \&c.,$$

of which the last are

$$A_3 - t_{n-1} A_2 - A_1 = 0,$$

$$A_2 - \rho_n A_1 = 1.$$

97. If, for example, we suppose that there are *four* surfaces, we have $2n-1=7$, and we get

$$\left. \begin{aligned} A_7 - \rho_1 A_6 - A_5 &= 0 \\ A_6 - t_1 A_5 - A_4 &= 0 \\ A_5 - \rho_2 A_4 - A_3 &= 0 \\ A_4 - t_2 A_3 - A_2 &= 0 \\ A_3 - \rho_3 A_2 - A_1 &= 0 \\ A_2 - t_3 A_1 &= 1 \\ A_1 &= \rho_4 \end{aligned} \right\}.$$

Hence, solving these equations for A_7 , we get

$$A_7 = \begin{vmatrix} 1, & -\rho_1, & -1, & 0, & 0, & 0, & 0 \\ 0, & 1, & -t_1, & -1, & 0, & 0, & 0 \\ 0, & 0, & 1, & -\rho_2, & -1, & 0, & 0 \\ 0, & 0, & 0, & 1, & -t_2, & -1, & 0 \\ 0, & 0, & 0, & 0, & 1, & -\rho_3, & -1 \\ 0, & 0, & 0, & 0, & 0, & 1, & -t_3 \\ 0, & 0, & 0, & 0, & 0, & 0, & 1 \end{vmatrix} \\ = \begin{vmatrix} 0, & -\rho_1, & -1, & 0, & 0, & 0, & 0 \\ 0, & 1, & -t_1, & -1, & 0, & 0, & 0 \\ 0, & 0, & 1, & -\rho_2, & -1, & 0, & 0 \\ 0, & 0, & 0, & 1, & -t_2, & -1, & 0 \\ 0, & 0, & 0, & 0, & 1, & -\rho_3, & -1 \\ 1, & 0, & 0, & 0, & 0, & 1, & -t_3 \\ \rho_4, & 0, & 0, & 0, & 0, & 0, & 1 \end{vmatrix}.$$

The coefficient of A_7 in the above result is a determinant which has all the terms on one side of its diagonal zero, and all the terms in the diagonal unity. The value of the determinant reduces therefore to unity; and we get

$$A_7 = - \begin{vmatrix} -\rho_1, & -1, & 0, & 0, & 0, & 0, & 0 \\ 1, & -t_1, & 1, & 0, & 0, & 0, & 0 \\ 0, & 1, & -\rho_2, & -1, & 0, & 0, & 0 \\ 0, & 0, & 1, & -t_2, & -1, & 0, & 0 \\ 0, & 0, & 0, & 1, & -\rho_3, & -1, & 0 \\ 0, & 0, & 0, & 0, & 1, & -t_3, & -1 \\ 0, & 0, & 0, & 0, & 0, & 1, & -\rho_4 \end{vmatrix}.$$

98. If, again, we suppose that there are *two* refracting surfaces, we have $2n - 1 = 3$, and therefore

$$\left. \begin{aligned} A_2 - \rho_1 A_1 - A_1 &= 0 \\ A_2 - t_1 A_1 &= 1 \\ A_1 &= \rho_2 \end{aligned} \right\};$$

therefore
$$A_2 = - \begin{vmatrix} -\rho_1, & -1, & 0 \\ 1, & -t_1, & -1 \\ 0, & 1, & -\rho_2 \end{vmatrix}$$

$$= \rho_1 \rho_2 t_1 + \rho_1 + \rho_2,$$

which agrees with the result obtained for a thick lens in the preceding chapter.

99. For the case of *one* surface only, we have

$$\begin{aligned} A_1 &= -(-\rho_1) \\ &= \rho_1, \end{aligned}$$

which, too, agrees with previous results.

100. For the general case of n surfaces, we have

$$A_{2n-1} = - \begin{vmatrix} -\rho_1, & -1, & 0, & 0, & 0, & \dots\dots\dots \\ 1, & -t_1, & -1, & 0, & 0, & \dots\dots\dots \\ 0, & 1, & -\rho_2, & -1, & 0, & \dots\dots\dots \\ 0, & 0, & 1, & -t_2, & -1, & \dots\dots\dots \\ \dots\dots\dots & & & & & \dots\dots\dots \\ \dots\dots\dots & & & & 1, & -t_{n-1}, & -1 \\ \dots\dots\dots & & & & & 1, & -\rho_n \end{vmatrix}.$$

101. We may now investigate a relation whereby the value of A for n surfaces may be determined from that for $n - 1$ surfaces; that is to say, we will investigate an equation connecting A_{2n-1} and A_{2n-3} .

We know that A_{2n-1} is the denominator of the last convergent to the continued fraction

$$\frac{1}{\rho_n + \frac{1}{t_{n-1} + \frac{1}{\rho_{n-1} + \frac{1}{t_{n-2} + \dots + \frac{1}{t_1 + \frac{1}{\rho_1}}}}},$$

that is, to the continued fraction

$$\frac{1}{\rho_1 + \frac{1}{t_1 + \frac{1}{\rho_2 + \frac{1}{t_2 + \dots \frac{1}{t_{n-1} + \frac{1}{\rho_n}}}}}}$$

obtained by reversing the order of the letters in the preceding one.

If we denote the denominators of the successive convergents to the latter fraction by

$$A_1, A_2, A_3, \dots A_{2n-1},$$

we have

$$\left. \begin{aligned} A_{2n-1} &= \rho_n A_{2n-2} + A_{2n-3} \\ A_{2n-2} &= t_{n-1} A_{2n-3} + A_{2n-4} \end{aligned} \right\};$$

therefore

$$\begin{aligned} A_{2n-1} &= (\rho_n t_{n-1} + 1) A_{2n-3} + \rho_n A_{2n-4} \\ &= (\rho_n t_{n-1} + 1) A_{2n-3} + \rho_n \frac{dA_{2n-3}}{d\rho_{n-1}}. \end{aligned}$$

102. It is clear that

$$A_1 = \rho_1, \dots \dots \dots (i).$$

From this, by means of the formula just proved, we get

$$\begin{aligned} A_3 &= (1 + \rho_2 t_1) A_1 + \rho_2 \frac{dA_1}{d\rho_1} \\ &= (1 + \rho_2 t_1) \rho_1 + \rho_2 \\ &= \rho_1 + \rho_2 + \rho_1 \rho_2 t_1 \dots \dots \dots (ii). \end{aligned}$$

$$\begin{aligned} \text{Hence } A_5 &= (1 + \rho_3 t_2) A_3 + \rho_3 \frac{dA_3}{d\rho_2} \\ &= (1 + \rho_3 t_2) (\rho_1 + \rho_2 + \rho_1 \rho_2 t_1) + \rho_3 (1 + \rho_1 t_1) \dots (iii), \end{aligned}$$

and so on.

The formula of Art. 101 consequently enables us to determine the value of A for three surfaces from its value for two, then its value for four surfaces from its value for three, and thus by successive steps to its value for any number of surfaces whatever. Moreover, from the value of A in any particular case, we can determine the corresponding values of B , C and D . Thus we see that the values of A , B , C , D for any system of surfaces may be deduced from the value of A for *one* surface only.

103. *Magnification.* It has been proved in the particular case of a lens, that m or the magnification can be expressed as a linear function of v , and $\frac{1}{m}$ as a linear function of u .

We will now show that the magnification can be so expressed, whatever be the number of refracting surfaces; that the formulæ in the general case are precisely analogous to those obtained in the particular case; and that they involve the constants A , B , and C in exactly the same way.

104. *The magnification produced by a system of n refracting surfaces can be expressed as a linear function of v .*

Let us consider the system formed by the first $n-1$ surfaces, and let $(m)_{n-1}$ denote the magnification produced by it.

Also let v_{n-1} be the reduced distance of the $(n-1)^{\text{th}}$ image from the $(n-1)^{\text{th}}$ vertex.

We will assume that $(m)_{n-1}$ can be expressed as a linear function of v_{n-1} , and thence show that on this supposition, the magnification can again be expressed as a linear function of v_n , if we cause the rays to pass through an additional or n^{th} surface; v_n being the reduced distance of the n^{th} image from the vertex of the n^{th} surface.

We will assume that

$$(m)_{n-1} = \gamma - \alpha v_{n-1},$$

and we will suppose that $-t_{n-1}$ is the *reduced* distance between the $(n-1)^{\text{th}}$ and the n^{th} vertices.

It has been proved, that the magnification produced by a single surface

$$= \frac{v}{u}.$$

Consequently the magnification caused by the n^{th} surface alone

$$= \frac{v_n}{v_{n-1} + t_{n-1}}.$$

Hence, if we denote by m the whole magnification produced by the n surfaces, we have

$$m = (\gamma - \alpha v_{n-1}) \frac{v_n}{v_{n-1} + t_{n-1}}.$$

But
$$\frac{1}{v_n} - \frac{1}{v_{n-1} + t_{n-1}} = \rho_n;$$

therefore
$$\frac{v_n}{v_{n-1} + t_{n-1}} = 1 - v_n \rho_n;$$

therefore
$$\begin{aligned} m &= \{\gamma + \alpha t_{n-1} - \alpha (v_{n-1} + t_{n-1})\} \frac{v_n}{v_{n-1} + t_{n-1}} \\ &= \frac{v_n}{v_{n-1} + t_{n-1}} (\gamma + \alpha t_{n-1}) - \alpha v_n \\ &= (1 - v_n \rho_n) (\gamma + \alpha t_{n-1}) - \alpha v_n \\ &= \gamma + \alpha t_{n-1} - v_n \{\alpha + \rho_n (\gamma + \alpha t_{n-1})\} \\ &= \gamma' - \alpha' v_n. \end{aligned}$$

Hence the magnification can be expressed as a linear function of v_n .

105. Again, if P and P' be two points that are conjugate to one another with respect to the system of surfaces, we know that which ever we consider as the source of light, the rays from it will produce an image at the other point. The same is true of objects and images of a definite size. Consequently, if we transpose the terms object and image in the preceding article, and consider as an origin of light what is there treated as an image, the image of it produced by the system of surfaces will be what we originally considered as the object.

The magnification produced by the system thus transposed will clearly

$$= \frac{1}{m}.$$

Also the quantity corresponding to v_n is obviously u .

Hence, we obtain as a result, that for a system of any

number of surfaces the inverse magnification, or $\frac{1}{m}$, can be expressed as a linear function of u , or

$$\frac{1}{m} = \beta' + \alpha''u.$$

106. We have proved so far that the magnification produced by a system of n refracting surfaces may be expressed in either of the forms

$$m = \gamma' - \alpha'v_n,$$

and

$$\frac{1}{m} = \beta' + \alpha''u.$$

If we suppress the subscript letter n , the former becomes

$$m = \gamma' - \alpha'v.$$

These formulæ are similar in form to those obtained for a lens. We have now to determine the yet unknown constants β' , α'' , γ' , α' .

107. The formulæ for the magnification, namely,

$$\left. \begin{aligned} m &= \gamma' - \alpha'v \\ \frac{1}{m} &= \beta' + \alpha''u \end{aligned} \right\},$$

must clearly be equivalent; so that if in the former we were to put for v its known value in terms of u , we should certainly get the latter. It follows, therefore, that if we eliminate m from the two expressions, the result of elimination will be an expression involving only u , v , and constants, which must be identically the same as the known relation

$$v = \frac{Cu + D}{Au + B}.$$

Eliminating m , we get

$$1 = (\gamma' - \alpha'v)(\beta' + \alpha''u),$$

$$\text{or} \quad 1 = \gamma'\beta' + \alpha''\gamma'u - \beta'\alpha'v - \alpha'\alpha''uv,$$

$$\text{or} \quad \alpha'\alpha''uv + \beta'\alpha'v - \alpha''\gamma'u + 1 - \gamma'\beta' = 0 \dots\dots\dots (i).$$

Also from $v = \frac{Cu + D}{Au + B}$, we get

$$Auv + Bv - Cu - D = 0 \dots\dots\dots (ii).$$

The equations (i) and (ii) must be identically the same; hence, comparing coefficients, we have

$$\frac{\alpha'\alpha''}{A} = \frac{\beta'\alpha'}{B} = \frac{\alpha'\gamma'}{C} = \frac{1 - \gamma'\beta'}{-D};$$

therefore
$$\left. \begin{aligned} \frac{\alpha'}{A} = \frac{\gamma'}{C} = \lambda \\ \frac{\alpha''}{A} = \frac{\beta'}{B} = \lambda' \end{aligned} \right\} \dots\dots\dots (iii);$$

therefore, substituting for α' , α'' , γ' , β' , in the equation

$$\frac{\alpha'\alpha''}{A} = \frac{1 - \gamma'\beta'}{-D},$$

we get $\lambda\lambda'AD = -1 + \lambda\lambda'BC;$

therefore $\lambda\lambda'(AD - BC) = -1;$

therefore $\lambda\lambda' = 1 \dots\dots\dots (iv).$

Again, substituting in the formulæ for m the values of α' , α'' , β' , γ' given by (iii), we get

$$m = \lambda(C - Av),$$

$$\frac{1}{m} = \frac{1}{\lambda}(B + Au).$$

The resemblance between the formulæ for n surfaces and the formulæ for a lens has now become more distinct; but the method described here does not lead to the determination of λ in an elementary way. The method is in itself important, but for our special purpose it will be better to consider the matter directly.

108. *To investigate a formula for the magnification produced by a system of n refracting surfaces.*

Let us consider the last $n - 1$ surfaces and let A' , B' , C' , D' be the corresponding values of A , B , C , D .

If m' denote the magnification produced by these $n-1$ surfaces, we will assume that

$$\frac{1}{m'} = A'u' + B',$$

where u' is the distance of the second image from the second vertex.

The magnification produced by the first surface is given by

$$\frac{1}{m_1} = \frac{u}{v_1}.$$

Hence m , or the resultant magnification produced by the whole system, is given by

$$\begin{aligned} \frac{1}{m} &= (A'u' + B') \frac{u}{v_1} \\ &= \{A'(v_1 + t_1) + B'\} \frac{u}{v_1} \\ &= A'u + (B' + A't_1) \frac{u}{v_1}. \end{aligned}$$

But $\frac{1}{v_1} - \frac{1}{u} = \rho_1;$

therefore $\frac{u}{v_1} = 1 + u\rho_1;$

therefore $\frac{1}{m} = A'u + (B' + A't_1)(1 + u\rho_1)$
 $= u(A' + B'\rho_1 + A't_1\rho_1) + B' + A't_1.$

Now A' is the denominator of the last convergent to the continued fraction

$$\frac{1}{\rho_2 + \frac{1}{t_2 + \frac{1}{\rho_3 + \dots \frac{1}{\rho_n}}}};$$

we have also $B' = \frac{dA'}{d\rho_2},$

and we have proved that successive denominators are connected with one another by the equation

$$A_{2n-1} = (\rho_n t_{n-1} + 1) A_{2n-3} + \rho_n \frac{dA_{2n-3}}{d\rho_{n-1}}, \text{ (Art. 101).}$$

Hence $A = (\rho_1 t_1 + 1) A' + \rho_1 B',$

and $B = \frac{dA}{d\rho_1} = A't_1 + B';$

therefore $\frac{1}{m} = Au + B \dots \dots \dots (i) ;$

and if in this formula we substitute for u its value in terms of v found from the equation

$$v = \frac{Au + B}{Cu + D},$$

we get $m = -Av + C \dots \dots \dots (ii).$

Hence the magnification produced by a system of n refracting surfaces can be expressed in exactly the same form as that produced by a lens.

109. If the foci be taken as the origins of distances, the formulæ for the magnification become (Art. 63)

$$\left. \begin{aligned} \frac{1}{m} &= Au \\ m &= -Av \end{aligned} \right\},$$

u and v being measured from F' and F'' respectively.

110. *Helmholtz' formula for the magnification produced by a system of n surfaces.*

If $\mu_0, \mu_1, \mu_2, \dots \mu_n$ be the refractive indices of the successive media;

and $\alpha, \alpha_1, \alpha_2, \dots \alpha_n$ be the angles at which the successive portions of the ray are inclined to the axis of the system;

and $m_1, m_2, m_3, \dots m_n$ the magnifications produced by the surfaces; we have

$$\begin{aligned} m_1 &= \frac{\mu_0 \tan \alpha}{\mu_1 \tan \alpha_1}, \\ m_2 &= \frac{\mu_1 \tan \alpha_1}{\mu_2 \tan \alpha_2}, \\ &\dots \dots \dots, \\ m_n &= \frac{\mu_{n-1} \tan \alpha_{n-1}}{\mu_n \tan \alpha_n}; \\ \text{therefore } m &= \frac{\mu_0 \tan \alpha}{\mu_n \tan \alpha_n}. \end{aligned}$$

111. *Points of Unit Magnification.*

If in the formulæ for the magnification we put $m = 1$, we get

$$\left. \begin{aligned} u &= \frac{1 - B}{A} \\ v &= \frac{C - 1}{A} \end{aligned} \right\}.$$

The points so determined were called by Gauss the *Principal Points* of the system of surfaces; the planes through them perpendicular to the axis are the *Principal Planes*.

The Principal Planes are conjugate to one another with respect to the system of surfaces, and are such that to an object on one plane will correspond an image on the other, the image and the object being of exactly the same size.

112. From the definition of Principal planes, that they are Conjugate Planes and also Planes of Unit Magnification, it follows that a straight line parallel to the axis will meet them in points that are conjugate to one another.

113. All that we have said with respect to the Principal Points of a lens is equally true of the Principal Points of a system of n surfaces.

It will be enough perhaps if we simply state the facts, the proofs of them being already given in the corresponding articles of Chapter II.

(i) If the Principal Points be taken as origins from which distances are measured, we get

$$\left. \begin{aligned} m &= -Av + 1 \\ \frac{1}{m} &= Au + 1 \end{aligned} \right\}, \quad (\text{Art. 64}),$$

$$\frac{1}{v} - \frac{1}{u} = A, \quad (\text{Art. 65}).$$

$$(ii) \quad \left. \begin{aligned} HF &= -\frac{1}{A} \\ H'F' &= \frac{1}{A} \end{aligned} \right\}, \quad (\text{Art. 66}),$$

these being *reduced* distances. In *absolute* measurements

$$\left. \begin{aligned} HF &= -\frac{\mu_o}{A} \\ H'F' &= \frac{\mu_a}{A} \end{aligned} \right\}.$$

If the two extreme media be the same, these absolute distances become numerically equal.

The absolute distance $H'F'$ is called the *Focal Length* of the system.

If we denote the *reduced* distance $H'F'$ by f , we get $f = \frac{1}{A}$, and therefore

$$\frac{1}{v} - \frac{1}{u} = \frac{1}{f}.$$

Also the Foci lie either both between or both beyond the Principal Points.

(iii) To determine the position of the point P' conjugate to a given point P , we have the following construction:—Through P draw Paa' parallel to the axis to meet the second Principal Plane at a' , and draw also $PF\beta$ to meet the first Principal Plane at β . Draw $\beta\beta'$ parallel to the axis. Then $a'F'$ produced will meet $\beta\beta'$ at the point P' required. (Art. 71).

(iv) If (xy) , $(x'y')$ be the coordinates of two conjugate points P and P' respectively, as explained in Art. 73, we have

$$\left. \begin{aligned} \frac{f}{x} + \frac{f'}{x'} &= 1 \\ \frac{fy}{x} &= \frac{f'y'}{x'} \end{aligned} \right\},$$

f and f' being the *absolute* distances HF , $H'F'$ respectively.

Also

$$(x-f)(x'-f') = ff'.$$

(v) If straight lines be drawn through F and F'' perpendicular to the axis to meet the incident ray and the emergent ray respectively in D and D' , then

$$FD + F'D' = H\alpha,$$

α being the point at which the incident ray meets the Principal Plane. (Art. 76).

114. The image produced by a system of surfaces can be determined in the same manner as in the case of a lens. (Arts. 77, 78).

115. *Definition.* When a ray parallel to the axis is refracted by a system of surfaces, the ray receives a certain deviation.

A *thin* lens, which when placed coaxally with the system would produce the same deviation in the same ray, is said to be *equivalent* to the given system of surfaces.

It is called, briefly, the *Equivalent Lens*.

116. *To find the deviation produced by a system of surfaces.*

If a ray parallel to the axis cross a refracting surface at a distance h from the axis, it has been shown (Art. 80) that the deviation produced

$$= \frac{\rho h}{\mu},$$

where μ is the refractive index of the medium following the surface, and ρ the power of the surface.

Let the deviations after crossing the successive surfaces be

$$\delta_1, \delta_2, \delta_3, \dots \delta_n;$$

and the distances from the axis of the points of incidence be

$$h_1, h_2, h_3, \dots h_n;$$

the powers of the surfaces being as before

$$\rho_1, \rho_2, \rho_3, \dots \rho_n.$$

Assuming as before that the deviations are measured towards the axis we get easily (as in Art. 80) that,

$$\begin{aligned}\delta_1 &= \frac{h_1 \rho_1}{\mu_1}, \\ h_2 &= h_1 + t_1 \delta_1, \\ \delta_2 &= \frac{\mu_1 \delta_1 + h_2 \rho_2}{\mu_2},\end{aligned}$$

and so on, $-t_1$, &c. being the *absolute* thicknesses.

Now if we write δ'_1 for $\mu_1 \delta_1$, δ'_2 for $\mu_2 \delta_2$, &c., these equations become, using *reduced* thicknesses,

$$\begin{aligned}\delta'_1 &= h_1 \rho_1, \\ h_2 &= h_1 + \delta'_1 t_1, \\ \delta'_2 &= \delta'_1 + h_2 \rho_2, \\ h_3 &= h_2 + \delta'_2 t_2, \\ &\dots\dots\dots \\ &\dots\dots\dots \\ \delta'_n &= \delta'_{n-1} + h_n \rho_n.\end{aligned}$$

If we form the continued fraction

$$\frac{1}{\rho_1 + \frac{1}{t_1 + \frac{1}{\rho_2 + \frac{1}{t_2 + \dots + \frac{1}{\rho_n}}}}},$$

it is easy to see that the denominator of the last convergent will be $\frac{\delta'_n}{h_1}$, i.e. $\frac{\mu_n \delta_n}{h_1}$; and the same denominator has also been represented by A . Hence

$$\delta_n = \frac{h_1 A}{\mu_n}.$$

117. If f be the absolute focal length of the equivalent lens, we have

$$\frac{h_1}{f} = \delta_n;$$

therefore

$$f = \frac{h_1}{\delta_n} = \frac{\mu_n}{A},$$

therefore the reduced focal length = $\frac{1}{A}$.

118. Again, since the denominators of the last convergents to the fractions

$$\frac{1}{\rho_n + t_{n-1}} + \frac{1}{\rho_{n-1}} + \dots \frac{1}{\rho_1}$$

and

$$\frac{1}{\rho_1 + t_1} + \frac{1}{\rho_2} + \dots \frac{1}{\rho_n}$$

are the same, it follows that the two reduced focal lengths of the system are equal to one another.

Hence if we denote the absolute lengths by f and f' , we have

$$\frac{f}{\mu_0} = \frac{f'}{\mu_n}.$$

If the first and last media are the same, we have $\mu_0 = \mu_n$; hence

$$f = f' \text{ numerically,}$$

or

$$f = -f' \text{ algebraically.}$$

119. It should be noticed that the so-called equivalent lens merely produces *the same deviation* as the system. It does not bring the rays to the same focus, nor therefore does it produce an image in the same position. It may be shown however that both these conditions may be satisfied by using *two* thin lenses properly situated.

CHAPTER IV.

ACHROMATISM.

120. When an object is viewed through a lens or through a system of lenses it commonly appears to have a sort of coloured border. This is due to the fact that ordinary sun-light is composite and not simple. It is a combination of an indefinitely large number of different kinds of light, which have different degrees of refrangibility and all varieties of colour.

The various component rays which make up a resultant ray of ordinary sun-light can be separated from one another by allowing the ray to pass through a glass prism. If the light as it emerges be cast upon a screen, there will appear an elongated continuous coloured band. The component rays being of different refrangibilities must necessarily meet the screen at different points.

Now, if P be a luminous point and P' be its conjugate point, or image, we know that the position of P' is a function of the refractive indices of a ray with respect to the various media. Consequently each component of the light that proceeds from P will produce a separate image, in a separate position, and of its own proper colour. Moreover, the magnification also is a function of the refractive indices, and therefore the images formed by the component lights will all be of different sizes.

These separate images are all formed on planes perpendicular to the axis, and one behind another. The image actually seen by the eye is the resultant of them, that is to say, the image obtained by their superposition. The central

portion of it is colourless as ordinary light, for there every component plays its part. But towards the edge, in consequence of the difference in the sizes and positions of the component images, one colour after another ceases to appear and the resultant image is seen surrounded with a rainbow-like border.

So long as the image has this coloured edge, it is indefinite and unsatisfactory. We will endeavour to show whether it can be got rid of, and if it can, by what means and under what conditions.

A lens, or system of lenses, which produces an image with a distinct border free from colour is said to be *achromatic*.

121. The problem before us is simply this:—If an object be viewed through a lens or system of lenses, what conditions must the lens or lenses satisfy in order that the images formed by rays of two or more colours may be coincident.?

It is clear from what has been said that (i) the focus conjugate to a given point on the axis must be the same for two or more colours, and (ii) the magnification must be the same for two or more colours.

It should be remarked that the refractive indices differ but slightly from one another and that they all lie within certain limits.

122. We will now express the conditions in an algebraical form, by means of the equations

$$\frac{1}{m} = Au + B,$$

$$v = \frac{Cu + D}{Au + B}.$$

The distances u , v being *reduced* depend on the distances refractive indices of the first and last media. In most Astronomical instruments these are both the same, and vary very little (under ordinary circumstances) for different colours. We shall therefore suppose u to be unaltered by the variation of the refractive index of the first medium, and v to vary only by reason of the indices contained in A , B , C , D .

123. Considering the second requirement, we have

$$\frac{1}{m} = Au + B;$$

therefore $\delta \left(\frac{1}{m} \right) = u\delta A + \delta B,$

u being constant, and the symbol δ expressing variation due to variations in the values of the μ 's.

If the magnification be the same for all, then

$$\delta \left(\frac{1}{m} \right) = 0;$$

therefore $u\delta A + \delta B = 0.$

This must be true for all values of u ,

therefore $\delta A = 0$
and $\delta B = 0$ } (i).

These are the conditions that the different coloured images may be all of the same size.

124. We will now consider the other requirement, that the images be formed all in the same place.

We have

$$v = \frac{Cu + D}{Au + B},$$

and we have to find the condition that v may remain the same while A , B , C , and D undergo small variations. This condition gives us

$$\delta \left(\frac{Cu + D}{Au + B} \right) = 0.$$

But, from Art. 123,

$$Au + B = \text{const.};$$

therefore $\delta (Cu + D) = 0;$

therefore $u\delta C + \delta D = 0.$

This must be true for all values of u ;

therefore $\delta C = 0$
 $\delta D = 0$ } (ii).

These are the conditions that the component images may be all in the same plane.

125. If we combine the results of Arts. 123 and 124 we see that both requirements will be satisfied if

$$\delta A = \delta B = \delta C = \delta D = 0 \dots\dots\dots(iii).$$

The quantities A, B, C, D however are connected by the relation

$$AD - BC = -1,$$

and the four conditions contained in (iii) are not all independent.

The necessary and sufficient conditions for achromatism are

$$\delta A = \delta B = \delta C = 0,$$

or
$$\delta A = \delta C = \delta D = 0,$$

or
$$\delta B = \delta C = \delta D = 0.$$

126. If it be required that the system shall be achromatic only for a particular value of u , we must eliminate u between the two equations

$$\left. \begin{aligned} u\delta A + \delta B &= 0 \\ u\delta C + \delta D &= 0 \end{aligned} \right\};$$

therefore the sufficient condition is

$$\frac{\delta D}{\delta C} = \frac{\delta B}{\delta A} = -u.$$

127. In Art. 177 and in subsequent Articles of Parkinson's *Optics* the problem of achromatism is considered in two ways, according as the pencil passes centrally or excentrically. These methods are important in such an instrument, for example, as the telescope.

128. The former case may be considered by the methods which we have just explained.

When the pencil passes centrally through the system, all the conjugate foci lie upon the axis, and our object is gained if we make as many as possible of these coincide.

The condition is

$$\delta v = 0.$$

But

$$v = \frac{Cu + D}{Au + B},$$

therefore $(u\delta A + \delta B)(Cu + D) = (Au + B)(u\delta C + \delta D);$

therefore $u^2(A.\delta C - C.\delta A) + u(A.\delta D + B.\delta C - D.\delta A - C.\delta B) + B.\delta D - D.\delta B = 0.$

129. The case of excentrical refraction can best be considered by the method given in Parkinson's *Optics*, Art. 180. We may however obtain a similar result by making

$$\delta A' = 0,$$

where A' is the power of the quasi-equivalent lens, that is, the lens which would produce the same deviation as the system does in a ray initially *inclined* and not parallel to the axis. An expression for A' may be obtained in a way similar to that in Art. 117.

130. The quantities δA , δB , &c., may be determined as follows. We have

$$A = f(\rho_1, t_1, \rho_2, t_2, \dots \rho_n),$$

where $-t_1, -t_2, \dots$ denote the *reduced* distances between the vertices of the surfaces; therefore

$$\delta A = \frac{\delta A}{\delta \rho_1} \delta \rho_1 + \frac{\delta A}{\delta t_1} \delta t_1 + \dots + \frac{\delta A}{\delta \rho_n} \delta \rho_n.$$

Also $\rho_1 = \frac{\mu_1 - \mu_0}{r_1},$

$$t_1 = \frac{t'_1}{\mu_1},$$

&c.,

where $-t'_1, -t'_2, \dots$ are the *absolute* distances between the vertices.

$$\begin{aligned}
 \text{Therefore } \delta\rho_p &= \frac{1}{r_p} \delta(\mu_p - \mu_{p-1}) \\
 &= \frac{1}{r_p} (\delta\mu_p - \delta\mu_{p-1}); \\
 \delta t_p &= \delta\left(\frac{t'_p}{\mu_p}\right) \\
 &= -t'_p \frac{\delta\mu_p}{\mu_p^2} \\
 &= -t_p \frac{\delta\mu_p}{\mu_p}.
 \end{aligned}$$

In this way we may get $\delta\rho_1$, δt_1 , &c.; hence, by substitution, we get δA in terms of $\delta\mu_1$, ..., &c.

131. Considering a single thick lens of refractive index μ and thickness $-a$, and supposing the external air to be of constant index 1, we have

$$A = \rho_1 + \rho_2 + \rho_1 \rho_2 t,$$

where $\rho_1 = \frac{\mu-1}{r_1}$, $\rho_2 = \frac{1-\mu}{r_2}$, $t = \frac{a}{\mu}$.

Hence $\delta A = (1 + \rho t) \delta\rho_1 + (1 + \rho_1 t) \delta\rho_2 + \rho_1 \rho_2 \delta t$,

and $\delta\rho_1 = \frac{d\mu}{r_1}$, $\delta\rho_2 = -\frac{\delta\mu}{r_2}$, $\delta t = -\frac{a\delta\mu}{\mu^2}$.

The condition $\delta A = 0$ gives us

$$\begin{aligned}
 \left(1 - \frac{\mu-1}{r_2} \frac{a}{\mu}\right) \frac{\delta\mu}{r_1} - \left(1 + \frac{\mu-1}{r_1} \frac{a}{\mu}\right) \frac{\delta\mu}{r_2} \\
 + \frac{(\mu-1)^2}{r_1 r_2} \frac{a\delta\mu}{\mu^2} = 0;
 \end{aligned}$$

or $\frac{1}{r_1} - \frac{1}{r_2} - \frac{\mu-1}{\mu} \frac{a}{r_1 r_2} \left\{2 - \left(\frac{\mu-1}{\mu}\right)\right\} = 0 \dots\dots\dots(i).$

Again $B = 1 + \rho_1 t.$

Calculating the variation of B in the same manner, and making it equal to zero, we get either $a=0$, or $\frac{1}{r_2}=0$, or $\frac{1}{\mu}=0$.

In the first case the two radii must be equal in order to satisfy (i), and the lens ceases to be of any optical value. The second case $\frac{1}{r_2} = 0$ needs $\frac{1}{r_1}$ to be zero also, with the same result as before. Lastly, $\frac{1}{\mu} = 0$ is an impossibility. Our conclusion therefore is that a single lens cannot be achromatic.

CHAPTER V.

THE DETERMINATION OF THE FOCI AND OF THE PRINCIPAL POINTS OF A SYSTEM OF LENSES. THE NODAL POINTS.

132. *To determine theoretically the positions of the Foci and of the Principal Points of a lens or system of lenses.*

Conjugate Foci lying upon the axis are connected with one another by the relation

$$\frac{f}{x} + \frac{f'}{x'} = 1 \dots\dots\dots(i),$$

where x, x' are the distances of the conjugate points from the Principal Points H, H' respectively.

Let us take any point O on the axis of the system, and use it as an origin from which all our distances may be reckoned; and let F, F', H, H' be the distances from it of the Principal Foci and the Principal Points respectively.

The above relation may now be written in the form

$$\frac{H - F}{H - \xi} + \frac{H' - F'}{H' - \xi'} = 1 \dots\dots\dots(ii),$$


where ξ, ξ' are the distances from O of any pair of conjugate points.

We have shown, in Art. 113, how to determine the position of the point conjugate to a given one. If therefore we take any four points on the axis, and determine the positions of the four points respectively conjugate to them, we get four simultaneous values of ξ and ξ' . These, when substituted successively in (ii), give us *four* independent equations for the determination of the *four* unknown quantities F, F', H, H' . Thus are found the positions of the Principal Foci and also of the Principal Points.

133. *To determine experimentally the positions of the Foci of a lens or system of lenses.*

We will suppose that, in the following figure, *A* is a micrometer or a frame holding two spider lines crossing one another, *C* a stand supporting a telescope, and that *B* supports a cylinder enclosing the system of lenses. Moreover *A*, *B*, and *C* are supposed to be moveable by the hand or by means of screws to and fro along the graduated bar *MN*, and also to be so adjusted that the micrometer, the lenses, and the telescope have the same axis (fig. 22).

FIG. 22.



Let the telescope be turned first towards a *distant* object, and then accurately focused. The rays from the distant object are approximately parallel, and the image will be formed at the Principal Focus of the telescope.

When this has been done, the telescope must be placed on the stand *C* so that the micrometer *A* may be viewed through the system of lenses; the micrometer must then be moved to and fro along the graduated bar until the image of it, seen through the system of lenses and the telescope, becomes clear and distinct. Now this image is seen through a telescope which has been focused upon a distant object, hence we know that the image of the micrometer can be distinct only when the rays that fall upon the object glass of the telescope are parallel to the axis. Consequently the rays that emerge from the cylinder *B* must be parallel to the axis. Therefore the micrometer *A* must be at one of the Principal Foci of the lens-system. The Focus is thus determined in position.

We have still to measure its distance from the nearest surface of the system. This might be done by moving the micrometer along the graduated bar until it came into contact with the surface, and then taking the difference of the readings in the two positions given by the scale. There is however a practical difficulty in ascertaining the exact moment of contact, and this method consequently leads to an unsatisfactory result. The distance between the micrometer and the nearest surface may be measured more accurately by a simple optical contrivance.

For this purpose let the telescope be focused upon some near object whose distance is greater than that which we have to measure; and let the telescope be removed to the other end of the bar so that the micrometer may be between it and the lens-system. If when this has been done the telescope be moved along the graduated bar until first the micrometer, and then the *dust on the face of the lens* be in focus successively; and if the scale be read for these two positions of the telescope, the difference between the readings will give us the distance between the micrometer and the face of the lens-system with tolerable accuracy. The micrometer being at a focus of the system, we thus get the distance of the focus from the surface nearest to it.

134. *To determine the positions of the Principal Points when the Foci are known.*

If d and d' be the distances from the Foci of any two conjugate points on the axis, and if f be the distance of a Focus from the corresponding Principal Point, we have

$$dd' = f^2.$$

It has been shown how d and d' may be determined; hence the above equation enables us to determine f , and consequently the positions of H and H' .

135. In order that the method described above may be a directly practical one, it is necessary that the lens-system should be a convex lens or equivalent to a

convex lens. Otherwise no real images will be formed by it.

If the lens-system itself gives a real image, the method can be applied at once. But if it does not, it can be made to do so by combining with it a known convex lens of sufficient power. The method may then be applied to the joint-system, and by making allowance for the effect of the known convex lens, the proper result for the original system can be deduced from the one thus obtained.

136. The Principal Points, introduced by Gauss, have been supplemented by two other points which Listing introduced and called *Nodal Points*. They are principally of importance when the extreme media are not the same. This is found to be the case in the human eye.

The Nodal Points are situated upon the axis of the lens-system, and are conjugate to one another. Their distinguishing property is that an incident ray through one will produce an emergent ray in a parallel direction passing through the other.

When the extreme media are the same, we have seen that this is a property of the Principal Points. Hence in this case the Principal Points and the Nodal Points coincide.


When there is only *one* refracting surface we might call its centre of curvature the Nodal Point, for we know that an incident ray which passes through the centre of curvature crosses the surface without deviation.

137. *To determine the positions of the Nodal Points.*

Let H, H', F, F' be the Principal Points and Foci of a lens-system, and let T be any point on the Focal Plane through F (fig. 23).

We know that a ray through T parallel to the axis, and meeting the Principal Planes at α, α' respectively, will on emergence pass through F' . Moreover, since T is a point in a focal plane, its conjugate is on a plane at an infinite distance, and therefore all rays from it will on

FIG. 23.



emergence be parallel to one another. They will therefore all be parallel to $\alpha'F'$.

Hence if $T\beta$ meet the first Principal Plane at β , and if $\beta\beta'$ drawn parallel to the axis meet the other Principal Plane at β' , then $\beta'N'$ drawn parallel to $\alpha'F'$ will be the emergent ray produced by the incident ray $T\beta$.

Let $T\beta$ produced and the corresponding emergent ray meet the axis of the system at the points N , N' respectively.

Then we see from the figure that the triangles TFN and $\alpha'H'F'$ are equal in all respects; therefore

$$FN = H'F' = \text{constant.}$$

Hence the position of N is independent of the position of T ; therefore N is a fixed point, and its distance from F is equal to the second focal distance.

In a similar way it may be shown that

$$F'N' = FH;$$

therefore N' also is a fixed point independent of T , and is at a distance from F' equal to the first focal distance.

The points N and N' are clearly the Nodal Points referred to in Art. 136.

138. If the extreme media be the same, the two focal distances are equal; hence, as we have already noticed, the points N and N' coincide with H and H' .

139. From the figure we have also

$$NN' = \beta\beta' = HH'.$$


Hence the distance between the Nodal Points is equal to the distance between the Principal Points.

140. We have also

$$HN = H'N' = H'F' - HF.$$

141. When the Nodal Points have been determined, we may with their help very readily determine the direction of the emergent ray produced by a given incident ray, and also the position of a point conjugate to a given one (fig. 24).

FIG. 24.



With the usual notation we will suppose $XT\alpha$ to be an incident ray meeting the Focal Plane through F at T . Join TN . Let $\alpha\alpha'$ parallel to the axis meet the second Principal Plane at α' . Through α' draw $\alpha'T'X'$ parallel to TN . Then $\alpha'T'X'$ is the direction of the emergent ray produced by the incident ray $XT\alpha$, and X, X' are a pair of conjugate points.

Otherwise: Draw $N'T'$ parallel to $XT\alpha$ and meeting the Focal plane through F' at the point T' ; then $\alpha'T'$ is the direction of the emergent ray.

If an object lens be situated on the Nodal Plane through N its image will be situated on the Nodal Plane through N' , and it may easily be proved that the linear dimensions of object and image are to one another inversely as the indices of refraction of the first and last media.

CHAPTER VI.

THE DIFFERENT FORMS OF LENSES.

142. We will now apply some of the results of Chapter II to determine the positions of the Principal Points and Foci for the five most important forms of the simple lens.

We will consider, (1) a double convex lens, (2) a plano-convex lens, (3) a double concave lens, (4) a plano-concave lens, (5) a meniscus; and finally we will consider (6) the case of two mirrors placed upon the same axis, and facing one another, in such manner as we find in Gregory's and Cassegrain's telescopes.

143. In Arts. 55 and 64, it was shown that the distances of the Foci and of the Principal Points from the vertices of the lens are given by the formulæ

$$AF = - \frac{B}{A} = - \frac{t\sigma + 1}{\rho\sigma t + \rho + \sigma},$$

$$A'F' = \frac{C}{A} = \frac{tp + 1}{\rho\sigma t + \rho + \sigma},$$

$$AH = \frac{1 - B}{A} = - \frac{t\sigma}{\rho\sigma t + \rho + \sigma},$$

$$A'H' = \frac{C - 1}{A} = \frac{tp}{\rho\sigma t + \rho + \sigma}.$$

We will now suppose the refractive index of the outside medium to be *unity*, and that of the substance of the lens to be μ . The values of ρ and σ become therefore $\frac{\mu - 1}{r}$ and $\frac{1 - \mu}{s}$ respectively.

Also for the *reduced* thickness $-t$ we will substitute its value, $-\frac{t}{\mu}$, in terms of the *absolute* thickness.

When the expressions have been simplified we find that

$$AF = \frac{-\mu rs + (\mu - 1) tr}{(\mu - 1) \{ \mu (s - r) - (\mu - 1) t \} },$$

$$A'F' = \frac{\mu rs + (\mu - 1) ts}{(\mu - 1) \{ \mu (s - r) - (\mu - 1) t \} },$$

$$AH = \frac{tr}{\mu (s - r) - (\mu - 1) t },$$

$$A'H' = \frac{ts}{\mu (s - r) - (\mu - 1) t };$$

and consequently

$$HF = \frac{-\mu rs}{(\mu - 1) \{ \mu (s - r) - (\mu - 1) t \} }.$$

These formulæ belong to such a lens as is described in fig. 14, which we have chosen for our standard. To obtain the corresponding formulæ for any one of the particular forms, we have merely to make the proper changes in the signs of the radii r and s .

We shall assume, and the assumption is practically correct, that r and s are both greater than the thickness of the lens.

We may now proceed to consider the six cases in turn.

144. Case I. A double convex lens.

In this case s is negative, and we must therefore change the sign of s in the formulæ given above.

We see then, $-t$ being a positive quantity, that AH is positive and $A'H'$ negative, and that both are numerically less than the thickness of the lens. Consequently both the Principal Points are situated within the material of the lens.

Also, since the sum of the distances AH and $A'H'$ considered numerically is found to be greater than the thickness,

it follows that the points A, A', H, H' , are disposed in the order

$$A, H', H, A'.$$

The focal length of the lens is negative, therefore the focal length of the equivalent lens is negative. Consequently a double-convex lens is a convergent one; that is to say, the deviation of any ray passing through it will be in the direction of the axis.

145. *Case II. A Plano-convex lens.*

In this case one of the radii, r suppose, is infinite; and the other s is negative. The formulæ therefore become

$$AF = \frac{-\mu s - (\mu - 1)t}{\mu(\mu - 1)},$$

$$A'F' = \frac{s}{\mu - 1},$$

$$AH = -\frac{t}{\mu},$$

$$A'H' = 0.$$

The Principal Points are therefore situated, one at the vertex of the curved surface, and the other in the interior of the lens.

The focal length is given by

$$HF = \frac{-s}{\mu - 1},$$

and this is also the focal length of the equivalent lens. Hence the lens is convergent.

146. *Case III. A double concave lens.*

In this case r is negative. Hence we see that AH is positive and less than the thickness; so that the point H lies within the substance of the lens. Similarly H' also must lie within the lens.

Again $AH + A'H'$ is numerically less than t , therefore the points A, A', H, H' are disposed in the order

$$A, H, H', A'.$$

Also we see from the formulæ that AF is positive and $A'F'$ negative, so that F lies on the side of the lens farther from A , or in other words behind the lens, and the point F' in front of the lens.

We should notice too, that in this case the points F and F' are only *virtual foci*, whereas in the case of a double-convex lens the foci are *real*.

Lastly, the focal length of the lens itself, and therefore of the equivalent lens, is positive. Therefore the lens is divergent.

147. Case IV. A plano-concave lens.

This case may be treated in the same way as Case II. We must put $r = \infty$, s being positive.

We then find that one Principal Plane is at the vertex of the curved surface, and the other within the lens. Also that the foci are virtual, and the lens divergent.

148. Case V. A meniscus.

This form of lens is represented in fig. 14, which is our standard form. The corresponding formulæ are those given in Art. 143.

We see therefore that the focal length will be positive or negative according as

$$r - s \geq \frac{(\mu - 1)}{\mu} \times \text{thickness}.$$

This is also the condition that, for parallel rays, the foci may be virtual or real respectively.

For the case of the meniscus, which has its concavity turned the other way, we must change the signs of both r and s in the standard formulæ.

149. Case VI. Two coaxial mirrors.

We will suppose that two concave mirrors are situated upon the same axis, and face one another as in Gregory's telescope.

The positions of the fundamental points may be determined from our standard formulæ, by changing the sign of s , and putting $\mu = -1$.

Thus we get

$$AF = \frac{rs + 2tr}{2(r + s + 2t)},$$

$$A'F' = \frac{-rs - 2ts}{2(r + s + 2t)},$$

$$AH = \frac{tr}{r + s + 2t},$$

$$A'H' = \frac{-ts}{r + s + 2t},$$

and the focal length $= -\frac{1}{2} \frac{rs}{r + s + 2t}.$

In the same way as before it may be shown that the Principal Points are disposed in the order

$$A, H, H', A',$$

and that the equivalent lens is negative.

The system of mirrors in Cassegrain's telescope may be treated in the same manner.

APPENDIX.

PROPERTIES OF CONTINUED FRACTIONS.

1. THE property which we have quoted in Art. 94, namely, that the last denominator of the continued fraction

$$\frac{1}{\rho_1 + \frac{1}{t_1 + \frac{1}{\rho_2 + \dots \frac{1}{\rho_n}}}}$$

is equal to the last denominator of the continued fraction

$$\frac{1}{\rho_n + \frac{1}{t_{n-1} + \frac{1}{\rho_{n-1} + \dots \frac{1}{\rho_1}}}}$$

may be found in *Vorlesungen über Zahlen Theorie* von P. G. Lejeune Dirichlet.

2. Let a, b be any two quantities, and $\gamma, \delta, \varepsilon, \dots \lambda, \mu, \nu$ a series of any other quantities.

Let us from these form another series

$$c, d, e, \dots l, m, n,$$

such that these latter quantities are connected with the former by the relations

$$\left. \begin{aligned} c &= \gamma b + a \\ d &= \delta c + b \\ e &= \varepsilon d + c \\ &\dots\dots\dots \\ n &= \nu m + l \end{aligned} \right\} \dots\dots\dots (1).$$

From the first and second of the relations we get

$$\begin{aligned} d &= \delta(\gamma b + a) + b \\ &= (\delta\gamma + 1)b + \delta a. \end{aligned}$$

Substituting this value of d in the third we get

$$\begin{aligned} e &= \varepsilon \{(\delta\gamma + 1)b + \delta a\} + \gamma b + a \\ &= (\varepsilon\delta\gamma + \varepsilon + \gamma)b + (\varepsilon\delta + 1)a. \end{aligned}$$

Hence, continuing the substitution, we get eventually

$$n = Ga + Hb \dots \dots \dots (2),$$

where G and H are functions of $\gamma, \delta, \varepsilon, \dots \lambda, \mu, \nu$, and are independent of a and b .

We will denote H by $\phi(\gamma, \delta, \varepsilon, \dots \lambda, \mu, \nu)$, and we may then write (2) in the form

$$n = Ga + \phi(\gamma, \delta, \varepsilon, \dots \lambda, \mu, \nu)b \dots \dots \dots (3).$$

If we were to consider only the quantities $b, c, d, \dots n$ in the one series, and $\delta, \varepsilon, \dots \lambda, \mu, \nu$ in the other, we should in a similar way obtain the relation

$$n = G'b + \phi(\delta, \varepsilon, \dots \lambda, \mu, \nu)c.$$

Substituting now $\gamma b + a$ for c , we get

$$\begin{aligned} n &= G'b + (\gamma b + a)\phi(\delta, \varepsilon, \dots \lambda, \mu, \nu) \\ &= \phi(\delta, \varepsilon, \dots \lambda, \mu, \nu)a + \{G' + \gamma\phi(\delta, \varepsilon, \dots \lambda, \mu, \nu)\}b \dots (4). \end{aligned}$$

If the expressions for n in (3) and (4) be compared, it will be obvious that

$$G = \phi(\delta, \varepsilon, \dots \lambda, \mu, \nu);$$

and therefore, by analogy,

$$G' = \phi(\varepsilon, \dots \lambda, \mu, \nu).$$

From (3) and (4) we also get

$$H = G' + \gamma\phi(\delta, \varepsilon, \dots \lambda, \mu, \nu).$$

Hence, substituting in this equation the expressions already obtained for H and G' , we get

$$\phi(\gamma, \delta, \varepsilon, \dots \lambda, \mu, \nu) = \gamma\phi(\delta, \varepsilon, \dots \lambda, \mu, \nu) + \phi(\varepsilon, \dots \lambda, \mu, \nu) \dots (5).$$

Again, if we put $a=0$, $b=1$, in the last three of the relations (1), we get

$$\begin{aligned}n &= \phi(\gamma, \delta, \varepsilon, \dots \lambda, \mu, \nu), \\m &= \phi(\gamma, \delta, \varepsilon, \dots \lambda, \mu), \\l &= \phi(\gamma, \delta, \varepsilon, \dots \lambda);\end{aligned}$$

and if we substitute these expressions for n , m , and l , in the relation

$$n = \nu m + l,$$

we get

$$\phi(\gamma, \delta, \varepsilon, \dots \lambda, \mu, \nu) = \nu \phi(\gamma, \delta, \varepsilon, \dots \lambda, \mu) + \phi(\gamma, \delta, \varepsilon, \dots \lambda) \dots (6).$$

But from (5) we have

$$\phi(\nu, \mu, \lambda, \dots \varepsilon, \delta, \gamma) = \nu \phi(\mu, \lambda, \dots \varepsilon, \delta, \gamma) + \phi(\lambda, \dots \varepsilon, \delta, \gamma) \dots (7).$$

Hence, it is clear by a comparison of (6) and (7) that if we can prove that

$$\phi(\gamma, \delta, \varepsilon, \dots \lambda, \mu) = \phi(\mu, \lambda, \dots \varepsilon, \delta, \gamma),$$

$$\text{and that } \phi(\gamma, \delta, \varepsilon, \dots \lambda) = \phi(\lambda, \dots \varepsilon, \delta, \gamma),$$

it will follow at once that the same property holds if we consider an additional quantity ν ; that is to say, we shall thus prove that

$$\phi(\gamma, \delta, \varepsilon, \dots \lambda, \mu, \nu) = \phi(\nu, \mu, \lambda, \dots \varepsilon, \delta, \gamma).$$

But we have already shown that

$$\phi(\gamma, \delta) = \gamma\delta + 1 = \phi(\delta, \gamma),$$

$$\text{and that } \phi(\gamma, \delta, \varepsilon) = \varepsilon\delta\gamma + \varepsilon + \gamma = \phi(\varepsilon, \delta, \gamma).$$

Hence, it follows by induction that the general theorem is true; namely, that

$$\phi(\gamma, \delta, \varepsilon, \dots \lambda, \mu, \nu) = \phi(\nu, \mu, \lambda, \dots \varepsilon, \delta, \gamma),$$

however many there may be of the quantities

$$\gamma, \delta, \varepsilon, \dots \lambda, \mu, \nu.$$

It will be seen that the relations (1) are those which hold between the denominators of successive convergents to a continued fraction, and that the theorem here proved is the first of those quoted in Art. 94.

$$\begin{aligned} \frac{d}{d\nu} \phi(\gamma, \delta, \varepsilon, \dots \lambda, \mu, \nu) &= \frac{d}{d\nu} \phi(\nu, \mu, \lambda, \dots \varepsilon, \delta, \gamma) \\ &= \frac{d}{d\nu} \{ \nu \cdot \phi(\mu, \lambda, \dots \varepsilon, \delta, \gamma) + \phi(\lambda, \dots \varepsilon, \delta, \gamma) \} \\ &= \phi(\mu, \lambda, \dots \varepsilon, \delta, \gamma) \\ &= \phi(\gamma, \delta, \varepsilon, \dots \lambda, \mu) \dots \dots \dots (1)_{\sigma} \end{aligned}$$

$$\begin{aligned}\frac{d}{d\mu} \phi(\gamma, \delta, \varepsilon, \dots \lambda, \mu) &= \frac{d}{d\mu} \phi(\mu, \lambda, \dots \varepsilon, \delta, \gamma) \\ &= \phi(\lambda, \dots \varepsilon, \delta, \gamma) \\ &= \phi(\gamma, \delta, \varepsilon, \dots \lambda).\end{aligned}$$

$$\frac{d^2}{d\mu d\nu} \phi(\gamma, \delta, \varepsilon, \dots \lambda, \mu, \nu) = \phi(\gamma, \delta, \varepsilon, \dots \lambda) \dots (2).$$

$$A = - \begin{vmatrix} -\rho_1 & -1 & 0 & 0 & 0 & \dots\dots\dots \\ 1 & -t_1 & -1 & 0 & 0 & \dots\dots\dots \\ 0 & 1 & -\rho_2 & -1 & 0 & \dots\dots\dots \\ 0 & 0 & 1 & -t_2 & -1 & \dots\dots\dots \\ \dots\dots\dots & \dots\dots\dots & \dots\dots\dots & \dots\dots\dots & \dots\dots\dots & \dots\dots\dots \\ \dots\dots\dots & \dots\dots\dots & \dots\dots\dots & \dots\dots\dots & 1 & -t_{n-1} & -1 \\ \dots\dots\dots & \dots\dots\dots & \dots\dots\dots & \dots\dots\dots & \dots\dots\dots & 1 & -\rho_n \end{vmatrix}.$$

And we may show by an even number of transferences of columns and lines that the above determinant

$$= \begin{vmatrix} -\rho_n, -1, & 0, & 0, & 0, & \dots\dots\dots \\ 1, -t_{n-1}, -1, & 0, & 0, & \dots\dots\dots \\ 0, & 1, & -\rho_{n-1}, -1, & 0, & \dots\dots\dots \\ 0, & 0, & 1, & -t_{n-1}, -1, & \dots\dots\dots \\ \dots\dots\dots & & & & \\ \dots\dots\dots, & 1, & -t_1, & -1 & \\ \dots\dots\dots & & 1, & -\rho_1 & \end{vmatrix};$$

an equality which proves Theorem I.

5. Again we know by definition and analogy that

$$B = - \begin{vmatrix} -t_1, -1, & 0, & 0, & \dots\dots\dots \\ 1, -\rho_2, -1, & 0, & \dots\dots\dots \\ 0, & 1, & -t_2, -1, & \dots\dots\dots \\ \dots\dots\dots & & & \\ \dots\dots\dots, & 1, & -t_{n-1}, & -1 \\ \dots\dots\dots & & 1, & -\rho_n \end{vmatrix}$$

$$= \frac{dA}{d\rho_1}.$$

Similarly

$$C = \frac{dA}{d\rho_n},$$

and

$$D = \frac{d^2 A}{d\rho_1 d\rho_n}.$$

A
CLASSIFIED CATALOGUE
OF
EDUCATIONAL WORKS

PUBLISHED BY
GEORGE BELL & SONS



LONDON: YORK STREET, COVENT GARDEN
NEW YORK: 66, FIFTH AVENUE; AND BOMBAY
CAMBRIDGE: DEIGHTON, BELL & CO

JULY, 1895

A
CLASSIFIED CATALOGUE
OF
EDUCATIONAL WORKS

PUBLISHED BY
GEORGE BELL & SONS



LONDON: YORK STREET, COVENT GARDEN
NEW YORK: 66, FIFTH AVENUE; AND BOMBAY
CAMBRIDGE: DEIGHTON, BELL & CO

JULY, 1895

CONTENTS.

	PAGE
GREEK AND LATIN CLASSICS :	
ANNOTATED AND CRITICAL EDITIONS	3
TEXTS	9
TRANSLATIONS	10
GRAMMAR AND COMPOSITION	15
HISTORY, GEOGRAPHY, AND REFERENCE BOOKS, ETC. .	18
MATHEMATICS :	
ARITHMETIC AND ALGEBRA	19
BOOK-KEEPING	20
GEOMETRY AND EUCLID	21
ANALYTICAL GEOMETRY, ETC.	21
TRIGONOMETRY	22
MECHANICS AND NATURAL PHILOSOPHY	22
MODERN LANGUAGES :	
ENGLISH	24
FRENCH CLASS BOOKS	29
FRENCH ANNOTATED EDITIONS	31
GERMAN CLASS BOOKS	31
GERMAN ANNOTATED EDITIONS	32
ITALIAN	34
BELL'S MODERN TRANSLATIONS	34
SCIENCE, TECHNOLOGY, AND ART :	
CHEMISTRY	34
BOTANY	35
GEOLOGY	35
MEDICINE	36
BELL'S AGRICULTURAL SERIES	36
TECHNOLOGICAL HANDBOOKS	37
MUSIC	37
ART	38
MENTAL, MORAL, AND SOCIAL SCIENCES :	
PSYCHOLOGY AND ETHICS	39
HISTORY OF PHILOSOPHY	40
LAW AND POLITICAL ECONOMY	40
HISTORY	41
DIVINITY, ETC.	42
SUMMARY OF SERIES	45

GREEK AND LATIN CLASSICS.

ANNOTATED AND CRITICAL EDITIONS.

AESCHYLUS. Edited by F. A. PALEY, M.A., LL.D., late Classical Examiner to the University of London. 4th edition, revised. 8vo, 8s.

[Bib. Class.]

— Edited by F. A. PALEY, M.A., LL.D. 6 vols. Fcap. 8vo, 1s. 6d.

[Camb. Texts with Notes.]

Agamemnon.

Choephoroe.

Eumenides.

Persae.

Prometheus Vinculus.

Septem contra Thebas.

ARISTOPHANIS Comoediae quae supersunt cum perditarum fragmentis tertiis curis, recognovit additis adnotatione critica, sumnariis, descriptione metrica, onomastico lexico HUBERTUS A. HOLDEN, LL.D. [late Fellow of Trinity College, Cambridge]. Demy 8vo.

Vol. I., containing the Text expurgated, with Summaries and Critical Notes, 18s.

The Plays sold separately :

Acharnenses, 2s.

Equites, 1s. 6d.

Nubes, 2s.

Vespae, 2s.

Pax, 2s.

Aves, 2s.

Lysistrata, et Thesmophoriazusa, 4s.

Ranae, 2s.

Plutus, 2s.

Vol. II. Onomasticon Aristophaneum continens indicem geographicum et historicum. 5s. 6d.

— **The Peace.** A revised Text with English Notes and a Preface. By F. A. PALEY, M.A., LL.D. Post 8vo, 2s. 6d. [Pub. Sch. Ser.]

— **The Acharnians.** A revised Text with English Notes and a Preface. By F. A. PALEY, M.A., LL.D. Post 8vo, 2s. 6d. [Pub. Sch. Ser.]

— **The Frogs.** A revised Text with English Notes and a Preface. By F. A. PALEY, M.A., LL.D. Post 8vo, 2s. 6d. [Pub. Sch. Ser.]

CAESAR De Bello Gallico. Edited by GEORGE LONG, M.A. New edition. Fcap. 8vo, 4s.

Or in parts, Books I.-III., 1s. 6d. ; Books IV. and V., 1s. 6d. ; Books VI. and VII., 1s. 6d. [Gram. Sch. Class.]

— **De Bello Gallico.** Book I. Edited by GEORGE LONG, M.A. With Vocabulary by W. F. R. SHILLETO, M.A. 1s. 6d. [Lower Form Ser.]

— **De Bello Gallico.** Book II. Edited by GEORGE LONG, M.A. With Vocabulary by W. F. R. SHILLETO, M.A. Fcap. 8vo, 1s. 6d. [Lower Form Ser.]

— **De Bello Gallico.** Book III. Edited by GEORGE LONG, M.A. With Vocabulary by W. F. R. SHILLETO, M.A. Fcap. 8vo, 1s. 6d. [Lower Form Ser.]

— **Seventh Campaign in Gaul.** B.C. 52. De Bello Gallico, Lib. VII. Edited with Notes, Excursus, and Table of Idioms, by REV. W. COOK-WORTHY COMPTON, M.A., Head Master of Dover College. With Illustrations from Sketches by E. T. COMPTON, Maps and Plans. 2nd edition. Crown 8vo, 2s. 6d. net.

"A really admirable class book."—*Spectator*.

"One of the most original and interesting books which have been published in late years as aids to the study of classical literature. I think

CAESAR—continued.

it gives the student a new idea of the way in which a classical book may be made a living reality."—*Rev. J. E. C. Weldon*, Harrow.

- **Easy Selections from the Helvetian War.** Edited by A. M. M. STEDMAN, M.A. With Introduction, Notes and Vocabulary. 18mo, 1s.,

[*Primary Classics.*]

- CALPURNIUS SICULUS and M. AURELIUS OLYMPIUS NEMESIANUS.** The Eclogues, with Introduction, Commentary, and Appendix. By C. H. KEENE, M.A. Crown 8vo, 6s.

- CATULLUS, TIBULLUS, and PROPERTIUS.** Selected Poems. Edited by the REV. A. H. WRATISLAW, late Head Master of Bury St. Edmunds School, and F. N. SUTTON, B.A. With Biographical Notices of the Poets. Fcap. 8vo, 2s. 6d.

[*Gram. Sch. Class.*]

- CICERO'S Orations.** Edited by G. LONG, M.A. 8vo. [Bib. Class.]

Vol. I.—In Verrem. 8s.

Vol. II.—Pro P. Quintio—Pro Sex. Roscio—Pro Q. Roscio—Pro M. Tullio—Pro M. Fonteio—Pro A. Caecina—De Imperio Cn. Pompeii—Pro A. Cluentio—De Lege Agraria—Pro C. Rabirio. 8s.

Vols. III. and IV. *Out of print.*

- **De Senectute, De Amicitia, and Select Epistles.** Edited by GEORGE LONG, M.A. *New edition.* Fcap. 8vo, 3s. [Gram. Sch. Class.]

- **De Amicitia.** Edited by GEORGE LONG, M.A. Fcap. 8vo, 1s. 6d.

[*Camb. Texts with Notes.*]

- **De Senectute.** Edited by GEORGE LONG, M.A. Fcap. 8vo, 1s. 6d.

[*Camb. Texts with Notes.*]

- **Epistolae Selectae.** Edited by GEORGE LONG, M.A. Fcap. 8vo, 1s. 6d.

[*Camb. Texts with Notes.*]

- **The Letters to Atticus.** Book I. With Notes, and an Essay on the Character of the Writer. By A. PRETOR, M.A., late of Trinity College, Fellow of St. Catherine's College, Cambridge. 3rd edition. Post 8vo, 4s. 6d.

[*Pub. Sch. Ser.*]

- CORNELIUS NEPOS.** Edited by the late REV. J. F. MACMICHAEL, Head Master of the Grammar School, Ripon. Fcap. 8vo, 2s.

[*Gram. Sch. Class.*]

- DEMOSTHENES.** Edited by R. WHISTON, M.A., late Head Master of Rochester Grammar School. 2 vols. 8vo, 8s. each. [Bib. Class.]

Vol. I.—Olynthiacs—Philippics—De Pace—Halonneseus—Chersonese

- Letter of Philip—Duties of the State—Symmoriae—Rhodians—Megapolitans—Treaty with Alexander—Crown.

Vol. II.—Embassy—Leptines—Meidias—Androtrion—Aristocrates—Timocrates—Aristogeiton.

- **De Falsa Legatione.** By the late R. SHILLETTO, M.A., Fellow of St. Peter's College, Cambridge. 8th edition. Post 8vo, 6s. [Pub. Sch. Ser.]

- **The Oration against the Law of Leptines.** With English Notes. By the late B. W. BEATSON, M.A., Fellow of Pembroke College. 3rd edition. Post 8vo, 3s. 6d.

[*Pub. Sch. Ser.*]

- EURIPIDES.** By F. A. PALEY, M.A., LL.D. 3 vols. 2nd edition, revised. 8vo, 8s. each. Vol. I. *Out of print.* [Bib. Class.]

Vol. II.—Preface—Ion—Helena—Andromache—Electra—Bacchae—Hecuba. 2 Indexes.

Vol. III.—Preface—Hercules Furens—Phoenissae—Orestes—Iphigenia in Tauris—Iphigenia in Aulide—Cyclops. 2 Indexes.

EURIPIDES. *Electra.* Edited, with Introduction and Notes, by C. H. KEENE, M.A., Dublin, Ex-Scholar and Gold Medallist in Classics. Demy 8vo, 10s. 6d.

— Edited by F. A. PALEY, M.A., LL.D. 13 vols. Fcap. 8vo, 1s. 6d. each.
[*Camb. Texts with Notes.*

Alcestis.

Medea.

Hippolytus.

Hecuba.

Bacchae.

Ion (2s.).

Orestes.

Phoenissae.

Troades.

Hercules Furens.

Andromache.

Iphigenia in Tauris.

Supplices.

HERODOTUS. Edited by REV. J. W. BLAKESLEY, B.D. 2 vols. 8vo, 12s.

— *Easy Selections from the Persian Wars.* Edited by A. G. LIDDELL, M.A. With Introduction, Notes, and Vocabulary. 18mo, 1s. 6d.
[*Bib. Class.*
Primary Classics.

HESIOD. Edited by F. A. PALEY, M.A., LL.D. 2nd edition, revised. 8vo, 5s.
[*Bib. Class.*

HOMER. Edited by F. A. PALEY, M.A., LL.D. 2 vols. 2nd edition, revised. 14s. Vol. II. (Books XIII.-XXIV.) may be had separately. 6s.
[*Bib. Class.*

— *Iliad.* Books I.-XII. Edited by F. A. PALEY, M.A., LL.D. Fcap. 8vo, 4s. 6d.

Also in 2 Parts. Books I.-VI. 2s. 6d. Books VII.-XII. 2s. 6d.

— *Iliad.* Book I. Edited by F. A. PALEY, M.A., LL.D. Fcap. 8vo, 1s.
[*Gram. Sch. Class.*
Camb. Text with Notes.

HORACE. Edited by REV. A. J. MACLEANE, M.A. 4th edition, revised by GEORGE LONG. 8vo, 8s.
[*Bib. Class.*

— Edited by A. J. MACLEANE, M.A. With a short Life. Fcap. 8vo, 3s. 6d.
Or, Part I., Odes, Carmen Seculare, and Epodes, 2s.; Part II., Satires, Epistles, and Art of Poetry, 2s.
[*Gram. Sch. Class.*

— *Odes.* Book I. Edited by A. J. MACLEANE, M.A. With a Vocabulary by A. H. DENNIS, M.A. Fcap. 8vo, 1s. 6d.
[*Lower Form Ser.*

JUVENAL: Sixteen Satires (expurgated). By HERMAN PRIOR, M.A., late Scholar of Trinity College, Oxford. Fcap. 8vo, 3s. 6d.
[*Gram. Sch. Class.*

LIVY. The first five Books, with English Notes. By J. PRENDENVILLE. A new edition revised throughout, and the notes in great part re-written, by J. H. FREESE, M.A., late Fellow of St. John's College, Cambridge. Books I. II. III. IV. V. With Maps and Introductions. Fcap. 8vo, 1s. 6d. each.

— Book VI. Edited by E. S. WEYMOUTH, M.A., Lond., and G. F. HAMILTON, B.A. With Historical Introduction, Life of Livy, Notes, Examination Questions, Dictionary of Proper Names, and Map. Crown 8vo, 2s. 6d.

— Book XXI. By the REV. L. D. DOWDALL, M.A., late Scholar and University Student of Trinity College, Dublin, B.D., Ch. Ch. Oxon. Post 8vo, 2s.
[*Pub. Sch. Ser.*

— Book XXII. Edited by the REV. L. D. DOWDALL, M.A., B.D. Post 8vo, 2s.
[*Pub. Sch. Ser.*

- LIVY.** *Easy Selections from the Kings of Rome.* Edited by A. M. M. STEDMAN, M.A. With Introduction, Notes, and Vocabulary. 18mo, 1s. 6d. [Primary Class.]
- LUCAN.** *The Pharsalia.* By C. E. HASKINS, M.A., Fellow of St. John's College, Cambridge, with an Introduction by W. E. HEITLAND, M.A., Fellow and Tutor of St. John's College, Cambridge. 8vo, 14s.
- LUCRETIUS.** *Titi Lucreti Cari De Rerum Natura Libri Sex.* By the late H. A. J. MUNRO, M.A., Fellow of Trinity College, Cambridge. 4th edition, finally revised. 3 vols. Demy 8vo. Vols. I., II., Introduction, Text, and Notes, 18s. Vol. III., Translation, 6s.
- MARTIAL:** *Select Epigrams.* Edited by F. A. PALEY, M.A., LL.D., and the late W. H. STONE, Scholar of Trinity College, Cambridge. With a Life of the Poet. Fcap. 8vo, 4s. 6d. [Gram. Sch. Class.]
- OVID:** *Fasti.* Edited by F. A. PALEY, M.A., LL.D. Second edition. Fcap. 8vo, 3s. 6d. [Gram. Sch. Class.]
- Or in 3 vols, 1s. 6d. each [Grammar School Classics], or 2s. each [Camb. Texts with Notes], Books I. and II., Books III. and IV., Books V. and VI.
- *Selections from the Amores, Tristia, Heroides, and Metamorphoses.* By A. J. MACLEANE, M.A. Fcap. 8vo, 1s. 6d. [Camb. Texts with Notes.]
- *Ars Amatoria et Amores.* A School Edition. Carefully Revised and Edited, with some Literary Notes, by J. HERBERT WILLIAMS, M.A., late Demy of Magdalen College, Oxford. Fcap. 8vo, 3s. 6d.
- *Heroides XIV.* Edited, with Introductory Preface and English Notes, by ARTHUR PALMER, M.A., Professor of Latin at Trinity College, Dublin. Demy 8vo, 6s.
- *Metamorphoses, Book XIII.* A School Edition. With Introduction and Notes, by CHARLES HAINES KEENE, M.A., Dublin, Ex-Scholar and Gold Medallist in Classics. 3rd edition. Fcap. 8vo, 2s. 6d.
- *Epistolarum ex Ponto Liber Primus.* With Introduction and Notes, by CHARLES HAINES KEENE, M.A. Crown 8vo, 3s.
- PLATO.** *The Apology of Socrates and Crito.* With Notes, critical and exegetical, by WILHELM WAGNER, PH.D. 12th edition. Post 8vo, 3s. 6d. A CHEAP EDITION. Limp Cloth. 2s. 6d. [Pub. Sch. Ser.]
- *Phaedo.* With Notes, critical and exegetical, and an Analysis, by WILHELM WAGNER, PH.D. 10th edition. Post 8vo, 5s. 6d. [Pub. Sch. Ser.]
- *Protagoras.* The Greek Text revised, with an Analysis and English Notes, by W. WAYTE, M.A., Classical Examiner at University College, London. 7th edition. Post 8vo, 4s. 6d. [Pub. Sch. Ser.]
- *Euthyphro.* With Notes and Introduction by G. H. WELLS, M.A., Scholar of St. John's College, Oxford; Assistant Master at Merchant Taylors' School. 3rd edition. Post 8vo, 3s. [Pub. Sch. Ser.]
- *The Republic.* Books I. and II. With Notes and Introduction by G. H. WELLS, M.A. 4th edition, with the Introduction re-written. Post 8vo, 5s. [Pub. Sch. Ser.]
- *Euthydemus.* With Notes and Introduction by G. H. WELLS, M.A. Post 8vo, 4s. [Pub. Sch. Ser.]
- *Phaedrus.* By the late W. H. THOMPSON, D.D., Master of Trinity College, Cambridge. 8vo, 5s. [Bib. Class.]
- *Gorgias.* By the late W. H. THOMPSON, D.D., Master of Trinity College, Cambridge. New edition. 6s. [Pub. Sch. Ser.]

- PLAUTUS.** *Aulularia.* With Notes, critical and exegetical, by W. WAGNER, PH.D. 5th edition. Post 8vo, 4s. 6d. [Pub. Sch. Ser.]
- *Trinummus.* With Notes, critical and exegetical, by WILHELM WAGNER, PH.D. 5th edition. Post 8vo, 4s. 6d. [Pub. Sch. Ser.]
- *Menaechmi.* With Notes, critical and exegetical, by WILHELM WAGNER, PH.D. 2nd edition. Post 8vo, 4s. 6d. [Pub. Sch. Ser.]
- *Mostellaria.* By E. A. SONNENSCHNEIN, M.A., Professor of Classics at Mason College, Birmingham. Post 8vo, 5s. [Pub. Sch. Ser.]
- *Captivi.* Abridged and Edited for the Use of Schools. With Introduction and Notes by J. H. FREESE, M.A., formerly Fellow of St. John's College, Cambridge. Fcap. 8vo, 1s. 6d.
- PROPERTIUS.** *Sex. Aurelii Propertii Carmina.* The Elegies of Propertius, with English Notes. By F. A. PALEY, M.A., LL.D. 2nd edition. 8vo, 5s.
- SALLUST:** *Catilina and Jugurtha.* Edited, with Notes, by the late GEORGE LONG. New edition, revised, with the addition of the Chief Fragments of the Histories, by J. G. FRAZER, M.A., Fellow of Trinity College, Cambridge. Fcap. 8vo, 3s. 6d., or separately, 2s. each. [Gram. Sch. Class.]
- SOPHOCLES.** Edited by REV. F. H. BLAYDES, M.A. Vol. I. *Oedipus Tyrannus—Oedipus Coloneus—Antigone.* 8vo, 8s. [Bib. Class.]
- Vol. II. *Philoctetes—Electra—Trachiniae—Ajax.* By F. A. PALEY, M.A., LL.D. 8vo, 6s., or the four Plays separately in limp cloth, 2s. 6d. each.
- *Trachiniae.* With Notes and Prolegomena. By ALFRED PRETOR, M.A., Fellow of St. Catherine's College, Cambridge. Post 8vo, 4s. 6d. [Pub. Sch. Ser.]
- *The Oedipus Tyrannus of Sophocles.* By B. H. KENNEDY, D.D., Regius Professor of Greek and Hon. Fellow of St. John's College, Cambridge. With a Commentary containing a large number of Notes selected from the MS. of the late T. H. STEEL, M.A. Crown 8vo, 8s.
- — A SCHOOL EDITION Post 8vo, 2s. 6d. [Pub. Sch. Ser.]
- Edited by F. A. PALEY, M.A., LL.D. 5 vols. Fcap. 8vo, 1s. 6d. each. [Camb. Texts with Notes.]
- | | | |
|---|--|--|
| <p><i>Oedipus Tyrannus.</i></p> <p><i>Oedipus Coloneus.</i></p> <p><i>Antigone.</i></p> | | <p><i>Electra.</i></p> <p><i>Ajax.</i></p> |
|---|--|--|
- TACITUS:** *Germania and Agricola.* Edited by the late REV. P. FROST, late Fellow of St. John's College, Cambridge. Fcap. 8vo, 2s. 6d. [Gram. Sch. Class.]
- *The Germania.* Edited, with Introduction and Notes, by R. F. DAVIS, M.A. Fcap. 8vo, 1s. 6d.
- TERENCE.** With Notes, critical and explanatory, by WILHELM WAGNER, PH.D. 3rd edition. Post 8vo, 7s. 6d. [Pub. Sch. Ser.]
- Edited by WILHELM WAGNER, PH.D. 4 vols. Fcap. 8vo, 1s. 6d. each. [Camb. Texts with Notes.]
- | | | |
|--|--|---|
| <p><i>Andria.</i></p> <p><i>Adelphi.</i></p> | | <p><i>Hautontimorumenos.</i></p> <p><i>Phormio.</i></p> |
|--|--|---|
- THEOCRITUS.** With short, critical and explanatory Latin Notes, by F. A. PALEY, M.A., LL.D. 2nd edition, revised. Post 8vo, 4s. 6d. [Pub. Sch. Ser.]

THUCYDIDES, Book VI. By T. W. DOUGAN, M.A., Fellow of St. John's College, Cambridge; Professor of Latin in Queen's College, Belfast. Edited with English notes. Post 8vo, 2s. [*Pub. Sch. Ser.*]

— **The History of the Peloponnesian War.** With Notes and a careful Collation of the two Cambridge Manuscripts, and of the Aldine and Juntine Editions. By the late RICHARD SHILLETO, M.A., Fellow of St. Peter's College, Cambridge. 8vo. Book I. 6s. 6d. Book II. 5s. 6d.

VIRGIL. By the late PROFESSOR CONINGTON, M.A. Revised by the late PROFESSOR NETTLESHIP, Corpus Professor of Latin at Oxford. 8vo.

[*Bib. Class.*]

Vol. I. The Bucolics and Georgics, with new Memoir and three Essays on Virgil's Commentators, Text, and Critics. 4th edition. 10s. 6d.

Vol. II. The Aeneid, Books I.-VI. 4th edition. 10s. 6d.

Vol. III. The Aeneid, Books VII.-XII. 3rd edition. 10s. 6d.

— Abridged from PROFESSOR CONINGTON'S Edition, by the REV. J. G. SHEPARD, D.C.L., H. NETTLESHIP, late Corpus Professor of Latin at the University of Oxford, and W. WAGNER, PH.D. 2 vols. Fcap. 8vo, 4s. 6d. each. [*Gram. Sch. Class.*]

Vol. I. Bucolics, Georgics, and Aeneid, Books I.-IV.

Vol. II. Aeneid, Books V.-XII.

Also the Bucolics and Georgics, in one vol. 3s.

Or in 9 separate volumes (*Grammar School Classics, with Notes at foot of page*), price 1s. 6d. each.

Bucolics.

Georgics, I. and II.

Georgics, III. and IV.

Aeneid, I. and II.

Aeneid, III. and IV.

Aeneid, V. and VI.

Aeneid, VII. and VIII.

Aeneid, IX. and X.

Aeneid, XI. and XII.

Or in 12 separate volumes (*Cambridge Texts with Notes at end*), price 1s. 6d. each.

Bucolics.

Georgics, I. and II.

Georgics, III. and IV.

Aeneid, I. and II.

Aeneid, III. and IV.

Aeneid, V. and VI. (price 2s.)

Aeneid, VII.

Aeneid, VIII.

Aeneid, IX.

Aeneid, X.

Aeneid, XI.

Aeneid, XII.

Aeneid, Book I. CONINGTON'S Edition abridged. With Vocabulary by W. F. R. SHILLETO, M.A. Fcap. 8vo, 1s. 6d. [*Lower Form Ser.*]

XENOPHON: Anabasis. With Life, Itinerary, Index, and three Maps. Edited by the late J. F. MACMICHAEL. Revised edition. Fcap. 8vo, 3s. 6d. [*Gram. Sch. Class.*]

Or in 4 separate volumes, price 1s. 6d. each.

Book I. (with Life, Introduction, Itinerary, and three Maps)—Books II. and III.—Books IV. and V.—Books VI. and VII.

— **Anabasis.** MACMICHAEL'S Edition, revised by J. E. MELHUISE, M.A., Assistant Master of St. Paul's School. In 6 volumes, fcap. 8vo. With Life, Itinerary, and Map to each volume, 1s. 6d. each.

[*Camb. Texts with Notes.*]

Book I.—Books II. and III.—Book IV.—Book V.—Book VI.—Book VII.

- XENOPHON.** *Cyropaedia*. Edited by G. M. GORHAM, M.A., late Fellow of Trinity College, Cambridge. *New edition*. Fcap. 8vo, 3s. 6d.
[*Gram. Sch. Class.*]
Also Books I. and II., 1s. 6d.; Books V. and VI., 1s. 6d.
— *Memorabilia*. Edited by PERCIVAL FROST, M.A., late Fellow of St. John's College, Cambridge. Fcap. 8vo, 3s. [*Gram. Sch. Class.*]
— *Hellenica*. Book I. Edited by L. D. DOWDALL, M.A., B.D. Fcap. 8vo, 2s. [*Camb. Texts with Notes.*]
— *Hellenica*. Book II. By L. D. DOWDALL, M.A., B.D. Fcap. 8vo, 2s. [*Camb. Texts with Notes.*]

TEXTS.

- AESCHYLUS.** *Ex novissima recensione* F. A. PALEY, A.M., LL.D. Fcap. 8vo, 2s. [*Camb. Texts.*]
CAESAR *De Bello Gallico*. Recognovit G. LONG, A.M. Fcap. 8vo, 1s. 6d. [*Camb. Texts.*]
CATULLUS. A New Text, with Critical Notes and an Introduction, by J. P. POSTGATE, M.A., LITT.D., Fellow of Trinity College, Cambridge, Professor of Comparative Philology at the University of London. Wide fcap. 8vo, 3s.
CICERO *De Senectute et de Amicitia, et Epistolae Selectae*. Recensuit G. LONG, A.M. Fcap. 8vo, 1s. 6d. [*Camb. Texts.*]
CICERONIS *Orationes in Verrem*. Ex recensione G. LONG, A.M. Fcap. 8vo, 2s. 6d. [*Camb. Texts.*]
CORPUS POETARUM LATINORUM, a se aliisque denuo recognitorum et brevi lectionum varietate instructorum, edidit JOHANNES PERCIVAL POSTGATE. Tom. I.—Ennius, Lucretius, Catullus, Horatius, Vergilius, Tibullus, Propertius, Ovidius. Large post 4to, 21s. net. Also in 2 Parts, sewed, 9s. each, net.
* To be completed in 4 parts, making 2 volumes.
CORPUS POETARUM LATINORUM. Edited by WALKER. Containing :—Catullus, Lucretius, Virgilius, Tibullus, Propertius, Ovidius, Horatius, Phaedrus, Lucanus, Persius, Juvenalis, Martialis, Sulpicia, Statius, Silius Italicus, Valerius Flaccus, Calpurnius Siculus, Ausonius, and Claudianus. 1 vol. 8vo, cloth, 18s.
EURIPIDES. Ex recensione F. A. PALEY, A.M., LL.D. 3 vols. Fcap. 8vo, 2s. each. [*Camb. Texts.*]
Vol. I.—Rhesus—Medea—Hippolytus—Alcestis—Heraclidae—Supplices—Troades.
Vol. II.—Ion—Helena—Andromache—Electra—Bacchae—Hecuba.
Vol. III.—Hercules Furens—Phoenissae—Orestes—Iphigenia in Tauris—Iphigenia in Aulide—Cyclops.
HERODOTUS. Recensuit J. G. BLAKESLEY, S.T.B. 2 vols. Fcap. 8vo, 2s. 6d. each. [*Camb. Texts.*]
HOMERI ILIAS I.-XII. Ex novissima recensione F. A. PALEY, A.M., LL.D. Fcap. 8vo, 1s. 6d. [*Camb. Texts.*]
HORATIUS. Ex recensione A. J. MACLEANE, A.M. Fcap. 8vo, 1s. 6d. [*Camb. Texts.*]
JUVENAL ET PERSIUS. Ex recensione A. J. MACLEANE, A.M. Fcap. 8vo, 1s. 6d. [*Camb. Texts.*]

- LUCRETIVS.** Recognovit H. A. J. MUNRO, A.M. Fcap. 8vo, 2s. [Camb. Texts.]
- PROPERTIVS.** Sex. Propertii Elegiarum Libri IV. recensuit A. PALMER, collegii sacrosanctae et individuae Trinitatis juxta Dublinum Socius. Fcap. 8vo, 3s. 6d.
- **Sexti Properti Carmina.** Recognovit JOH. PERCIVAL POSTGATE, Large post 4to, boards, 3s. 6d. net.
- SALLVSTI CRISPI CATILINA ET JVGVRTHA,** Recognovit G. LONG, A.M. Fcap. 8vo, 1s. 6d. [Camb. Texts.]
- SOPHOCLES.** Ex recensione F. A. PALEY, A.M., LL.D. Fcap. 8vo, 2s. 6d. [Camb. Texts.]
- TERENTI COMOEDIAE.** GUL. WAGNER relegit et emendavit. Fcap. 8vo, 2s. [Camb. Texts.]
- THVCYDIDES.** Recensuit J. G. DONALDSON, S.T.P. 2 vols. Fcap. 8vo, 2s. each. [Camb. Texts.]
- VERGILIVS.** Ex recensione J. CONINGTON, A.M. Fcap. 8vo, 2s. [Camb. Texts.]
- XENOPHONTIS EXPEDITIO CYRI.** Recensuit J. F. MACMICHAEL, A.B. Fcap. 8vo, 1s. 6d. [Camb. Texts.]

TRANSLATIONS.

- AESCHYLVS, The Tragedies of.** Translated into English verse by ANNA SWANWICK. 4th edition revised. Small post 8vo, 5s.
- **The Tragedies of.** Literally translated into Prose, by T. A. BUCKLEY, B.A. Small post 8vo, 3s. 6d.
- **The Tragedies of.** Translated by WALTER HEADLAM, M.A., Fellow of King's College, Cambridge. [Preparing.]
- ANTONINVS (M. Aurelius), The Thoughts of.** Translated by GEORGE LONG, M.A. Revised edition. Small post 8vo, 3s. 6d. Fine paper edition on handmade paper. Pott 8vo, 6s.
- APOLLONIVS RHODIVS.** The Argonautica. Translated by E. P. COLERIDGE. Small post 8vo, 5s.
- AMMIANVS MARCELLINVS.** History of Rome during the Reigns of Constantius, Julian, Jovianus, Valentinian, and Valens. Translated by PROF. C. D. YONGE, M.A. With a complete Index. Small post 8vo, 7s. 6d.
- ARISTOPHANES, The Comedies of.** Literally translated by W. J. HICKIE. With Portrait. 2 vols. Small post 8vo, 5s. each.
- Vol. I.—Acharnians, Knights, Clouds, Wasps, Peace, and Birds.
- Vol. II.—Lysistrata, Thesmophoriazusae, Frogs, Ecclesiazusae, and Plutus.
- **The Acharnians.** Translated by W. H. COVINGTON, B.A. With Memoir and Introduction. Crown 8vo, sewed, 1s.
- ARISTOTLE on the Athenian Constitution.** Translated, with Notes and Introduction, by F. G. KENYON, M.A., Fellow of Magdalen College, Oxford. Pott 8vo, printed on handmade paper. 2nd edition. 4s. 6d.
- **History of Animals.** Translated by RICHARD CRESSWELL, M.A. Small post 8vo, 5s.

- ARISTOTLE.** *Organon*: or, Logical Treatises, and the Introduction of Porphyry. With Notes, Analysis, Introduction, and Index, by the REV. O. F. OWEN, M.A. 2 vols. Small post 8vo, 3s. 6d. each.
- *Rhetoric and Poetics.* Literally Translated, with Hobbes' Analysis, &c., by T. BUCKLEY, B.A. Small post 8vo, 5s.
- *Nicomachean Ethics.* Literally Translated, with Notes, an Analytical Introduction, &c., by the Venerable ARCHDEACON BROWNE, late Classical Professor of King's College. Small post 8vo, 5s.
- *Politics and Economics.* Translated, with Notes, Analyses, and Index, by E. WALFORD, M.A., and an Introductory Essay and a Life by DR. GILLIES. Small post 8vo, 5s.
- *Metaphysics.* Literally Translated, with Notes, Analysis, &c., by the REV. JOHN H. M'MAHON, M.A. Small post 8vo, 5s.
- ARRIAN.** *Anabasis of Alexander,* together with the *Indica.* Translated by E. J. CHINNOCK, M.A., LL.D. With Introduction, Notes, Maps, and Plans. Small post 8vo, 5s.
- CAESAR.** *Commentaries on the Gallic and Civil Wars,* with the Supplementary Books attributed to Hirtius, including the complete Alexandrian, African, and Spanish Wars. Translated by W. A. M'DEVITTE, B.A. Small post 8vo, 5s.
- *Gallic War.* Translated by W. A. M'DEVITTE, B.A. 2 vols., with Memoir and Map. Crown 8vo, sewed. Books I. to IV., Books V. to VII., 1s. each.
- CALPURNIUS SICULUS,** *The Eclogues of.* The Latin Text, with English Translation by E. J. L. SCOTT, M.A. Crown 8vo, 3s. 6d.
- CATULLUS, TIBULLUS,** and the *Vigil of Venus.* Prose Translation. Small post 8vo, 5s.
- CICERO,** *The Orations of.* Translated by PROF. C. D. YONGE, M.A. With Index. 4 vols. Small post 8vo, 5s. each.
- *On Oratory and Orators.* With Letters to Quintus and Brutus. Translated by the REV. J. S. WATSON, M.A. Small post 8vo, 5s.
- *On the Nature of the Gods.* Divination, Fate, Laws, a Republic, Consulship. Translated by PROF. C. D. YONGE, M.A., and FRANCIS BARHAM. Small post 8vo, 5s.
- *Academics, De Finibus, and Tusculan Questions.* By PROF. C. D. YONGE, M.A. Small post 8vo, 5s.
- *Offices; or, Moral Duties.* Cato Major, an Essay on Old Age; Laelius, an Essay on Friendship; Scipio's Dream; Paradoxes; Letter to Quintus on Magistrates. Translated by C. R. EDMONDS. *With Portrait,* 3s. 6d.
- *Old Age and Friendship.* Translated, with Memoir and Notes, by G. H. WELLS, M.A. Crown 8vo, sewed, 1s.
- DEMOSTHENES,** *The Orations of.* Translated, with Notes, Arguments, a Chronological Abstract, Appendices, and Index, by C. RANN KENNEDY. 5 vols. Small post 8vo.
- Vol. I.—*The Olynthiacs, Philippics.* 3s. 6d.
- Vol. II.—*On the Crown and on the Embassy.* 5s.
- Vol. III.—*Against Leptines, Midias, Androtion, and Aristocrates.* 5s.
- Vols. IV. and V.—*Private and Miscellaneous Orations.* 5s. each.
- *On the Crown.* Translated by C. RANN KENNEDY. Crown 8vo, sewed, 1s.
- DIOGENES LAERTIUS.** Translated by PROF. C. D. YONGE, M.A. Small post 8vo, 5s.

- EPICETUS**, *The Discourses of*. With the *Encheiridion* and *Fragments*. Translated by GEORGE LONG, M.A. Small post 8vo, 5s.
Fine Paper Edition, 2 vols. Post 8vo, 10s. 6d.
- EURIPIDES**. A Prose Translation, from the Text of Paley. By E. P. COLERIDGE, B.A. 2 vols., 5s. each.
Vol. I.—Rhesus, Medea, Hippolytus, Alcester, Heraclides, Supplices, Troades, Ion, Helena.
Vol. II.—Andromache, Electra, Bacchae, Hecuba, Hercules Furens, Phoenissae, Orestes, Iphigenia in Tauris, Iphigenia in Aulis, Cyclops.
* The plays separately (except Rhesus, Helena, Electra, Iphigenia in Aulis, and Cyclops). Crown 8vo, sewed, 1s. each.
— Translated from the Text of Dindorf. By T. A. BUCKLEY, B.A. 2 vols. small post 8vo, 5s. each.
- GREEK ANTHOLOGY**. Translated by GEORGE BURGESS, M.A. Small post 8vo, 5s.
- HERODOTUS**. Translated by the REV. HENRY CARY, M.A. Small post 8vo, 3s. 6d.
— Analysis and Summary of. By J. T. WHEELER. Small post 8vo, 5s.
- HESIOD, CALLIMACHUS, and THEOGNIS**. Translated by the REV. J. BANKS, M.A. Small post 8vo, 5s.
- HOMER**. *The Iliad*. Translated by T. A. BUCKLEY, B.A. Small post 8vo, 5s.
— *The Odyssey, Hymns, Epigrams, and Battle of the Frogs and Mice*. Translated by T. A. BUCKLEY, B.A. Small post 8vo, 5s.
— *The Iliad*. Books I.-IV. Translated into English Hexameter Verse, by HENRY SMITH WRIGHT, B.A., late Scholar of Trinity College, Cambridge. Medium 8vo, 5s.
- HORACE**. Translated by Smart. *Revised edition*. By T. A. BUCKLEY, B.A. Small post 8vo, 3s. 6d.
— *The Odes and Carmen Saeculare*. Translated into English Verse by the late JOHN CONINGTON, M.A., Corpus Professor of Latin in the University of Oxford. 11th edition. Fcap. 8vo. 3s. 6d.
— *The Satires and Epistles*. Translated into English Verse by PROF. JOHN CONINGTON, M.A. 8th edition. Fcap. 8vo, 3s. 6d.
— *Odes and Epodes*. Translated by SIR STEPHEN E. DE VEE, BART. 3rd edition, enlarged. Imperial 16mo. 7s. 6d. net.
- ISOCRATES**, *The Orations of*. Translated by J. H. FREESE, M.A., late Fellow of St. John's College, Cambridge, with Introductions and Notes. Vol. I. Small post 8vo, 5s.
- JUSTIN, CORNELIUS NEPOS, and EUTROPIUS**. Translated by the REV. J. S. WATSON, M.A. Small post 8vo, 5s.
- JUVENAL, PERSIUS, Sulpicia, and LUCILIUS**. Translated by L. EVANS, M.A. Small post 8vo, 5s.
- LIVY**. *The History of Rome*. Translated by DR. SPILLAN, C. EDMONDS, and others. 4 vols. small post 8vo, 5s. each.
— Books I., II., III., IV. A Revised Translation by J. H. FREESE, M.A., late Fellow of St. John's College, Cambridge. With Memoir, and Maps. 4 vols., crown 8vo, sewed, 1s. each.
— Book V. and Book VI. A Revised Translation by E. S. WEYMOUTH, M.A., Lond. With Memoir, and Maps. Crown 8vo, sewed, 1s. each.
— Book IX. Translated by FRANCIS STORR, B.A. With Memoir. Crown 8vo, sewed, 1s.

- LUCAN.** *The Pharsalia.* Translated into Prose by H. T. RILEY. Small post 8vo, 5s.
- *The Pharsalia.* Book I. Translated by FREDERICK CONWAY, M.A. With Memoir and Introduction. Crown 8vo, sewed, 1s.
- LUCIAN'S** *Dialogues of the Gods, of the Sea-Gods, and of the Dead.* Translated by HO WARD WILLIAMS, M.A. Small post 8vo, 5s.
- LUCRETIUS.** Translated by the REV. J. S. WATSON, M.A. Small post 8vo, 5s.
- Literally translated by the late H. A. J. MUNRO, M.A. 4th edition. Demy 8vo, 6s.
- MARTIAL'S** *Epigrams, complete.* Literally translated into Prose, with the addition of Verse Translations selected from the Works of English Poets, and other sources. Small post 8vo, 7s. 6d.
- OVID,** *The Works of.* Translated. 3 vols. Small post 8vo, 5s. each.
- Vol. I.—*Fasti, Tristia, Pontic Epistles, Ibis, and Halieuticon.*
- Vol. II.—*Metamorphoses.* With *Frontispiece.*
- Vol. III.—*Heroides, Amours, Art of Love, Remedy of Love, and Minor Pieces.* With *Frontispiece.*
- *Fasti.* Translated by H. T. RILEY, B.A. 3 vols. Crown 8vo, sewed, 1s. each.
- *Tristia.* Translated by H. T. RILEY, B.A. Crown 8vo, sewed, 1s.
- PINDAR.** Translated by DAWSON W. TURNER. Small post 8vo, 5s.
- PLATO.** *Gorgias.* Translated by the late E. M. COPE, M.A., Fellow of Trinity College. 2nd edition. 8vo, 7s.
- *Philebus.* Translated by F. A. PALEY, M.A., LL.D. Small 8vo, 4s.
- *Theætetus.* Translated by F. A. PALEY, M.A., LL.D. Small 8vo, 4s.
- *The Works of.* Translated, with Introduction and Notes. 6 vols. Small post 8vo, 5s. each.
- Vol. I.—*The Apology of Socrates—Crito—Phaedo—Gorgias—Protagoras—Phaedrus—Theætetus—Eutyphron—Lysis.* Translated by the REV. H. CARY.
- Vol. II.—*The Republic—Timæus—Critias.* Translated by HENRY DAVIS.
- Vol. III.—*Meno—Euthydemus—The Sophist—Statesman—Cratylus—Parmenides—The Banquet.* Translated by G. BURGESS.
- Vol. IV.—*Philebus—Charmides—Laches—Menexenus—Hippias—Ion—The Two Alcibiades—Theages—Rivals—Hipparchus—Minos—Cleitoph—Epistles.* Translated by G. BURGESS.
- Vol. V.—*The Laws.* Translated by G. BURGESS.
- Vol. VI.—*The Doubtful Works.* Edited by G. BURGESS. With General Index to the six volumes.
- *Apology, Crito, Phaedo, and Protagoras.* Translated by the REV. H. CARY. Small post 8vo, sewed, 1s., cloth, 1s. 6d.
- *Dialogues.* A Summary and Analysis of. With Analytical Index, giving references to the Greek text of modern editions and to the above translations. By A. DAY, LL.D. Small post 8vo, 5s.
- PLAUTUS,** *The Comedies of.* Translated by H. T. RILEY, B.A. 2 vols. Small post 8vo, 5s. each.
- Vol. I.—*Trinummus—Miles Gloriosus—Bacchides—Stichus—Pseudolus—Menaechmei—Aulularia—Captivi—Asinaria—Curculio.*
- Vol. II.—*Amphitryon—Rudens—Mercator—Cistellaria—Truculentus—Persa—Casina—Poenulus—Epidicus—Mostellaria—Fragments.*
- *Trinummus, Menaechmei, Aulularia, and Captivi.* Translated by H. T. RILEY, B.A. Small post 8vo, sewed, 1s., cloth, 1s. 6d.

- PLINY.** The Letters of Pliny the Younger. Melmoth's Translation, revised, by the REV. F. C. T. BOSANQUET, M.A. Small post 8vo, 5s.
- PLUTARCH.** Lives. Translated by A. STEWART, M.A., late Fellow of Trinity College, Cambridge, and GEORGE LONG, M.A. 4 vols. small post 8vo, 3s. 6d. each.
- **Morals.** Theosophical Essays. Translated by C. W. KING, M.A., late Fellow of Trinity College, Cambridge. Small post 8vo, 5s.
- **Morals.** Ethical Essays. Translated by the REV. A. R. SHILLETO, M.A. Small post 8vo, 5s.
- PROPERTIUS.** Translated by REV. P. J. F. GANTILLON, M.A., and accompanied by Poetical Versions, from various sources. Small post 8vo, 3s. 6d.
- PRUDENTIUS,** Translations from. A Selection from his Works, with a Translation into English Verse, and an Introduction and Notes, by FRANCIS ST. JOHN THACKERAY, M.A., F.S.A., Vicar of Mapledurham, formerly Fellow of Lincoln College, Oxford, and Assistant-Master at Eton. Wide post 8vo, 7s. 6d.
- QUINTILIAN:** Institutes of Oratory, or, Education of an Orator. Translated by the REV. J. S. WATSON, M.A. 2 vols. small post 8vo, 5s. each.
- SALLUST, FLORUS, and VELLEIUS PATERCULUS.** Translated by J. S. WATSON, M.A. Small post 8vo, 5s.
- SENECA: On Benefits.** Translated by A. STEWART, M.A., late Fellow of Trinity College, Cambridge. Small post 8vo, 3s. 6d.
- **Minor Essays and On Clemency.** Translated by A. STEWART, M.A. Small post 8vo, 5s.
- SOPHOCLES.** Translated, with Memoir, Notes, etc., by E. P. COLERIDGE, B.A. Small post 8vo, 5s.
- Or the plays separately, crown 8vo, sewed, 1s. each.
- **The Tragedies of.** The Oxford Translation, with Notes, Arguments, and Introduction. Small post 8vo, 5s.
- **The Dramas of.** Rendered in English Verse, Dramatic and Lyric, by SIR GEORGE YOUNG, BART., M.A., formerly Fellow of Trinity College, Cambridge. 8vo, 12s. 6d.
- **The Œdipus Tyrannus.** Translated into English Prose. By PROF. B. H. KENNEDY. Crown 8vo, in paper wrapper, 1s.
- SUETONIUS.** Lives of the Twelve Caesars and Lives of the Grammarians. Thomson's revised Translation, by T. FORESTER. Small post 8vo, 5s.
- TACITUS, The Works of.** Translated, with Notes and Index 2 vols. Small post 8vo, 5s. each.
- Vol. I.—The Annals.
- Vol. II.—The History, Germania, Agricola, Oratory, and Index.
- TERENCE and PHAEDRUS.** Translated by H. T. RILEY, B.A. Small post 8vo, 5s.
- THEOCRITUS, BION, MOSCHUS, and TYRTAEUS.** Translated by the REV. J. BANKS, M.A. Small post 8vo, 5s.
- THEOCRITUS.** Translated into English Verse by C. S. CALVERLEY, M.A., late Fellow of Christ's College, Cambridge. *New edition, revised.* Crown 8vo, 7s. 6d.

- THUCYDIDES.** *The Peloponnesian War.* Translated by the REV. H. DALE. *With Portrait.* 2 vols., 3s. 6d. each.
- *Analysis and Summary of.* By J. T. WHEELER. Small post 8vo, 5s.
- VIRGIL.** Translated by A. HAMILTON BRYCE, LL.D. With Memoir and Introduction. Small post 8vo, 3s. 6d.
- Also in 6 vols., crown 8vo, sewed, 1s. each.
- | | |
|---------------|----------------|
| Georgics. | Æneid IV.-VI. |
| Bucolics. | Æneid VII.-IX. |
| Æneid I.-III. | Æneid X.-XII. |
- XENOPHON.** *The Works of.* In 3 vols. Small post 8vo, 5s. each.
- Vol. I.—*The Anabasis, and Memorabilia.* Translated by the REV. J. S. WATSON, M.A. With a Geographical Commentary, by W. F. AINSWORTH, F.S.A., F.R.G.S., etc.
- Vol. II.—*Cyropaedia and Hellenics.* Translated by the REV. J. S. WATSON, M.A., and the REV. H. DALE.
- Vol. III.—*The Minor Works.* Translated by the REV. J. S. WATSON, M.A.
- *Anabasis.* Translated by the REV. J. S. WATSON, M.A. With Memoir and Map. 3 vols.
- *Hellenics.* Books I. and II. Translated by the REV. H. DALE, M.A. With Memoir.
- SABRINAE COROLLA** In Hortulis Regiae Scholae Salopiensis contextuerunt tres viri floribus legendis. 4th edition, revised and re-arranged. By the late BENJAMIN HALL KENNEDY, D.D., Regius Professor of Greek at the University of Cambridge. Large post 8vo, 10s. 6d.
- SERTUM CARTHUSIANUM** Floribus trium Seculorum Contextum. Cura GULIELMI HAIG BROWN, Scholae Carthusianae Archididascali. Demy 8vo, 5s.
- TRANSLATIONS into English and Latin.** By C. S. CALVERLEY, M.A., late Fellow of Christ's College, Cambridge. 3rd edition. Crown 8vo, 7s. 6d.
- TRANSLATIONS from and into the Latin, Greek and English.** By R. C. JEBB, M.A., Regius Professor of Greek in the University of Cambridge, H. JACKSON, M.A., LITT. D., Fellows of Trinity College, Cambridge, and W. E. CURREY, M.A., formerly Fellow of Trinity College, Cambridge. Crown 8vo. 2nd edition, revised. 8s.

GRAMMAR AND COMPOSITION.

- BADDELEY.** *Auxilia Latina.* A Series of Progressive Latin Exercises. By M. J. B. BADDELEY, M.A. Fcap. 8vo. Part I., Accidence. 5th edition. 2s. Part II. 5th edition. 2s. Key to Part II. 2s. 6d.
- BAIRD.** *Greek Verbs.* A Catalogue of Verbs, Irregular and Defective; their leading formations, tenses in use, and dialectic inflexions, with a copious Appendix, containing Paradigms for conjugation, Rules for formation of tenses, &c., &c. By J. S. BAIRD, T.C.D. New edition, revised. 2s. 6d.
- *Homeric Dialect.* Its Leading Forms and Peculiarities. By J. S. BAIRD, T.C.D. New edition, revised. By the REV. W. GUNION RUTHERFORD, M.A., LL.D., Head Master at Westminster School. 1s.

- BAKER.** Latin Prose for London Students. By ARTHUR BAKER, M.A., Classical Master, Independent College, Taunton. Fcap. 8vo, 2s.
- BARRY.** Notes on Greek Accents. By the RIGHT REV. A. BARRY, D.D. *New edition, re-written.* 1s.
- CHURCH.** Latin Prose Lessons. By A. J. CHURCH, M.A., Professor of Latin at University College, London. 9th edition. Fcap. 8vo, 2s. 6d.
- CLAPIN.** Latin Primer. By the REV. A. C. CLAPIN, M.A., Assistant Master at Sherborne School. 4th edition. Fcap. 8vo, 1s.
- COLLINS.** Latin Exercises and Grammar Papers. By T. COLLINS, M.A., Head Master of the Latin School, Newport, Salop. 7th edition. Fcap. 8vo, 2s. 6d.
- Unseen Papers in Latin Prose and Verse. With Examination Questions. 7th edition. Fcap. 8vo, 2s. 6d.
- Unseen Papers in Greek Prose and Verse. With Examination Questions. 4th edition. Fcap. 8vo, 3s.
- Easy Translations from Nepos, Caesar, Cicero, Livy, &c., for Retranslation into Latin. With Notes. 2s.
- COMPTON.** Rudiments of Attic Construction and Idiom. An Introduction to Greek Syntax for Beginners who have acquired some knowledge of Latin. By the REV. W. COOKWORTHY COMPTON, M.A., Head Master of Dover College. Crown 8vo, 3s.
- FROST.** Eclogæ Latinae; or, First Latin Reading Book. With Notes and Vocabulary by the late REV. F. FROST, M.A. Fcap. 8vo, 1s. 6d.
- *Analecta Graeca Minora.* With Notes and Dictionary. *New edition.* Fcap. 8vo, 2s.
- Materials for Latin Prose Composition. By the late REV. F. FROST, M.A. *New edition.* Fcap. 8vo. 2s. Key. 4s. net.
- A Latin Verse Book. *New edition.* Fcap. 8vo, 2s. Key. 5s. net.
- Materials for Greek Prose Composition. *New edition.* Fcap. 8vo, 2s. 6d. Key. 5s. net.
- Greek Accidence. *New edition.* 1s.
- Latin Accidence. 1s.
- HARKNESS.** A Latin Grammar. By ALBERT HARKNESS. Post 8vo, 6s.
- KEY.** A Latin Grammar. By the late T. H. KEY, M.A., F.R.S. 6th thousand. Post 8vo, 8s.
- A Short Latin Grammar for Schools. 16th edition. Post 8vo, 3s. 6d.
- HOLDEN.** Foliorum Silvula. Part I. Passages for Translation into Latin Elegiac and Heroic Verse. By H. A. HOLDEN, LL.D. 11th edition. Post 8vo, 7s. 6d.
- Foliorum Silvula. Part II. Select Passages for Translation into Latin Lyric and Comic Iambic Verse. 3rd edition. Post 8vo, 5s.
- Foliorum Centuriae. Select Passages for Translation into Latin and Greek Prose. 10th edition. Post 8vo, 8s.
- JEBB, JACKSON, and CURREY.** Extracts for Translation in Greek, Latin, and English. By R. C. JEBB, LITT.D., LL.D., Regius Professor of Greek in the University of Cambridge; H. JACKSON, LITT.D., Fellow of Trinity College, Cambridge; and W. E. CURREY, M.A., late Fellow of Trinity College, Cambridge. 4s. 6d.
- Latin Syntax, Principles of. 1s.
- Latin Versification. 1s.

- MASON.** *Analytical Latin Exercises* By C. P. MASON, B.A. 4th edition. Part I., 1s. 6d. Part II., 2s. 6d.
 — *The Analysis of Sentences Applied to Latin.* Post 8vo, 1s. 6d.
- NETTLESHIP.** *Passages for Translation into Latin Prose.* Preceded by Essays on:—I. Political and Social Ideas. II. Range of Metaphorical Expression. III. Historical Development of Latin Prose Style in Antiquity. IV. Cautions as to Orthography. By H. NETTLESHIP, M.A., late Corpus Professor of Latin in the University of Oxford. Crown 8vo, 3s. A Key, 4s. 6d. net.
- Notabilia Quaedam;** or the Principal Tenses of most of the Irregular Greek Verbs, and Elementary Greek, Latin, and French Constructions. *New edition.* 1s.
- PALEY.** *Greek Particles and their Combinations according to Attic Usage.* A Short Treatise. By F. A. PALEY, M.A., LL.D. 2s. 6d.
- PENROSE.** *Latin Elegiac Verse, Easy Exercises in.* By the REV. J. PENROSE. *New edition.* 2s. (Key, 3s. 6d. net.)
- PRESTON.** *Greek Verse Composition.* By G. PRESTON, M.A. 5th edition. Crown 8vo, 4s. 6d.
- PRUEN.** *Latin Examination Papers.* Comprising Lower, Middle, and Upper School Papers, and a number of the Woolwich and Sandhurst Standards. By G. G. PRUEN, M.A., Senior Classical Master in the Modern Department, Cheltenham College. Crown 8vo, 2s. 6d.
- SEAGER.** *Faciliora.* An Elementary Latin Book on a New Principle. By the REV. J. L. SEAGER, M.A. 2s. 6d.
- STEDMAN (A. M. M.).** *First Latin Lessons.* By A. M. M. STEDMAN, M.A., Wadham College, Oxford. 2nd edition, enlarged. Crown 8vo, 2s.
- *Initia Latina.* Easy Lessons on Elementary Accidence. 2nd edition. Fcap. 8vo, 1s.
- *First Latin Reader.* With Notes adapted to the Shorter Latin Primer and Vocabulary. Crown 8vo, 1s. 6d.
- *Easy Latin Passages for Unseen Translation.* 2nd and enlarged edition. Fcap. 8vo, 1s. 6d.
- *Exempla Latina.* First Exercises in Latin Accidence. With Vocabulary. Crown 8vo, 1s. 6d.
- *The Latin Compound Sentence; Rules and Exercises.* Crown 8vo, 1s. 6d. With Vocabulary, 2s.
- *Easy Latin Exercises on the Syntax of the Shorter and Revised Latin Primers.* With Vocabulary. 3rd edition. Crown 8vo, 2s. 6d.
- *Latin Examination Papers in Miscellaneous Grammar and Idioms.* 3rd edition. 2s. 6d. Key (for Tutors only), 6s. net.
- *Notanda Quaedam.* Miscellaneous Latin Exercises. On Common Rules and Idioms. 2nd edition. Fcap. 8vo 1s. 6d. With Vocabulary, 2s.
- *Latin Vocabularies for Repetition.* Arranged according to Subjects. 3rd edition. Fcap. 8vo, 1s. 6d.
- *First Greek Lessons.* [In preparation.]
- *Easy Greek Passages for Unseen Translation.* Fcap. 8vo, 1s. 6d.
- *Easy Greek Exercises on Elementary Syntax.* [In preparation.]
- *Greek Vocabularies for Repetition.* Fcap. 8vo, 1s. 6d.
- *Greek Testament Selections for the Use of Schools.* 2nd edition. With Introduction, Notes, and Vocabulary. Fcap. 8vo, 2s. 6d.
- *Greek Examination Papers in Miscellaneous Grammar and Idioms.* 2nd edition. 2s. 6d. Key (for Tutors only), 6s. net.

- THACKERAY.** *Anthologia Graeca.* A Selection of Greek Poetry, with Notes. By F. ST. JOHN THACKERAY. *5th edition.* 16mo, 4s. 6d.
- *Anthologia Latina.* A Selection of Latin Poetry, from Naevius to Boëthius, with Notes. By REV. F. ST. JOHN THACKERAY. *6th edition.* 16mo, 4s. 6d.
- *Hints and Cautions on Attic Greek Prose Composition.* Crown 8vo, 3s. 6d.
- *Exercises on the Irregular and Defective Greek Verbs.* 1s. 6d.
- WELLS.** *Tales for Latin Prose Composition.* With Notes and Vocabulary. By G. H. WELLS, M.A., Assistant Master at Merchant Taylor's School. Fcap. 8vo, 2s.

HISTORY, GEOGRAPHY, AND REFERENCE BOOKS, ETC.

- TEUFFEL'S History of Roman Literature.** *5th edition,* revised by DR. SCHWABE, translated by PROFESSOR G. C. W. WARR, M.A., King's College, London. Medium 8vo. 2 vols. 30s. Vol. I. (The Republican Period), 15s. Vol. II. (The Imperial Period), 15s.
- KEIGHTLEY'S Mythology of Ancient Greece and Italy.** *4th edition,* revised by the late LEONHARD SCHMITZ, PH.D., LL.D., Classical Examiner to the University of London. With 12 Plates. Small post 8vo, 5s.
- DONALDSON'S Theatre of the Greeks.** *10th edition.* Small post 8vo, 5s.
- DICTIONARY OF LATIN AND GREEK QUOTATIONS;** including Proverbs, Maxims, Mottoes, Law Terms and Phrases. With all the Quantities marked, and English Translations. With Index Verborum. Small post 8vo, 5s.
- A GUIDE TO THE CHOICE OF CLASSICAL BOOKS.** By J. B. MAYOR, M.A., Professor of Moral Philosophy at King's College, late Fellow and Tutor of St. John's College, Cambridge. *3rd edition,* with Supplementary List. Crown 8vo, 4s. 6d. Supplement separate, 1s. 6d.
- PAUSANIAS' Description of Greece.** Newly translated, with Notes and Index, by A. R. SHILLETO, M.A. 2 vols. Small post 8vo, 5s. each.
- STRABO'S Geography.** Translated by W. FALCONER, M.A., and H. C. HAMILTON. 3 vols. Small post 8vo, 5s. each.
- AN ATLAS OF CLASSICAL GEOGRAPHY.** By W. HUGHES and G. LONG, M.A. Containing Ten selected Maps. Imp. 8vo, 3s.
- AN ATLAS OF CLASSICAL GEOGRAPHY.** Twenty-four Maps by W. HUGHES and GEORGE LONG, M.A. With coloured outlines. Imperial 8vo, 6s.
- ATLAS OF CLASSICAL GEOGRAPHY.** 22 large Coloured Maps. With a complete Index. Imp. 8vo, chiefly engraved by the Messrs. Walker. 7s. 6d.

MATHEMATICS.

ARITHMETIC AND ALGEBRA.

- BARRACLOUGH (T.).** *The Eclipse Mental Arithmetic.* By **TITUS BARRACLOUGH**, Board School, Halifax. Standards I., II., and III., sewed, 6d.; Standards II., III., and IV., sewed, 6d. net; Book III., Part A, sewed, 4d.; Book III., Part B, cloth, 1s. 6d.
- BEARD (W. S.).** *Graduated Exercises in Addition* (Simple and Compound). For Candidates for Commercial Certificates and Civil Service appointments. By **W. S. BEARD**, F.R.G.S., Head Master of the Modern School, Fareham. 3rd edition. Fcap. 4to, 1s.
— See **PENDLEBURY**.
- ELSEE (C.).** *Arithmetic.* By the **REV. C. ELSEE**, M.A., late Fellow of St. John's College, Cambridge, Senior Mathematical Master at Rugby School. 14th edition. Fcap. 8vo, 3s. 6d.
[*Camb. School and College Texts.* 8th edition. Fcap. 8vo, 4s.
[*Camb. S. and C. Texts.*
- **Algebra.** By the **REV. C. ELSEE**, M.A. 8th edition. Fcap. 8vo, 4s.
[*Camb. S. and C. Texts.*
- FILIPOWSKI (H. E.).** *Anti-Logarithms, A Table of.* By **H. E. FILIPOWSKI**. 3rd edition. 8vo, 15s.
- GOUDIE (W. P.).** See **Watson**.
- HATHORNTHWAITE (J. T.).** *Elementary Algebra for Indian Schools.* By **J. T. HATHORNTHWAITE**, M.A., Principal and Professor of Mathematics at Elphinstone College, Bombay. Crown 8vo, 2s.
- HUNTER (J.).** *Supplementary Arithmetic, with Answers.* By **REV. J. HUNTER**, M.A. Fcap. 8vo, 3s.
- MACMICHAEL (W. F.) and PROWDE SMITH (R.).** *Algebra. A Progressive Course of Examples.* By the **REV. W. F. MACMICHAEL**, and **R. PROWDE SMITH**, M.A. 4th edition. Fcap. 8vo, 3s. 6d. With answers, 4s. 6d.
[*Camb. S. and C. Texts.*
- MATHEWS (G. B.).** *Theory of Numbers.* An account of the Theories of Congruencies and of Arithmetical Forms. By **G. B. MATHEWS**, M.A., Professor of Mathematics in the University College of North Wales. Part I. Demy 8vo, 12s.
- MOORE (B. T.).** *Elementary Treatise on Mensuration.* By **B. T. MOORE**, M.A., Fellow of Pembroke College, Cambridge.
[*New edition preparing.*
- PENDLEBURY (C.).** *Arithmetic.* With Examination Papers and 8,000 Examples. By **CHARLES PENDLEBURY**, M.A., F.R.A.S., Senior Mathematical Master of St. Paul's, Author of "Lenses and Systems of Lenses, treated after the manner of Gauss." 7th edition. Crown 8vo. Complete, with or without Answers, 4s. 6d. In Two Parts, with or without Answers, 2s. 6d. each.
Key to Part II. 7s. 6d. net.
[*Camb. Math. Ser.*
- **Examples in Arithmetic.** Extracted from **Pendlebury's Arithmetic**. With or without Answers. 5th edition. Crown 8vo, 3s., or in Two Parts, 1s. 6d. and 2s.
[*Camb. Math. Ser.*
- **Examination Papers in Arithmetic.** Consisting of 140 papers, each containing 7 questions; and a collection of 357 more difficult problems. 2nd edition. Crown 8vo, 2s. 6d. Key, for Tutors only, 5s. net.

- PENDLEBURY (C.) and TAIT (T. S.).** Arithmetic for Indian Schools. By C. PENDLEBURY, M.A. and T. S. TAIT, M.A., B.Sc., Principal of Baroda College. Crown 8vo, 3s. [*Camb. Math. Ser.*]
- PENDLEBURY (C.) and BEARD (W. S.).** Arithmetic for the Standards. By C. PENDLEBURY, M.A., F.R.A.S., and W. S. BEARD, F.R.G.S. Standards I., II., III., sewed, 2d. each, cloth, 3d. each; IV., V., VI., sewed, 3d. each, cloth, 4d. each; VII., sewed, 6d., cloth, 8d. Answers to I. and II., 4d., III.-VII., 4d. each.
- **Elementary Arithmetic.** 3rd edition. Crown 8vo, 1s. 6d.
- POPE (L. J.).** Lessons in Elementary Algebra. By L. J. POPE, B.A. (Lond.), Assistant Master at the Oratory School, Birmingham. First Series, up to and including Simple Equations and Problems. Crown 8vo, 1s. 6d.
- PROWSE SMITH (R.).** See Macmichael.
- SHAW (S. J. D.).** Arithmetic Papers. Set in the Cambridge Higher Local Examination, from June, 1869, to June, 1887, inclusive, reprinted by permission of the Syndicate. By S. J. D. SHAW, Mathematical Lecturer of Newnham College. Crown 8vo, 2s. 6d.; Key, 4s. 6d. net.
- TAIT (T. S.).** See Pendlebury.
- WATSON (J.) and GOUDIE (W. P.).** Arithmetic. A Progressive Course of Examples. With Answers. By J. WATSON, M.A., Corpus Christi College, Cambridge, formerly Senior Mathematical Master of the Ordnance School, Carshalton. 7th edition, revised and enlarged. By W. P. GOUDIE, B.A. Lond. Fcap. 8vo, 2s. 6d. [*Camb. S. and C. Texts.*]
- WHITWORTH (W. A.).** Algebra. Choice and Chance. An Elementary Treatise on Permutations, Combinations, and Probability, with 640 Exercises and Answers. By W. A. WHITWORTH, M.A., Fellow of St. John's College, Cambridge. 4th edition, revised and enlarged. Crown 8vo, 6s. [*Camb. Math. Ser.*]
- WRIGLEY (A.).** Arithmetic. By A. WRIGLEY, M.A., St. John's College. Fcap. 8vo, 3s. 6d. [*Camb. S. and C. Texts.*]

BOOK-KEEPING.

- CRELLIN (P.).** A New Manual of Book-keeping, combining the Theory and Practice, with Specimens of a set of Books. By PHILLIP CRELLIN, Chartered Accountant. Crown 8vo, 3s. 6d.
- **Book-keeping for Teachers and Pupils.** Crown 8vo, 1s. 6d. Key, 2s. net.
- FOSTER (B. W.).** Double Entry Elucidated. By B. W. FOSTER. 14th edition. Fcap. 4to, 3s. 6d.
- MEDHURST (J. T.).** Examination Papers in Book-keeping. Compiled by JOHN T. MEDHURST, A.K.C., F.S.S., Fellow of the Society of Accountants and Auditors, and Lecturer at the City of London College. 3rd edition. Crown 8vo, 3s.
- THOMSON (A. W.).** A Text-Book of the Principles and Practice of Book-keeping. By PROFESSOR A. W. THOMSON, B.Sc., Royal Agricultural College, Cirencester. 2nd edition, revised. Crown 8vo, 5s.

GEOMETRY AND EUCLID.

BESANT (W. H.). Conic Sections treated Geometrically. By W. H. BESANT, SC.D., F.R.S., Fellow of St. John's College, Cambridge. 9th edition. Crown 8vo, 4s. 6d. net. Key, 5s. net. [*Camb. Math. Ser.*]

BRASSE (J.). The Enunciations and Figures of Euclid, prepared for Students in Geometry. By the REV. J. BRASSE, D.D. *New edition.* Fcap. 8vo, 1s. Without the Figures, 6d.

DEIGHTON (H.). Euclid. Books I.-VI., and part of Book XI., newly translated from the Greek Text, with Supplementary Propositions, Chapters on Modern Geometry, and numerous Exercises. By HORACE DEIGHTON, M.A., Head Master of Harrison College, Barbados. 3rd edition. 4s. 6d., or Books I.-IV., 3s. Books V.-XI., 2s. 6d. Key, 5s. net. [*Camb. Math. Ser.*]

Also issued in parts :—Book I., 1s. ; Books I. and II., 1s. 6d. ; Books I.-III., 2s. 6d. ; Books III. and IV., 1s. 6d.

DIXON (E. T.). The Foundations of Geometry. By EDWARD T. DIXON, late Royal Artillery. Demy 8vo, 6s.

MASON (C. P.). Euclid. The First Two Books Explained to Beginners. By C. P. MASON, B.A. 2nd edition. Fcap. 8vo, 2s. 6d.

MCDOWELL (J.). Exercises on Euclid and in Modern Geometry, containing Applications of the Principles and Processes of Modern Pure Geometry. By the late J. MCDOWELL, M.A., F.R.A.S., Pembroke College, Cambridge, and Trinity College, Dublin. 4th edition. 6s. [*Camb. Math. Ser.*]

TAYLOR (C.). An Introduction to the Ancient and Modern Geometry of Conics, with Historical Notes and Prolegomena. 15s.

— The Elementary Geometry of Conics. By C. TAYLOR, D.D., Master of St. John's College. 7th edition, revised. With a Chapter on the Line Infinity, and a new treatment of the Hyperbola. Crown 8vo, 4s. 6d. [*Camb. Math. Ser.*]

WEBB (R.). The Definitions of Euclid. With Explanations and Exercises, and an Appendix of Exercises on the First Book by R. WEBB, M.A. Crown 8vo, 1s. 6d.

WILLIS (H. G.). Geometrical Conic Sections. An Elementary Treatise. By H. G. WILLIS, M.A., Clare College, Cambridge, Assistant Master of Manchester Grammar School. Crown 8vo, 5s. [*Camb. Math. Ser.*]

ANALYTICAL GEOMETRY, ETC.

ALDIS (W. S.). Solid Geometry, An Elementary Treatise on. By W. S. ALDIS, M.A., late Professor of Mathematics in the University College, Auckland, New Zealand. 4th edition, revised. Crown 8vo, 6s. [*Camb. Math. Ser.*]

BESANT (W. H.). Notes on Roulettes and Glissettes. By W. H. BESANT, SC.D., F.R.S. 2nd edition, enlarged. Crown 8vo, 5s. [*Camb. Math. Ser.*]

- CAYLEY (A.).** *Elliptic Functions, An Elementary Treatise on.* By ARTHUR CAYLEY, Sadlerian Professor of Pure Mathematics in the University of Cambridge. *2nd edition.* Demy 8vo. 15s.
- TURNBULL (W. P.).** *Analytical Plane Geometry, An Introduction to.* By W. P. TURNBULL, M.A., sometime Fellow of Trinity College. 8vo, 12s.
- VYVYAN (T. G.).** *Analytical Geometry for Schools.* By REV. T. VYVYAN, M.A., Fellow of Gonville and Caius College, and Mathematical Master of Charterhouse. *6th edition.* 8vo, 4s. 6d. [*Camb. S. and C. Texts.*]
- *Analytical Geometry for Beginners. Part I. The Straight Line and Circle.* Crown 8vo, 2s. 6d. [*Camb. Math. Ser.*]
- WHITWORTH (W. A.).** *Trilinear Co-ordinates, and other methods of Modern Analytical Geometry of Two Dimensions.* By W. A. WHITWORTH, M.A., late Professor of Mathematics in Queen's College, Liverpool, and Scholar of St. John's College, Cambridge. 8vo, 16s.

TRIGONOMETRY.

- DYER (J. M.) and WHITCOMBE (R. H.).** *Elementary Trigonometry.* By J. M. DYER, M.A. (Senior Mathematical Scholar at Oxford), and REV. R. H. WHITCOMBE, Assistant Masters at Eton College. *2nd edition.* Crown 8vo, 4s. 6d. [*Camb. Math. Ser.*]
- PENDLEBURY (C.).** *Elementary Trigonometry.* By CHARLES PENDLEBURY, M.A., F.R.A.S., Senior Mathematical Master at St. Paul's School. Crown 8vo, 4s. 6d. [*Camb. Math. Ser.*]
- VYVYAN (T. G.).** *Introduction to Plane Trigonometry.* By the REV. T. G. VYVYAN, M.A., formerly Fellow of Gonville and Caius College, Senior Mathematical Master of Charterhouse. *3rd edition, revised and augmented.* Crown 8vo, 3s. 6d. [*Camb. Math. Ser.*]
- WARD (G. H.).** *Examination Papers in Trigonometry.* By G. H. WARD, M.A., Assistant Master at St. Paul's School. Crown 8vo, 2s. 6d. Key, 5s. net.

MECHANICS AND NATURAL PHILOSOPHY.

- ALDIS (W. S.).** *Geometrical Optics, An Elementary Treatise on.* By W. S. ALDIS, M.A. *4th edition.* Crown 8vo, 4s. [*Camb. Math. Ser.*]
- *An Introductory Treatise on Rigid Dynamics.* Crown 8vo, 4s. [*Camb. Math. Ser.*]
- *Fresnel's Theory of Double Refraction, A Chapter on.* *2nd edition, revised.* 8vo, 2s.
- BASSET (A. B.).** *A Treatise on Hydrodynamics, with numerous Examples.* By A. B. BASSET, M.A., F.R.S., Trinity College, Cambridge. Demy 8vo. Vol. I., price 10s. 6d.; Vol. II., 12s. 6d.
- *An Elementary Treatise on Hydrodynamics and Sound.* Demy 8vo, 7s. 6d.
- *A Treatise on Physical Optics.* Demy 8vo, 16s.
- BESANT (W. H.).** *Elementary Hydrostatics.* By W. H. BESANT, SC.D., F.R.S. *16th edition.* Crown 8vo, 4s. 6d. Solutions, 5s. net. [*Camb. Math. Ser.*]
- *Hydromechanics, A Treatise on. Part I. Hydrostatics.* *5th edition revised, and enlarged.* Crown 8vo, 5s. [*Camb. Math. Ser.*]

- BESANT (W. H.).** *A Treatise on Dynamics. 2nd edition.* Crown 8vo, 10s. 6d. [*Camb. Math. Ser.*]
- CHALLIS (PROF.).** *Pure and Applied Calculation.* By the late REV. J. CHALLIS, M.A., F.R.S., &c. Demy 8vo, 15s.
- *Physics, The Mathematical Principle of.* Demy 8vo, 5s.
- *Lectures on Practical Astronomy.* Demy 8vo, 10s.
- EVANS (J. H.) and MAIN (P. T.).** *Newton's Principia, The First Three Sections of, with an Appendix; and the Ninth and Eleventh Sections.* By J. H. EVANS, M.A., St. John's College. The 5th edition, edited by P. T. MAIN, M.A., Lecturer and Fellow of St. John's College. Fcap. 8vo, 4s. [*Camb. S. and C. Texts.*]
- GALLATLY (W.).** *Elementary Physics, Examples and Examination Papers in.* Statics, Dynamics, Hydrostatics, Heat, Light, Chemistry, Electricity, London Matriculation, Cambridge B.A., Edinburgh, Glasgow, South Kensington, Cambridge Junior and Senior Papers, and Answers. By W. GALLATLY, M.A., Pembroke College, Cambridge, Assistant Examiner, London University. Crown 8vo, 4s. [*Camb. Math. Ser.*]
- GARNETT (W.).** *Elementary Dynamics for the use of Colleges and Schools.* By WILLIAM GARNETT, M.A., D.C.L., Fellow of St. John's College, late Principal of the Durham College of Science, Newcastle-upon-Tyne. 5th edition, revised. Crown 8vo, 6s. [*Camb. Math. Ser.*]
- *Heat, An Elementary Treatise on.* 6th edition, revised. Crown 8vo, 4s. 6d. [*Camb. Math. Ser.*]
- GOODWIN (H.).** *Statics.* By H. GOODWIN, D.D., late Bishop of Carlisle. 2nd edition. Fcap. 8vo, 3s. [*Camb. S. and C. Texts.*]
- HOROBIN (J. C.).** *Elementary Mechanics.* Stage I. II. and III., 1s. 6d. each. By J. C. HOROBIN, M.A., Principal of Homerton New College, Cambridge.
- *Theoretical Mechanics.* Division I. Crown 8vo, 2s. 6d.
* * This book covers the ground of the Elementary Stage of Division I. of Subject VI. of the "Science Directory," and is intended for the examination of the Science and Art Department.
- JESSOP (C. M.).** *The Elements of Applied Mathematics.* Including Kinetics, Statics and Hydrostatics. By C. M. JESSOP, M.A., late Fellow of Clare College, Cambridge, Lecturer in Mathematics in the Durham College of Science, Newcastle-on-Tyne. Crown 8vo, 6s. [*Camb. Math. Ser.*]
- MAIN (P. T.).** *Plane Astronomy, An Introduction to.* By P. T. MAIN, M.A., Lecturer and Fellow of St. John's College. 6th edition, revised. Fcap. 8vo, 4s. [*Camb. S. and C. Texts.*]
- PARKINSON (R. M.).** *Structural Mechanics.* By R. M. PARKINSON, ASSOC. M.I.C.E. Crown 8vo, 4s. 6d.
- PENDLEBURY (C.).** *Lenses and Systems of Lenses, Treated after the Manner of Gauss.* By CHARLES PENDLEBURY, M.A., F.R.A.S., Senior Mathematical Master of St. Paul's School, late Scholar of St. John's College, Cambridge. Demy 8vo, 5s.
- STEELE (R. E.).** *Natural Science Examination Papers.* By R. E. STEELE, M.A., F.C.S., Chief Natural Science Master, Bradford Grammar School. Crown 8vo. Part I., Inorganic Chemistry, 2s. 6d., Part II., Physics (Sound, Light, Heat, Magnetism, Electricity), 2s. 6d. [*School Exami. Series.*]

- WALTON (W.).** *Theoretical Mechanics, Problems in.* By W. WALTON, M.A., Fellow and Assistant Tutor of Trinity Hall, Mathematical Lecturer at Magdalene College. *3rd edition, revised.* Demy 8vo, 16s.
 — *Elementary Mechanics, Problems in.* *2nd edition.* Crown 8vo, 6s.
[*Camb. Math. Ser.*]
-
- DAVIS (J. F.).** *Army Mathematical Papers. Being Ten Years' Woolwich and Sandhurst Preliminary Papers.* Edited, with Answers, by J. F. DAVIS, D.LIT., M.A. Lond. Crown 8vo, 2s. 6d.
- DYER (J. M.) and PROWDE SMITH (R.).** *Mathematical Examples.* A Collection of Examples in Arithmetic, Algebra, Trigonometry, Mensuration, Theory of Equations, Analytical Geometry, Statics, Dynamics, with Answers, &c. For Army and Indian Civil Service Candidates. By J. M. DYER, M.A., Assistant Master, Eton College (Senior Mathematical Scholar at Oxford), and R. PROWDE SMITH, M.A. Crown 8vo, 6s.
[*Camb. Math. Ser.*]
- GOODWIN (H.).** *Problems and Examples, adapted to "Goodwin's Elementary Course of Mathematics."* By T. G. VVYAN, M.A. *3rd edition.* 8vo, 5s.; Solutions, *3rd edition,* 8vo, 9s.
- SMALLEY (G. R.).** *A Compendium of Facts and Formulae in Pure Mathematics and Natural Philosophy.* By G. R. SMALLEY, F.R.A.S. *New edition, revised and enlarged.* By J. MCDOWELL, M.A., F.R.A.S. Fcap. 8vo, 2s.
- WRIGLEY (A.).** *Collection of Examples and Problems in Arithmetic, Algebra, Geometry, Logarithms, Trigonometry, Conic Sections, Mechanics, &c., with Answers and Occasional Hints.* By the REV. A. WRIGLEY. *10th edition, 20th thousand.* Demy 8vo, 3s. 6d.
 A Key. By J. C. PLATTS, M.A. and the REV. A. WRIGLEY. *2nd edition.* Demy 8vo, 5s. net.

MODERN LANGUAGES.

ENGLISH.

- ADAMS (E.).** *The Elements of the English Language.* By ERNEST ADAMS, PH.D. *26th edition.* Revised by J. F. DAVIS, D.LIT., M.A., (LOND.). Post 8vo, 4s. 6d.
- *The Rudiments of English Grammar and Analysis.* By ERNEST ADAMS, PH.D. *19th thousand.* Fcap. 8vo, 1s.
- ALFORD (DEAN).** *The Queen's English: A Manual of Idiom and Usage.* By the late HENRY ALFORD, D.D., Dean of Canterbury. *6th edition.* Small post 8vo. Sewed, 1s., cloth, 1s. 6d.
- ASCHAM'S Scholemaster.** Edited by PROFESSOR J. E. B. MAYOR. Small post 8vo, sewed, 1s.
- BELL'S ENGLISH CLASSICS.** A New Series, Edited for use in Schools, with Introduction and Notes. Crown 8vo.
- BACON'S Essays Modernized.** Edited by F. J. ROWE, M.A., Professor of English Literature at Presidency College, Calcutta.
- BROWNING'S Strafford.** Edited by E. H. HICKEY. With Introduction by E. R. GARDINER, LL.D. 2s. 6d.

BELL'S ENGLISH CLASSICS—continued.

- BURKE'S** Letters on a Regicide Peace. I. and II. Edited by H. G. KEENE, M.A., C.I.E. 3s.; sewed, 2s.
- BYRON'S** Child Harold. Edited by H. G. KEENE, M.A., C.I.E., Author of "A Manual of French Literature," etc. 3s. 6d. Also Cantos I. and II. separately; sewed, 1s. 9d.
- **Siege of Corinth.** Edited by F. HORDERN, late Director of Public Instruction in Burma. 1s. 6d.; sewed, 1s.
- CHAUCER, SELECTIONS FROM.** Edited by J. B. BILDERBECK, B.A., Professor of English Literature, Presidency College, Madras. [Preparing.]
- DE QUINCEY'S** Revolt of the Tartars and The English Mail-Coach. Edited by CECIL M. BARROW, M.A., Principal of Victoria College, Palghat, and MARK HUNTER, B.A., Principal of Coimbatore College. 3s.; sewed, 1s.
- DE QUINCEY'S** Opium Eater. Edited by MARK HUNTER, B.A. [In the press.]
- GOLDSMITH'S** Good-Natured Man and She Stoops to Conquer. Edited by K. DEIGHTON. Each, 2s. cloth; 1s. 6d. sewed. The two plays, together, sewed, 2s. 6d.
- IRVING'S** Sketch Book. Edited by R. G. OXENHAM, M.A.
- JOHNSON'S** Life of Addison. Edited by F. RYLAND, Author of "The Students' Handbook of Psychology," etc. 2s. 6d.
- **Life of Swift.** Edited by F. RYLAND, M.A. 2s.
- **Life of Pope.** Edited by F. RYLAND, M.A. 2s. 6d.
- **Life of Milton.** Edited by F. RYLAND, M.A. 2s. 6d.
- **Life of Dryden.** Edited by F. RYLAND, M.A. 2s. 6d.
- LAMB'S** Essays. Selected and Edited by K. DEIGHTON. 3s.; sewed, 2s.
- LONGFELLOW'S** Evangeline. Edited by M. T. QUINN, B.A. [In the press.]
- MACAULAY'S** Lays of Ancient Rome. Edited by F. HORDERN. 2s. 6d.; sewed, 1s. 9d.
- **Essay on Clive.** Edited by CECIL BARROW, M.A. 2s.; sewed, 1s. 6d.
- MASSINGER'S** A New Way to Pay Old Debts. Edited by K. DEIGHTON. 3s.; sewed, 2s.
- MILTON'S** Paradise Lost. Books III. and IV. Edited by R. G. OXENHAM, M.A., Principal of Elphinstone College, Bombay. 2s.; sewed, 1s. 6d., or separately, sewed, 10d. each.
- **Paradise Regained.** Edited by K. DEIGHTON. 2s. 6d.; sewed, 1s. 9d.
- POPE, SELECTIONS FROM.** Containing Essay on Criticism, Rape of the Lock, Temple of Fame, Windsor Forest. Edited by K. DEIGHTON. 2s. 6d.; sewed, 1s. 9d.
- SHAKESPEARE'S** Julius Caesar. Edited by T. DUFF BARNETT, B.A. (Lond.). 2s.
- **Merchant of Venice.** Edited by T. DUFF BARNETT, B.A. (Lond.). 2s.
- **Tempest.** Edited by T. DUFF BARNETT, B.A. (Lond.). 2s.
- Others to follow.*

BELL'S READING BOOKS. Post 8vo, cloth, illustrated.

Infants.

- Infant's Primer.** 3d.
- Tot and the Cat.** 6d.
- The Old Boathouse.** 6d.
- The Cat and the Hen.** 6d.

Standard I.

- School Primer.** 6d.
- The Two Parrots.** 6d.
- The Three Monkeys.** 6d.
- The New-born Lamb.** 6d.
- The Blind Boy.** 6d.

Standard II.

- The Lost Pigs.** 6d.
- Story of a Cat.** 6d.
- Queen Bee and Busy Bee.** 6d.

Gulls' Crag. 6d.

Standard III.

- Great Deeds in English History.** 1s.
- Adventures of a Donkey.** 1s.
- Grimm's Tales.** 1s.
- Great Englishmen.** 1s.
- Andersen's Tales.** 1s.
- Life of Columbus.** 1s.

Standard IV.

- Uncle Tom's Cabin.** 1s.
- Great Englishwomen.** 1s.
- Great Scotsmen.** 1s.
- Edgeworth's Tales.** 1s.
- Gatty's Parables from Nature.** 1s.
- Scott's Talisman.** 1s.

BELL'S READING BOOKS—continued.

Standard V.
 Dickens' Oliver Twist. 1s.
 Dickens' Little Nell. 1s.
 Masterman Ready. 1s.
 Marryat's Poor Jack. 1s.
 Arabian Nights. 1s.
 Gulliver's Travels. 1s.
 Lyrical Poetry for Boys and Girls. 1s.
 Vicar of Wakefield. 1s.

Standards VI. and VII.
 Lamb's Tales from Shakespeare. 1s.
 Robinson Crusoe. 1s.
 Tales of the Coast. 1s.
 Settlers in Canada. 1s.
 Southey's Life of Nelson. 1s.
 Sir Roger de Coverley. 1s.

BELL'S GEOGRAPHICAL READERS. By M. J. BARRINGTON-WARD, M.A. (Worcester College, Oxford).

The Child's Geography. Illustrated. Stiff paper cover, 6d.
 The Map and the Compass. (Standard I) Illustrated. Cloth, 8d.

The Round World. (Standard II.) Illustrated. Cloth, 10d.
 About England. (Standard III.) With Illustrations and Coloured Map. Cloth, 1s. 4d.

BELL'S ANIMAL LIFE READERS. A Series of Reading Books for the Standards, designed to inculcate the humane treatment of animals. Edited by EDITH CARRINGTON and ERNEST BELL. Illustrated by HARRISON WEIR and others. [*In preparation.*]

EDWARDS (F.). Examples for Analysis in Verse and Prose. Selected and arranged by F. EDWARDS. *New edition.* Fcap. 8vo, cloth, 1s.

GOLDSMITH. The Deserted Village. Edited, with Notes and Life, by C. P. MASON, B.A., F.C.P. *4th edition.* Crown 8vo, 1s.

HANDBOOKS OF ENGLISH LITERATURE. Edited by J. W. HALES, M.A., formerly Clark Lecturer in English Literature at Trinity College, Cambridge, Professor of English Literature at King's College, London. Crown 8vo, 3s. 6d. each.

The Age of Pope. By JOHN DENNIS.

The Age of Dryden. By R. GARNETT, LL.D., C.B.

In preparation.

The Age of Chaucer. By PROFESSOR HALES.

The Age of Shakespeare. By PROFESSOR HALES.

The Age of Milton. By J. BASS MULLINGER, M.A.

The Age of Wordsworth. By PROFESSOR C. H. HERFORD, LITT.D.

HAZLITT (W.). Lectures on the Literature of the Age of Elizabeth. Small post 8vo, sewed, 1s.

— Lectures on the English Poets. Small post 8vo, sewed, 1s.

— Lectures on the English Comic Writers. Small post 8vo, sewed, 1s.

LAMB (C.). Specimens of English Dramatic Poets of the Time of Elizabeth. With Notes. Small post 8vo, 3s. 6d.

MASON (C. P.). Grammars by C. P. MASON, B.A., F.C.P., Fellow of University College, London.

— First Notions of Grammar for Young Learners. Fcap. 8vo. 95th thousand. Cloth, 1s.

— First Steps in English Grammar, for Junior Classes. Demy 18mo. 59th thousand. 1s.

MASON (C. P.). Outlines of English Grammar, for the Use of Junior Classes. 17th edition. 97th thousand. Crown 8vo, 2s.

— English Grammar; including the principles of Grammatical Analysis. 36th edition, revised. 153rd thousand. Crown 8vo, green cloth, 3s. 6d.

— A Shorter English Grammar, with copious and carefully graduated Exercises, based upon the author's English Grammar. 9th edition. 49th thousand. Crown 8vo, brown cloth, 3s. 6d.

— Practice and Help in the Analysis of Sentences. Price 2s. Cloth.

— English Grammar Practice, consisting of the Exercises of the Shorter English Grammar published in a separate form. 3rd edition. Crown 8vo, 1s.

— Remarks on the Subjunctive and the so-called Potential Mood. 6d., sewn.

— Blank Sheets Ruled and headed for Analysis. 1s. per dozen.

MILTON: *Paradise Lost.* Books I., II., and III. Edited, with Notes on the Analysis and Parsing, and Explanatory Remarks, by C. P. MASON, B.A., F.C.P. Crown 8vo.

Book I. With Life. 5th edition. 1s.

Book II. With Life. 3rd edition. 1s.

Book III. With Life. 2nd edition. 1s.

— *Paradise Lost.* Books V.-VIII. With Notes for the Use of Schools. By C. M. LUMBY. 2s. 6d.

PRICE (A. C.). Elements of Comparative Grammar and Philology. For Use in Schools. By A. C. PRICE, M.A., Assistant Master at Leeds Grammar School. Crown 8vo, 2s. 6d.

SHAKESPEARE. Notes on Shakespeare's Plays. With Introduction, Summary, Notes (Etymological and Explanatory), Prosody, Grammatical Peculiarities, etc. By T. DUFF BARNETT, B.A. Lond., late Second Master in the Brighton Grammar School. Specially adapted for the Local and Preliminary Examinations. Crown 8vo, 1s. each.

Midsummer Night's Dream.—Julius Cæsar.—The Tempest.—Macbeth.—Henry V.—Hamlet.—Merchant of Venice.—King Richard II.—King John.—King Richard III.—King Lear.—Coriolanus.—Twelfth Night.—As You Like it.—Much Ado About Nothing.

"The Notes are comprehensive and concise."—*Educational Times.*

"Comprehensive, practical, and reliable."—*Schoolmaster.*

— *Hints for Shakespeare-Study.* Exemplified in an Analytical Study of Julius Cæsar. By MARY GRAFTON MOBERLY. 2nd edition. Crown 8vo, sewed, 1s.

— Coleridge's Lectures and Notes on Shakespeare and other English Poets. Edited by T. ASHE, B.A. Small post 8vo, 3s. 6d.

— Shakespeare's Dramatic Art. The History and Character of Shakespeare's Plays. By DR. HERMANN ULRICH. Translated by L. DORA SCHMITZ. 2 vols. small post 8vo, 3s. 6d. each.

— William Shakespeare. A Literary Biography. By KARL ELZE, PH.D., LL.D. Translated by L. DORA SCHMITZ. Small post 8vo, 5s.

— Hazlitt's Lectures on the Characters of Shakespeare's Plays. Small post 8vo, 1s.

See **BELL'S ENGLISH CLASSICS.**

- SKEAT (W. W.).** Questions for Examinations in English Literature. With a Preface containing brief hints on the study of English. Arranged by the REV. W. W. SKEAT, LITT.D., Elrington and Bosworth Professor of Anglo-Saxon in the University of Cambridge. 3rd edition. Crown 8vo, 2s. 6d.
- SMITH (C. J.)** Synonyms and Antonyms of the English Language. Collected and Contrasted by the VEN. C. J. SMITH, M.A. 2nd edition, revised. Small post 8vo, 5s.
- **Synonyms Discriminated.** A Dictionary of Synonymous Words in the English Language. Illustrated with Quotations from Standard Writers. By the late VEN. C. J. SMITH, M.A. With the Author's latest Corrections and Additions, edited by the REV. H. PERCY SMITH, M.A., of Balliol College, Oxford, Vicar of Great Barton, Suffolk. 4th edition. Demy 8vo, 14s.
- TEN BRINK'S History of English Literature.** Vol. I. Early English Literature (to Wiclif). Translated into English by HORACE M. KENNEDY, Professor of German Literature in the Brooklyn Collegiate Institute. Small post 8vo, 3s. 6d.
- Vol. II. (Wiclif, Chaucer, Earliest Drama, Renaissance). Translated by W. CLARKE ROBINSON, PH.D. Small post 8vo, 3s. 6d.
- **Lectures on Shakespeare.** Translated by JULIA FRANKLIN. Small post 8vo, 3s. 6d.
- THOMSON: Spring.** Edited by C. P. MASON, B.A., F.C.P. With Life. 2nd edition. Crown 8vo, 1s.
- **Winter.** Edited by C. P. MASON, B.A., F.C.P. With Life. Crown 8vo, 1s.
- WEBSTER'S INTERNATIONAL DICTIONARY** of the English Language. Including Scientific, Technical, and Biblical Words and Terms, with their Significations, Pronunciations, Alternative Spellings, Derivations, Synonyms, and numerous illustrative Quotations, with various valuable literary Appendices, with 83 extra pages of Illustrations grouped and classified, rendering the work a COMPLETE LITERARY AND SCIENTIFIC REFERENCE-BOOK. New edition (1890). Thoroughly revised and enlarged under the supervision of NOAH PORTER, D.D., LL.D. 1 vol. (2,118 pages, 3,500 woodcuts), 4to, cloth, 31s. 6d.; half calf, £2 2s.; half russias, £2 5s.; calf, £2 8s.; or in 2 vols. cloth, £1 14s.
- Prospectuses, with specimen pages, sent post free on application.*
- WEBSTER'S BRIEF INTERNATIONAL DICTIONARY.** A Pronouncing Dictionary of the English Language, abridged from Webster's International Dictionary. With a Treatise on Pronunciation, List of Prefixes and Suffixes, Rules for Spelling, a Pronouncing Vocabulary of Proper Names in History, Geography, and Mythology, and Tables of English and Indian Money, Weights, and Measures. With 564 pages and 800 Illustrations. Demy 8vo, 3s.
- WRIGHT (T.).** Dictionary of Obsolete and Provincial English. Containing Words from the English Writers previous to the 19th century, which are no longer in use, or are not used in the same sense, and Words which are now used only in the Provincial Dialects. Compiled by THOMAS WRIGHT, M.A., F.S.A., etc. 2 vols. 5s. each.

FRENCH CLASS BOOKS.

- BOWER (A. M.).** The Public Examination French Reader. With a Vocabulary to every extract, suitable for all Students who are preparing for a French Examination. By A. M. BOWER, F.R.G.S., late Master in University College School, etc. Cloth, 3s. 6d.
- BARBIER (PAUL).** A Graduated French Examination Course. By PAUL BARBIER, Lecturer in the South Wales University College, etc. Crown 8vo, 3s.
- BARRERE (A.)** Junior Graduated French Course. Affording Materials for Translation, Grammar, and Conversation. By A. BARRERE, Professor R.M.A., Woolwich. 1s. 6d.
- Elements of French Grammar and First Steps in Idioms. With numerous Exercises and a Vocabulary. Being an Introduction to the Précis of Comparative French Grammar. Crown 8vo, 2s.
- Précis of Comparative French Grammar and Idioms and Guide to Examinations. 4th edition. 3s. 6d.
- Récits Militaires. From Valmy (1792) to the Siege of Paris (1870). With English Notes and Biographical Notices. 2nd edition. Crown 8vo, 3s.
- CLAPIN (A. C.).** French Grammar for Public Schools. By the REV. A. C. CLAPIN, M.A., St. John's College, Cambridge, and Bacheliers-lettres of the University of France. Fcap. 8vo. 14th edition. 2s. 6d.
- Key to the Exercises. 3s. 6d. net.
- French Primer. Elementary French Grammar and Exercises for Junior Forms in Public and Preparatory Schools. Fcap. 8vo. 10th edition. 1s.
- Primer of French Philology. With Exercises for Public Schools. 7th edition. Fcap. 8vo, 1s.
- English Passages for Translation into French. Crown 8vo, 2s. 6d.
- Key (for Tutors only), 4s. net.
- DAVIS (J. F.)** Army Examination Papers in French. Questions set at the Preliminary Examinations for Sandhurst and Woolwich, from Nov., 1876, to June, 1890, with Vocabulary. By J. F. DAVIS, D.LIT., M.A., Lond. Crown 8vo, 2s. 6d.
- DAVIS (J. F.) and THOMAS (F.).** An Elementary French Reader. Compiled, with a Vocabulary, by J. F. DAVIS, M.A., D.LIT., and FERDINAND THOMAS, Assistant Examiners in the University of London. Crown 8vo, 2s.
- DELILLE'S GRADUATED FRENCH COURSE.**
- | | |
|---------------------------------------|---------------------------------------|
| The Beginner's own French Book. | Repertoire des Prosateurs. 3s. 6d. |
| 2s. Key, 2s. | Modèles de Poésie. 3s. 6d. |
| Easy French Poetry for Beginners. 2s. | Manuel Etymologique. 2s. 6d. |
| French Grammar. 3s. Key, 3s. | Synoptical Table of French Verbs. 6d. |
- ESCLANGON (A.).** The French Verb Newly Treated: an Easy, Uniform, and Synthetic Method of its Conjugation. By A. ESCLANGON, Examiner in the University of London. Small 4to, 5s.
- GASC (F. E. A.).** First French Book; being a New, Practical, and Easy Method of Learning the Elements of the French Language. *Reset and thoroughly revised.* 116th thousand. Crown 8vo, 1s.
- Second French Book; being a Grammar and Exercise Book, on a new and practical plan, and intended as a sequel to the "First French Book." 52nd thousand. Fcap. 8vo, 1s. 6d.

- GASC (F. E. A.).** Key to First and Second French Books. 6th edition, Fcap. 8vo, 3s. 6d. net.
- **French Fables**, for Beginners, in Prose, with an Index of all the Words at the end of the work. 17th thousand. 12mo, 1s. 6d.
 - **Select Fables of La Fontaine.** 19th thousand. Fcap. 8vo, 1s. 6d.
 - **Histoires Amusantes et Instructives**; or, Selections of Complete Stories from the best French modern authors, who have written for the young. With English notes. 17th thousand. Fcap. 8vo, 2s.
 - **Practical Guide to Modern French Conversation**, containing:—
I. The most current and useful Phrases in Everyday Talk. II. Everybody's necessary Questions and Answers in Travel-Talk. 19th edition. Fcap. 8vo, 1s. 6d.
 - **French Poetry for the Young.** With Notes, and preceded by a few plain Rules of French Prosody. 5th edition, revised. Fcap. 8vo, 1s. 6d.
 - **French Prose Composition**, Materials for. With copious footnotes, and hints for idiomatic renderings. 21st thousand. Fcap. 8vo, 3s.
 - **Key.** 2nd edition. 6s. net.
 - **Prosateurs Contemporains**; or, Selections in Prose chiefly from contemporary French literature. With notes. 11th edition. 12mo, 3s. 6d.
 - **Le Petit Compagnon**; a French Talk-Book for Little Children. 14th edition. 16mo, 1s. 6d.
 - **French and English Dictionary**, with upwards of Fifteen Thousand new words, senses, &c., hitherto unpublished. 5th edition, with numerous additions and corrections. In one vol. 8vo, cloth, 10s. 6d. In use at Harrow, Rugby, Shrewsbury, &c.
 - **Pocket Dictionary of the French and English Languages**; for the everyday purposes of Travellers and Students. Containing more than Five Thousand modern and current words, senses, and idiomatic phrases and renderings, not found in any other dictionary of the two languages. New edition. 53rd thousand. 16mo, cloth, 2s. 6d.
- GOSSET (A.).** Manual of French Prosody for the use of English Students. By ARTHUR GOSSET, M.A., Fellow of New College, Oxford. Crown 8vo, 3s.
- "This is the very book we have been looking for. We hailed the title with delight, and were not disappointed by the perusal. The reader who has mastered the contents will know, what not one in a thousand of Englishmen who read French knows, the rules of French poetry."—*Journal of Education.*
- LE NOUVEAU TRESOR**; designed to facilitate the Translation of English into French at Sight. By M. E. S. 18th edition. Fcap. 8vo, 1s. 6d.
- STEDMAN (A. M. M.).** French Examination Papers in Miscellaneous Grammar and Idioms. Compiled by A. M. M. STEDMAN, M.A. 5th edition. Crown 8vo, 2s. 6d.
- A Key. By G. A. SCHRUMPF. For Tutors only. 6s. net.
- **Easy French Passages for Unseen Translation.** Fcap. 8vo, 1s. 6d.
 - **Easy French Exercises on Elementary Syntax.** Crown 8vo, 2s. 6d.
 - **First French Lessons.** Crown 8vo, 1s.
 - **French Vocabulary for Repetition.** Fcap. 8vo, 1s.
 - **Steps to French.** 12mo, 8d.

FRENCH ANNOTATED EDITIONS.

BALZAC. *Ursule Mirouët.* By HONORÉ DE BALZAC. Edited, with Introduction and Notes, by JAMES BOÏELLE, B.-ès-L., Senior French Master, Dulwich College. 3s.

CLARÉTIE. *Pierrille.* By JULES CLARÉTIE. With 27 Illustrations. Edited, with Introduction and Notes, by JAMES BOÏELLE, B.-ès-L. 2s. 6d.

DAUDET. *La Belle Nivernaise.* Histoire d'un vieux bateau et de son équipage. By ALPHONSE DAUDET. Edited, with Introduction and Notes, by JAMES BOÏELLE, B.-ès-L. With Six Illustrations. 2s.

FÉNELON. *Aventures de Télémaque.* Edited by C. J. DELILLE. 4th edition. Fcap. 8vo, 2s. 6d.

GOMBERT'S FRENCH DRAMA. Re-edited, with Notes, by F. E. A. GASC. Sewed, 6d. each.

MOLIÈRE.

Le Misanthrope.

L'Avare.

Le Bourgeois Gentilhomme.

Le Tartuffe.

Le Malade Imaginaire.

Les Femmes Savantes.

Les Fourberies de Scapin.

Les Précieuses Ridicules.

L'Ecole des Femmes.

L'Ecole des Maris.

Le Médecin Malgré Lui.

RACINE.

La Thébaine, ou Les Frères

Ennemis.

Andromaque.

Les Plaideurs.

Iphigénie.

Britannicus.

Phèdre.

Esther.

Athalie.

CORNEILLE.

Le Cid.

Horace.

Cinna.

Polyeucte.

VOLTAIRE.—Zaire.

GREVILLE. *Le Moulin Frappier.* By HENRY GREVILLE. Edited, with Introduction and Notes, by JAMES BOÏELLE, B.-ès-L. 3s.

HUGO. *Bug Jargal.* Edited, with Introduction and Notes, by JAMES BOÏELLE, B.-ès-L. 3s.

LA FONTAINE. *Select Fables.* Edited by F. E. A. GASC. 19th thousand. Fcap. 8vo, 1s. 6d.

LAMARTINE. *Le Tailleur de Pierres de Saint-Point.* Edited with Notes by JAMES BOÏELLE, B.-ès-L. 6th thousand. Fcap. 8vo, 1s. 6d.

SAINTINE. *Picciola.* Edited by DR. DUBUC. 16th thousand. Fcap. 8vo, 1s. 6d.

VOLTAIRE. *Charles XII.* Edited by L. DIREY. 7th edition. Fcap. 8vo, 1s. 6d.

GERMAN CLASS BOOKS.

BUCHHEIM (DR. C. A.). *German Prose Composition.* Consisting of Selections from Modern English Writers. With grammatical notes, idiomatic renderings, and general introduction. By C. A. BUCHHEIM, PH.D., Professor of the German Language and Literature in King's College, and

- Examiner in German to the London University. *14th edition, enlarged and revised.* With a list of subjects for original composition. Fcap. 8vo, 4s. 6d.
- A KEY to the 1st and 2nd parts. *3rd edition.* 3s. net. To the 3rd and 4th parts. 4s. net.
- BUCHHEIM (DR. C. A.).** First Book of German Prose. Being Parts I. and II. of the above. With Vocabulary by H. R. Fcap. 8vo, 1s. 6d.
- CLAPIN (A. C.).** A German Grammar for Public Schools. By the REV. A. C. CLAPIN, and F. HOLL-MÜLLER, Assistant Master at the Bruton Grammar School. *6th edition.* Fcap. 8vo, 2s. 6d.
- A German Primer. With Exercises. *2nd edition.* Fcap. 8vo, 1s.
- German.** The Candidate's Vade Mecum. Five Hundred Easy Sentences and Idioms. By an Army Tutor. Cloth, 1s. For Army Prelim. Exam.
- LANGE (F.).** A Complete German Course for Use in Public Schools. By F. LANGE, PH.D., Professor R.M.A. Woolwich, Examiner in German to the College of Preceptors, London; Examiner in German at the Victoria University, Manchester. Crown 8vo.
- Concise German Grammar.** With special reference to Phonology, Comparative Philology, English and German Equivalents and Idioms. Comprising Materials for Translation, Grammar, and Conversation. Elementary, 2s.; Intermediate, 2s.; Advanced, 3s. 6d.
- Progressive German Examination Course.** Comprising the Elements of German Grammar, an Historic Sketch of the Teutonic Languages, English and German Equivalents, Materials for Translation, Dictation, Extempore Conversation, and Complete Vocabularies. I. Elementary Course, 2s. II. Intermediate Course, 2s. III. Advanced Course. *Second revised edition.* 1s. 6d.
- Elementary German Reader.** A Graduated Collection of Readings in Prose and Poetry. With English Notes and a Vocabulary. *4th edition.* 1s. 6d.
- Advanced German Reader.** A Graduated Collection of Readings in Prose and Poetry. With English Notes by F. LANGE, PH.D., and J. F. DAVIS, D.LIT. *2nd edition.* 3s.
- MORICH (R. J.).** German Examination Papers in Miscellaneous Grammar and Idioms. By R. J. MORICH, Manchester Grammar School. *2nd edition.* Crown 8vo, 2s. 6d. A Key, for Tutors only. 5s. net.
- STOCK (DR.).** Wortfolge, or Rules and Exercises on the order of Words in German Sentences. With a Vocabulary. By the late FREDERICK STOCK, D.LIT., M.A. Fcap. 8vo, 1s. 6d.
- KLUGE'S Etymological Dictionary of the German Language.** Translated by J. F. DAVIS, D.LIT. (Lond.). Crown 4to, 18s.

GERMAN ANNOTATED EDITIONS.

- AUERBACH (B.).** Auf Wache. Novelle von BERTHOLD AUERBACH. Der Gefrorene Kuss. Novelle von OTTO ROQUETTE. Edited by A. A. MACDONELL, M.A., PH.D. *2nd edition.* Crown 8vo, 2s.
- BENEDIX (J. R.).** Doktor Wespe. Lustspiel in fünf Aufzügen von JULIUS RODERICH BENEDIX. Edited by PROFESSOR F. LANGE, PH.D. Crown 8vo, 2s. 6d.

- EBERS (G.).** *Eine Frage.* Idyll von GEORG EBERS. Edited by F. STORR, B.A., Chief Master of Modern Subjects in Merchant Taylors' School. Crown 8vo, 2s.
- FREYTAG (G.).** *Die Journalisten.* Lustspiel von GUSTAV FREYTAG. Edited by PROFESSOR F. LANGE, PH.D. *4th revised edition.* Crown 8vo, 2s. 6d.
- **SOLL UND HABEN.** Roman von GUSTAV FREYTAG. Edited by W. HANBY CRUMP, M.A. Crown 8vo, 2s. 6d.
- GERMAN BALLADS** from Uhland, Goethe, and Schiller. With Introductions, Copious and Biographical Notices. Edited by C. L. BIELEFELD. *4th edition.* Fcap. 8vo, 1s. 6d.
- GERMAN EPIC TALES IN PROSE.** I. *Die Nibelungen*, von A. F. C. VILMAR. II. *Walther und Hildegund*, von ALBERT RICHTER. Edited by KARL NEUHAUS, PH.D., the International College, Isleworth. Crown 8vo, 2s. 6d.
- GOETHE.** *Hermann und Dorothea.* With Introduction, Notes, and Arguments. By E. BELL, M.A., and E. WÖLFEL. *2nd edition.* Fcap. 8vo, 1s. 6d.
- GOETHE. FAUST.** Part I. German Text with Hayward's Prose Translation and Notes. Revised, With Introduction by C. A. BUCHHEIM, PH.D., Professor of German Language and Literature at King's College, London. Small post 8vo, 5s.
- GUTZKOW (K.).** *Zopf und Schwert.* Lustspiel von KARL GUTZKOW. Edited by PROFESSOR F. LANGE, PH.D. Crown 8vo, 2s. 6d.
- HEY'S FABELN FÜR KINDER.** Illustrated by O. SPECKTER. Edited, with an Introduction, Grammatical Summary, Words, and a complete Vocabulary, by PROFESSOR F. LANGE, PH.D. Crown 8vo, 1s. 6d.
- The same. With a Phonetic Introduction, and Phonetic Transcription of the Text. By PROFESSOR F. LANGE, PH.D. Crown 8vo, 2s.
- HEYSE (P.).** *Hans Lange.* Schauspiel von PAUL HEYSE. Edited by A. A. MACDONELL, M.A., PH.D., Taylorian Teacher, Oxford University. Crown 8vo, 2s.
- HOFFMANN (E. T. A.).** *Meister Martin, der Küfner.* Erzählung von E. T. A. HOFFMANN. Edited by F. LANGE, PH.D. *2nd edition.* Crown 8vo, 1s. 6d.
- MOSER (G. VON).** *Der Bibliothekar.* Lustspiel von G. VON MOSER. Edited by F. LANGE, PH.D. *4th edition.* Crown 8vo, 2s.
- ROQUETTE (O.).** *See Auerbach.*
- SCHEFFEL (V. VON).** *Ekkehard.* Erzählung des zehnten Jahrhunderts, von VICTOR VON SCHEFFEL. Abridged edition, with Introduction and Notes by HERMAN HAGER, PH.D., Lecturer in the German Language and Literature in The Owens College, Victoria University, Manchester. Crown 8vo, 3s.
- SCHILLER'S Wallenstein.** Complete Text, comprising the Weimar Prologue, Lager, Piccolomini, and Wallenstein's Tod. Edited by DR. BUCHHEIM, Professor of German in King's College, London. *6th edition.* Fcap. 8vo, 5s. Or the Lager and Piccolomini, 2s. 6d. Wallenstein's Tod, 2s. 6d.
- *Maid of Orleans.* With English Notes by DR. WILHELM WAGNER. *3rd edition.* Fcap. 8vo, 1s. 6d.
- *Maria Stuart.* Edited by V. KASTNER, B.-ès-L., Lecturer on French Language and Literature at Victoria University, Manchester. *3rd edition.* Fcap. 8vo, 1s. 6d.

ITALIAN.

- CLAPIN (A. C.). *Italian Primer. With Exercises.* By the REV. A. C. CLAPIN, M.A., B.-ès-L. 3rd edition. Fcap. 8vo, 1s.
- DANTE. *The Inferno.* A Literal Prose Translation, with the Text of the Original collated with the best editions, printed on the same page, and Explanatory Notes. By JOHN A. CARLYLE, M.D. With Portrait. 2nd edition. Small post 8vo, 5s.
- *The Purgatorio.* A Literal Prose Translation, with the Text of Bianchi printed on the same page, and Explanatory Notes. By W. S. DUGDALE. Small post 8vo, 5s.

BELL'S MODERN TRANSLATIONS.

A Series of Translations from Modern Languages, with Memoirs, Introductions, etc. Crown 8vo, 1s. each.

- GOETHE. *Egmont.* Translated by ANNA SWANWICK.
- *Iphigenia in Tauris.* Translated by ANNA SWANWICK.
- HAUFF. *The Caravan.* Translated by S. MENDEL.
- *The Inn in the Spessart.* Translated by S. MENDEL.
- LESSING. *Laokoon.* Translated by E. C. BEASLEY.
- *Nathan the Wise.* Translated by R. DILLON BOYLAN.
- *Minna von Barnhelm.* Translated by ERNEST BELL, M.A.
- MOLIÈRE. *The Misanthrope.* Translated by C. HERON WALL.
- *The Doctor in Spite of Himself.* (Le Médecin malgré lui). Translated by C. HERON WALL.
- *Tartuffe; or, The Impostor.* Translated by C. HERON WALL.
- *The Miser.* (L'Avare). Translated by C. HERON WALL.
- *The Shopkeeper turned Gentleman.* (Le Bourgeois Gentilhomme). Translated by C. HERON WALL.
- RACINE. *Athalie.* Translated by R. BRUCE BOSWELL, M.A.
- *Esther.* Translated by R. BRUCE BOSWELL, M.A.
- SCHILLER. *William Tell.* Translated by SIR THEODORE MARTIN, K.C.B., LL.D. *New edition, entirely revised.*
- *The Maid of Orleans.* Translated by ANNA SWANWICK.
- *Mary Stuart.* Translated by J. MELLISH.
- *Wallenstein's Camp and the Piccolomini.* Translated by J. CHURCHILL and S. T. COLERIDGE.
- *The Death of Wallenstein.* Translated by S. T. COLERIDGE.
- * * For other Translations of Modern Languages, see the Catalogue of Bohn's Libraries, which will be forwarded on application.

SCIENCE, TECHNOLOGY, AND ART.

CHEMISTRY.

- COOKE (S.). *First Principles of Chemistry.* An Introduction to Modern Chemistry for Schools and Colleges. By SAMUEL COOKE, M.A., B.E., Assoc. Mem. Inst. C. E., Principal of the College of Science, Poona. 6th edition, revised. Crown 8vo, 2s. 6d.
- *The Student's Practical Chemistry.* Test Tables for Qualitative Analysis. 3rd edition, revised and enlarged. Demy 8vo, 1s.

- STÖCKHARDT (J. A.).** *Experimental Chemistry.* Founded on the work of J. A. STÖCKHARDT. A Handbook for the Study of Science by Simple Experiments. By C. W. HEATON, F.I.C., F.C.S., Lecturer in Chemistry in the Medical School of Charing Cross Hospital, Examiner in Chemistry to the Royal College of Physicians, etc. *Revised edition.* 5s.
- WILLIAMS (W. M.).** *The Framework of Chemistry.* Part I. Typical Facts and Elementary Theory. By W. M. WILLIAMS, M.A., St. John's College, Oxford; Science Master, King Henry VIII.'s School, Coventry. Crown 8vo, paper boards, 9d. net.

BOTANY.

- EGERTON-WARBURTON (G.).** *Names and Synonyms of British Plants.* By the REV. G. EGERTON-WARBURTON. Fcap. 8vo, 3s. 6d. (*Uniform with Hayward's Botanist's Pocket Book.*)
- HAYWARD (W. R.).** *The Botanist's Pocket-Book.* Containing in a tabulated form, the chief characteristics of British Plants, with the botanical names, soil, or situation, colour, growth, and time of flowering of every plant, arranged under its own order; with a copious Index. By W. R. HAYWARD. *6th edition, revised.* Fcap. 8vo, cloth limp, 4s. 6d.
- MASSEE (G.).** *British Fungus-Flora.* A Classified Text-Book of Mycology. By GEORGE MASSEE, Author of "The Plant World." With numerous Illustrations. 4 vols. post 8vo, 7s. 6d. each.
- SOWERBY'S English Botany.** Containing a Description and Life-size Drawing of every British Plant. Edited and brought up to the present standard of scientific knowledge, by T. BOSWELL (late SYME), LL.D., F.L.S., etc. *3rd edition, entirely revised.* With Descriptions of all the Species by the Editor, assisted by N. E. BROWN. 12 vols., with 1,937 coloured plates, £24 3s. in cloth, £26 11s. in half-morocco, and £30 9s. in whole morocco. Also in 89 parts, 5s., except Part 89, containing an Index to the whole work, 7s. 6d.
- * * A Supplement, to be completed in 8 or 9 parts, is now publishing. Parts I., II., and III. ready, 5s. each, or bound together, making Vol. XIII. of the complete work, 17s.
- TURNBULL (R.).** *Index of British Plants,* according to the London Catalogue (Eighth Edition), including the Synonyms used by the principal authors, an Alphabetical List of English Names, etc. By ROBERT TURNBULL. Paper cover, 2s. 6d., cloth, 3s.

GEOLOGY.

- JUKES-BROWNE (A. J.).** *Student's Handbook of Physical Geology.* By A. J. JUKES-BROWNE, B.A., F.G.S., of the Geological Survey of England and Wales. With numerous Diagrams and Illustrations. *2nd edition, much enlarged,* 7s. 6d.
- *Student's Handbook of Historical Geology.* With numerous Diagrams and Illustrations. 6s.
- "An admirably planned and well executed 'Handbook of Historical Geology.'"—*Journal of Education.*
- *The Building of the British Isles.* A Study in Geographical Evolution. With Maps. *2nd edition revised.* 7s. 6d.

MEDICINE.

- CARRINGTON (R. E.), and LANE (W. A.).** *A Manual of Dissections of the Human Body.* By the late R. E. CARRINGTON, M.D. (Lond.), F.R.C.P., Senior Assistant Physician, Guy's Hospital. 2nd edition. Revised and enlarged by W. ARBUTHNOT LANE, M.S., F.R.C.S., Assistant Surgeon to Guy's Hospital, etc. Crown 8vo, 9s.
- "As solid a piece of work as ever was put into a book; accurate from beginning to end, and unique of its kind."—*British Medical Journal.*
- HILTON'S Rest and Pain.** Lectures on the Influence of Mechanical and Physiological Rest in the Treatment of Accidents and Surgical Diseases, and the Diagnostic Value of Pain. By the late JOHN HILTON, F.R.S., F.R.C.S., etc. Edited by W. H. A. JACOBSON, M.A., M.Ch. (Oxon.), F.R.C.S. 5th edition. 9s.
- HOBLYN'S Dictionary of Terms used in Medicine and the Collateral Sciences.** 12th edition. Revised and enlarged by J. A. P. PRICE, B.A., M.D. (Oxon.). 10s. 6d.
- LANE (W. A.).** *Manual of Operative Surgery.* For Practitioners and Students. By W. ARBUTHNOT LANE, M.B., M.S., F.R.C.S., Assistant Surgeon to Guy's Hospital. Crown 8vo, 8s. 6d.
- SHARP (W.)** *Therapeutics founded on Antipraxy.* By WILLIAM SHARP, M.D., F.R.S. Demy 8vo, 6s.

BELL'S AGRICULTURAL SERIES.

In crown 8vo, Illustrated, 160 pages, cloth, 2s. 6d. each.

- CHEAL (J.).** *Fruit Culture.* A Treatise on Planting, Growing, Storage of Hardy Fruits for Market and Private Growers. By J. CHEAL, F.R.H.S., Member of Fruit Committee, Royal Hort. Society, etc.
- FREAM (DR.).** *Soils and their Properties.* By DR. WILLIAM FREAM, B.Sc. (Lond.), F.L.S., F.G.S., F.S.S., Associate of the Surveyor's Institution, Consulting Botanist to the British Dairy Farmers' Association and the Royal Counties Agricultural Society; Prof. of Nat. Hist. in Downton College, and formerly in the Royal Agric. Coll., Cirencester.
- GRIFFITHS (DR.).** *Manures and their Uses.* By DR. A. B. GRIFFITHS, F.R.S.E., F.C.S., late Principal of the School of Science, Lincoln; Membre de la Société Chimique de Paris; Author of "A Treatise on Manures," etc., etc. *In use at Downton College.*
- *The Diseases of Crops and their Remedies.*
- MALDEN (W. J.).** *Tillage and Implements.* By W. J. MALDEN, Prof. of Agriculture in the College, Downton.
- SHELDON (PROF.).** *The Farm and the Dairy.* By PROFESSOR J. P. SHELDON, formerly of the Royal Agricultural College, and of the Downton College of Agriculture, late Special Commissioner of the Canadian Government. *In use at Downton College.*

Specially adapted for Agricultural Classes. Crown 8vo. Illustrated. 1s. each.

Practical Dairy Farming. By PROFESSOR SHELDON. Reprinted from the author's larger work entitled "The Farm and the Dairy."

Practical Fruit Growing. By J. CHEAL, F.R.H.S. Reprinted from the author's larger work, entitled "Fruit Culture."

TECHNOLOGICAL HANDBOOKS.

Edited by Sir H. Trueman Wood.

Specially adapted for candidates in the examinations of the City Guilds Institute. Illustrated and uniformly printed in small post 8vo.

- BEAUMONT (R.).** Woollen and Worsted Cloth Manufacture. By ROBERTS BEAUMONT, Professor of Textile Industry, Yorkshire College, Leeds; Examiner in Cloth Weaving to the City and Guilds of London Institute. *2nd edition.* 7s. 6d.
- BENEDIKT (R.), and KNECHT (E.).** Coal-tar Colours, The Chemistry of. With special reference to their application to Dyeing, etc. By DR. R. BENEDIKT, Professor of Chemistry in the University of Vienna. Translated by E. KNECHT, PH.D. of the Technical College, Bradford. *2nd and enlarged edition.* 6s. 6d.
- CROOKES (W.).** Dyeing and Tissue-Printing. By WILLIAM CROOKES, F.R.S., V.P.C.S. 5s.
- GADD (W. L.).** Soap Manufacture. By W. LAWRENCE GADD, F.I.C., F.C.S., Registered Lecturer on Soap-Making and the Technology of Oils and Fats, also on Bleaching, Dyeing, and Calico Printing, to the City and Guilds of London Institute. 5s.
- HELLYER (S. S.).** Plumbing: Its Principles and Practice. By S. STEVENS HELLYER. With numerous Illustrations. 5s.
- HORNBY (J.).** Gas Manufacture. By J. HORNBY, F.I.C., Lecturer under the City and Guilds of London Institute. *[In the press.]*
- HURST (G. H.).** Silk-Dyeing and Finishing. By G. H. HURST, F.C.S., Lecturer at the Manchester Technical School, Silver Medallist, City and Guilds of London Institute. With Illustrations and numerous Coloured Patterns. 7s. 6d.
- JACOBI (C. T.).** Printing. A Practical Treatise. By C. T. JACOBI, Manager of the Chiswick Press, Examiner in Typography to the City and Guilds of London Institute. With numerous Illustrations. 5s.
- MARSDEN (R.).** Cotton Spinning: Its Development, Principles, and Practice, with Appendix on Steam Boilers and Engines. By R. MARSDEN, Editor of the "Textile Manufacturer." *4th edition.* 6s. 6d.
- Cotton Weaving With numerous Illustrations. *[In the press.]*
- POWELL (H.), CHANCE (H.), and HARRIS (H. G.).** Glass Manufacture. Introductory Essay, by H. POWELL, B.A. (Whitefriars Glass Works); Sheet Glass, by HENRY CHANCE, M.A. (Chance Bros., Birmingham); Plate Glass, by H. G. HARRIS, Assoc. Memb. Inst. C.E. 3s. 6d.
- ZAEHNSDORF (J. W.).** Bookbinding. By J. W. ZAEHNSDORF, Examiner in Bookbinding to the City and Guilds of London Institute. With 8 Coloured Plates and numerous Diagrams. *2nd edition, revised and enlarged.* 5s.

* * Complete List of Technical Books on Application.

MUSIC.

- BANISTER (H. C.).** A Text Book of Music: By H. C. BANISTER, Professor of Harmony and Composition at the R.A. of Music, at the Guildhall School of Music, and at the Royal Normal Coll. and Acad. of Music for the Blind. *15th edition.* Fcap. 8vo. 5s.

This Manual contains chapters on Notation, Harmony, and Counterpoint;

BANISTER (H. C.)—continued.

Modulation, Rhythm, Canon, Fugue, Voices, and Instruments; together with exercises on Harmony, an Appendix of Examination Papers, and a copious Index and Glossary of Musical Terms.

- **Lectures on Musical Analysis.** Embracing Sonata Form, Fugue, etc., Illustrated by the Works of the Classical Masters. *2nd edition, revised.* Crown 8vo, 7s. 6d.

- **Musical Art and Study:** Papers for Musicians. Fcap. 8vo, 2s.

CHATER (THOMAS). **Scientific Voice, Artistic Singing, and Effective Speaking.** A Treatise on the Organs of the Voice, their Natural Functions, Scientific Development, Proper Training, and Artistic Use. By THOMAS CHATER. With Diagrams. Wide fcap. 2s. 6d.

HUNT (H. G. BONAVIA). **A Concise History of Music,** from the Commencement of the Christian era to the present time. For the use of Students. By REV. H. G. BONAVIA HUNT, Mus. Doc. Dublin; Warden of Trinity College, London; and Lecturer on Musical History in the same College. *13th edition, revised to date (1895).* Fcap. 8vo, 3s. 6d.

ART.

BARTER (S.) Manual Instruction—Woodwork. By S. BARTER Organizer and Instructor for the London School Board, and to the Joint Committee on Manual Training of the School Board for London, the City and Guilds of London Institute, and the Worshipful Company of Drapers. With over 300 Illustrations. Fcap. 4to, cloth. 7s. 6d.

BELL (SIR CHARLES). **The Anatomy and Philosophy of Expression,** as connected with the Fine Arts. By SIR CHARLES BELL, K.H. *7th edition, revised.* 5s.

BRYAN'S Biographical and Critical Dictionary of Painters and Engravers. With a List of Ciphers, Monograms, and Marks. A new Edition, thoroughly Revised and Enlarged. By R. E. GRAVES and WALTER ARMSTRONG. 2 volumes. Imp. 8vo, buckram, 3l. 3s.

CHEVREUL on Colour. Containing the Principles of Harmony and Contrast of Colours, and their Application to the Arts. *3rd edition,* with Introduction. Index and several Plates. 5s.—With an additional series of 16 Plates in Colours, 7s. 6d.

DELAMOTTE (P. H.). The Art of Sketching from Nature. By P. H. DELAMOTTE, Professor of Drawing at King's College, London. Illustrated by Twenty-four Woodcuts and Twenty Coloured Plates, arranged progressively, from Water-colour Drawings by PROUT, E. W. COOKE, R.A., GIRTIN, VARLEY, DE WINT, and the Author. *New edition.* Imp. 4to, 21s.

FLAXMAN'S CLASSICAL COMPOSITIONS, reprinted in a cheap form for the use of Art Students. Oblong paper covers, 2s. 6d. each.

Homer. 2 vols.—Æschylus.—Hesiod.—Dante.

- **Lectures on Sculpture,** as delivered before the President and Members of the Royal Academy. With Portrait and 53 plates. 6s.

HARRIS (R.). Note-book of Geometrical Drawing. By R. HARRIS, Art Master at St. Paul's School. *New edition, enlarged.* Crown 8vo.

HEATON (MRS.). A Concise History of Painting. By the late MRS. CHARLES HEATON. *New edition.* Revised by COSMO MONKHOUSE. 5s.

- LELAND (C. G.).** Drawing and Designing. In a series of Lessons for School use and Self Instruction. By CHARLES G. LELAND, M.A., F.R.L.S. Paper cover, 1s.; or in cloth, 1s. 6d.
- **Leather Work:** Stamped, Moulded, and Cut, Cuir-Bouillé, Sewn, etc. With numerous Illustrations. Fcap. 4to, 5s.
- **Manual of Wood Carving.** By CHARLES G. LELAND, M.A., F.R.L.S. Revised by J. J. HOLTZAPFFEL, A.M. INST.C.E. With numerous Illustrations. Fcap. 4to, 5s.
- **Metal Work.** With numerous Illustrations. Fcap. 4to, 5s.
- LEONARDO DA VINCI'S** Treatise on Painting. Translated from the Italian by J. F. RIGAUD, R.A. With a Life of Leonardo and an Account of his Works, by J. W. BROWN. With numerous Plates. 5s.
- MOODY (F. W.).** Lectures and Lessons on Art. By the late F. W. MOODY, Instructor in Decorative Art at South Kensington Museum. With Diagrams to illustrate Composition and other matters. *A new and cheaper edition.* Demy 8vo, sewed, 4s. 6d.
- STRANGE (E. F.).** Alphabets: a Handbook of Lettering, compiled for the use of Artists, Designers, Handicraftsmen, and Students. With complete Historical and Practical Descriptions. By EDWARD F. STRANGE. With more than 200 Illustrations. Imperial 16mo, 8s. 6d. net.
- WHITE (GLEESON).** Practical Designing: A Handbook on the Preparation of Working Drawings, showing the Technical Methods employed in preparing them for the Manufacturer and the Limits imposed on the Design by the Mechanism of Reproduction and the Materials employed. Edited by GLEESON WHITE. Freely Illustrated. *2nd edition.* Crown 8vo, 6s. net.
- Contents:*—Bookbinding, by H. ORRINSMITH—Carpets, by ALEXANDER MILLAR—Drawing for Reproduction, by the Editor—Pottery, by W. P. RIX—Metal Work, by R. LL. RATHBONE—Stained Glass, by SELWYN IMAGE—Tiles, by OWEN CARTER—Woven Fabrics, Printed Fabrics, and Floorcloths, by ARTHUR SILVER—Wall Papers, by G. C. HAITÉ.

MENTAL, MORAL, AND SOCIAL SCIENCES.

PSYCHOLOGY AND ETHICS.

- ANTONINUS (M. Aurelius).** The Thoughts of. Translated literally, with Notes, Biographical Sketch, Introductory Essay on the Philosophy, and Index, by GEORGE LONG, M.A. *Revised edition.* Small post 8vo, 3s. 6d., or *new edition on Handmade paper, buckram, 6s.*
- BACON'S** Novum Organum and Advancement of Learning. Edited, with Notes, by J. DEVEY, M.A. Small post 8vo, 5s.
- EPICTETUS.** The Discourses of. With the Encheiridion and Fragments. Translated with Notes, a Life of Epictetus, a View of his Philosophy, and Index, by GEORGE LONG, M.A. Small post 8vo, 5s., or *new edition on Handmade paper, 2 vols., buckram, 10s. 6d.*
- KANT'S** Critique of Pure Reason. Translated by J. M. D. MEIKLEJOHN, Professor of Education at St. Andrew's University. Small post 8vo, 5s.
- **Prolegomena and Metaphysical Foundations of Science.** With Life. Translated by E. BELFORT BAX. Small post 8vo, 5s.
- LOCKE'S** Philosophical Works. Edited by J. A. ST. JOHN. 2 vols. Small post 8vo, 3s. 6d. each.

- RYLAND (F.).** *The Student's Manual of Psychology and Ethics*, designed chiefly for the London B.A. and B.Sc. By F. RYLAND, M.A., late Scholar of St. John's College, Cambridge. Cloth, red edges. *5th edition, revised and enlarged.* With lists of books for Students, and Examination Papers set at London University. Crown 8vo, 3s. 6d.
- *Ethics*: An Introductory Manual for the use of University Students. With an Appendix containing List of Books recommended, and Examination Questions. Crown 8vo, 3s. 6d.
- *Logic*. An Introductory Manual. Crown 8vo. [In the press.]
- SCHOPENHAUER** on the Fourfold Root of the Principle of Sufficient Reason, and On the Will in Nature. Translated by MADAME HILLEBRAND. Small post 8vo, 5s.
- *Essays*. Selected and Translated. With a Biographical Introduction and Sketch of his Philosophy, by E. BELFORT BAX. Small post 8vo, 5s.
- SMITH (Adam).** *Theory of Moral Sentiments*. With Memoir of the Author by DUCALD STEWART. Small post 8vo, 3s. 6d.
- SPINOZA'S** Chief Works. Translated with Introduction, by R. H. M. ELWES. 2 vols. Small post 8vo, 5s. each.
- Vol. I.—*Tractatus Theologico-Politicus*—Political Treatise.
II.—*Improvement of the Understanding*—*Ethics*—*Letters*.

HISTORY OF PHILOSOPHY.

- BAX (E. B.).** *Handbook of the History of Philosophy*. By E. BELFORT BAX. *2nd edition, revised.* Small post 8vo, 5s.
- DRAPER (J. W.).** *A History of the Intellectual Development of Europe*. By JOHN WILLIAM DRAPER, M.D., LL.D. With Index. 2 vols. Small post 8vo, 5s. each.
- FALCKENBERG (R.).** *History of Modern Philosophy*. By RICHARD FALCKENBERG, Professor of Philosophy in the University of Erlangen. Translated by Professor A. C. ARMSTRONG. Demy 8vo, 16s.
- HEGEL'S** *Lectures on the Philosophy of History*. Translated by J. SIBREE, M.A. Small post 8vo, 5s.

LAW AND POLITICAL ECONOMY.

- KENT'S** *Commentary on International Law*. Edited by J. T. ABDY, LL.D., Judge of County Courts and Law Professor at Gresham College, late Regius Professor of Laws in the University of Cambridge. *2nd edition, revised and brought down to a recent date.* Crown 8vo, 10s. 6d.
- LAWRENCE (T. J.).** *Essays on some Disputed Questions in Modern International Law*. By T. J. LAWRENCE, M.A., LL.M. *2nd edition, revised and enlarged.* Crown 8vo, 6s.
- *Handbook of Public International Law*. *2nd edition.* Fcap. 8vo, 3s.
- MONTESQUIEU'S** *Spirit of Laws*. A New Edition, revised and corrected, with D'Alembert's Analysis, Additional Notes, and a Memoir, by J. V. FRITCHARD, A.M. 2 vols. Small post 8vo, 3s. 6d. each.
- PROTHERO (M.).** *Political Economy*. By MICHAEL PROTHERO, M.A. Crown 8vo, 4s. 6d.
- RICARDO** on the Principles of Political Economy and Taxation. Edited by E. C. K. GONNER, M.A., Lecturer in University College, Liverpool. Small post 8vo, 5s.
- SMITH (Adam).** *The Wealth of Nations*. An Inquiry into the Nature and Causes of. Reprinted from the Sixth Edition, with an Introduction by ERNEST BELFORT BAX. 2 vols. Small post 8vo, 3s. 6d. each.

HISTORY.

- BOWES (A.).** *A Practical Synopsis of English History; or, A General Summary of Dates and Events.* By ARTHUR BOWES. 10th edition. Revised and brought down to the present time. Demy 8vo, 1s.
- COXE (W.).** *History of the House of Austria, 1218-1792.* By ARCHDN. COXE, M.A., F.R.S. Together with a Continuation from the Accession of Francis I. to the Revolution of 1848. 4 vols. Small post 8vo. 3s. 6d. each.
- DENTON (W.).** *England in the Fifteenth Century.* By the late REV. W. DENTON, M.A., Worcester College, Oxford. Demy 8vo, 12s.
- DYER (Dr. T. H.).** *History of Modern Europe, from the Taking of Constantinople to the Establishment of the German Empire, A.D. 1453-1871.* By DR. T. H. DYER. *A new edition.* In 5 vols. £2 12s. 6d.
- GIBBON'S** *Decline and Fall of the Roman Empire.* Complete and Unabridged, with Variorum Notes. Edited by an English Churchman. With 2 Maps. 7 vols. Small post 8vo, 3s. 6d. each.
- GREGOROVIVS' History of the City of Rome in the Middle Ages.** Translated by ANNIE HAMILTON. Vols. I., II., and III. Crown 8vo, 6s. each net.
- GUIZOT'S History of the English Revolution of 1640.** Translated by WILLIAM HAZLITT. Small post 8vo, 3s. 6d.
- *History of Civilization, from the Fall of the Roman Empire to the French Revolution.* Translated by WILLIAM HAZLITT. 3 vols. Small post 8vo, 3s. 6d. each.
- HENDERSON (E. F.).** *Select Historical Documents of the Middle Ages.* Including the most famous Charters relating to England, the Empire, the Church, etc., from the sixth to the fourteenth centuries. Translated and edited, with Introductions, by ERNEST F. HENDERSON, A.B., A.M., PH.D. Small post 8vo, 5s.
- *A History of Germany in the Middle Ages.* Post 8vo, 7s. 6d. net.
- HOOPER (George).** *The Campaign of Sedan: The Downfall of the Second Empire, August-September, 1870.* By GEORGE HOOPER. With General Map and Six Plans of Battle. Demy 8vo, 14s.
- *Waterloo: The Downfall of the First Napoleon: a History of the Campaign of 1815.* With Maps and Plans. Small post 8vo, 3s. 6d.
- LAMARTINE'S History of the Girondists.** Translated by H. T. RYDE. 3 vols. Small post 8vo, 3s. 6d. each.
- *History of the Restoration of Monarchy in France (a Sequel to his History of the Girondists).* 4 vols. Small post 8vo, 3s. 6d. each.
- *History of the French Revolution of 1848.* Small post 8vo, 3s. 6d.
- LAPPENBERG'S History of England under the Anglo-Saxon Kings.** Translated by the late B. THORPE, F.S.A. *New edition,* revised by E. C. OTTÉ. 2 vols. Small post 8vo, 3s. 6d. each.
- LONG (G.).** *The Decline of the Roman Republic: From the Destruction of Carthage to the Death of Cæsar.* By the late GEORGE LONG, M.A. Demy 8vo. In 5 vols. 5s. each.
- MACHIAVELLI'S History of Florence, and of the Affairs of Italy from the Earliest Times to the Death of Lorenzo the Magnificent: together with the Prince, Savonarola, various Historical Tracts, and a Memoir of Machiavelli.** Small post 8vo, 3s. 6d.
- MARTINEAU (H.).** *History of England from 1800-15.* By HARRIET MARTINEAU. Small post 8vo, 3s. 6d.

- MARTINEAU (H.).** History of the Thirty Years' Peace, 1815-46. 4 vols. Small post 8vo, 3s. 6d. each.
- MAURICE (C. E.).** The Revolutionary Movement of 1848-9 in Italy, Austria, Hungary, and Germany. With some Examination of the previous Thirty-three Years. By C. EDMUND MAURICE. With an engraved Frontispiece and other Illustrations. Demy 8vo, 16s.
- MENZEL'S** History of Germany, from the Earliest Period to 1842. 3 vols. Small post 8vo, 3s. 6d. each.
- MICHELET'S** History of the French Revolution from its earliest indications to the flight of the King in 1791. Small post 8vo, 3s. 6d.
- MIGNET'S** History of the French Revolution, from 1789 to 1814. Small post 8vo, 3s. 6d.
- PARNELL (A.).** The War of the Succession in Spain during the Reign of Queen Anne, 1702-1711. Based on Original Manuscripts and Contemporary Records. By COL. THE HON. ARTHUR PARNELL, R.E. Demy 8vo, 14s. With Map, etc.
- RANKE (L.).** History of the Latin and Teutonic Nations, 1494-1514. Translated by P. A. ASHWORTH. Small post 8vo, 3s. 6d.
- History of the Popes, their Church and State, and especially of their conflicts with Protestantism in the 16th and 17th centuries. Translated by E. FOSTER. 3 vols. Small post 8vo, 3s. 6d. each.
- History of Servia and the Servian Revolution. Translated by MRS. KERR. Small post 8vo, 3s. 6d.
- SIX OLD ENGLISH CHRONICLES:** viz., Asser's Life of Alfred and the Chronicles of Ethelwerd, Gildas, Nennius, Geoffrey of Monmouth, and Richard of Cirencester. Edited, with Notes and Index, by J. A. GILES, D.C.L. Small post 8vo, 5s.
- STRICKLAND (Agnes).** The Lives of the Queens of England; from the Norman Conquest to the Reign of Queen Anne. By AGNES STRICKLAND. 6 vols. 5s. each.
- The Lives of the Queens of England. Abridged edition for the use of Schools and Families, Post 8vo, 6s. 6d.
- THIERRY'S** History of the Conquest of England by the Normans; its Causes, and its Consequences in England, Scotland, Ireland, and the Continent. Translated from the 7th Paris edition by WILLIAM HAZLITT. 2 vols. Small post 8vo, 3s. 6d. each.
- WRIGHT (H. F.).** The Intermediate History of England, with Notes, Supplements, Glossary, and a Mnemonic System. For Army and Civil Service Candidates. By H. F. WRIGHT, M.A., LL.M. Crown 8vo, 6s.
- For other Works of value to Students of History, see Catalogue of Bohn's Libraries, sent post-free on application.

DIVINITY, ETC.

- ALFORD (DEAN).** Greek Testament. With a Critically revised Text, a digest of Various Readings, Marginal References to verbal and idiomatic usage, Prolegomena, and a Critical and Exegetical Commentary. For the use of theological students and ministers. By the late HENRY ALFORD, D.D., Dean of Canterbury. 4 vols. 8vo. £5 2s. Sold separately.
- The New Testament for English Readers. Containing the Authorized Version, with additional Corrections of Readings and Renderings, Marginal References, and a Critical and Explanatory Commentary. In 2 vols. £2 14s. 6d. Also sold in 4 parts separately.

- AUGUSTINE** de Civitate Dei. Books XI. and XII. By the REV. HENRY D. GEE, B.D., F.S.A. I. Text only. 2s. II. Introduction and Translation. 3s.
- BARRETT (A. C.).** Companion to the Greek Testament. By the late A. C. BARRETT, M.A., Caius College, Cambridge. 5th edition. Fcap. 8vo, 5s.
- BARRY (BP.).** Notes on the Catechism. For the use of Schools. By the RT. REV. BISHOP BARRY, D.D. 10th edition. Fcap. 2s.
- BLEEK.** Introduction to the Old Testament. By FRIEDRICH BLEEK. Edited by JOHANN BLEEK and ADOLF KAMPHAUSEN. Translated from the second edition of the German by G. H. VENABLES under the supervision of the REV. E. VENABLES, Residentiary Canon, of Lincoln. 2nd edition, with Corrections. With Index. 2 vols. small post 8vo, 5s. each.
- BUTLER (BP.).** Analogy of Religion. With Analytical Introduction and copious Index, by the late RT. REV. DR. STEERE. Fcap. 3s. 6d.
- EUSEBIUS.** Ecclesiastical History of Eusebius Pamphilus, Bishop of Cæsarea. Translated from the Greek by REV. C. F. CRUSE, M.A. With Notes, a Life of Eusebius, and Chronological Table. Sm. post 8vo, 5s.
- GREGORY (DR.).** Letters on the Evidences, Doctrines, and Duties of the Christian Religion. By DR. OLINTHUS GREGORY, F.R.A.S. Small post 8vo, 3s. 6d.
- HUMPHRY (W. G.).** Book of Common Prayer. An Historical and Explanatory Treatise on the. By W. G. HUMPHRY, B.D., late Fellow of Trinity College, Cambridge, Prebendary of St. Paul's, and Vicar of St. Martin's-in-the-Fields, Westminster. 6th edition. Fcap. 8vo, 2s. 6d.
Cheap Edition, for Sunday School Teachers. 1s.
- JOSEPHUS (FLAVIUS).** The Works of. WHISTON'S Translation. Revised by REV. A. R. SHILLETO, M.A. With Topographical and Geographical Notes by COLONEL SIR C. W. WILSON, K.C.B. 5 vols. 3s. 6d. each.
- LUMBY (DR.).** The History of the Creeds. I. Ante-Nicene. II. Nicene and Constantinopolitan. III. The Apostolic Creed. IV. The Quicumque, commonly called the Creed of St. Athanasius. By J. RAWSON LUMBY, D.D., Norrisian Professor of Divinity, Fellow of St. Catherine's College, and late Fellow of Magdalene College, Cambridge. 3rd edition, revised. Crown 8vo, 7s. 6d.
- Compendium of English Church History, from 1688-1830. With a Preface by J. RAWSON LUMBY, D.D. Crown 8vo, 6s.
- MACMICHAEL (J. F.).** The New Testament in Greek. With English Notes and Preface, Synopsis, and Chronological Tables. By the late REV. J. F. MACMICHAEL. Fcap. 8vo (730 pp.), 4s. 6d.
Also the Four Gospels, and the Acts of the Apostles, separately. In paper wrappers, 6d. each.
- MILLER (E.).** Guide to the Textual Criticism of the New Testament. By REV. E. MILLER, M.A., Oxon, Rector of Bucknell, Bicester. Crown 8vo, 4s.
- NEANDER (DR. A.).** History of the Christian Religion and Church. Translated by J. TORREY. 10 vols. small post 8vo, 3s. 6d. each.
- Life of Jesus Christ. Translated by J. MCCLINTOCK and C. BLUMENTHAL. Small post 8vo, 3s. 6d.
- History of the Planting and Training of the Christian Church by the Apostles. Translated by J. E. RYLAND. 2 vols. 3s. 6d. each.
- Lectures on the History of Christian Dogmas. Edited by DR. JACOBI. Translated by J. E. RYLAND. 2 vols. small post 8vo, 3s. 6d. each.

- NEANDER (DR. A.).** *Memorials of Christian Life in the Early and Middle Ages.* Translated by J. E. RYLAND. Small post 8vo, 3s. 6d.
- PEARSON (BP.).** *On the Creed.* Carefully printed from an Early Edition. Edited by E. WALFORD, M.A. Post 8vo, 5s.
- PEROWNE (BP.).** *The Book of Psalms.* A New Translation, with Introductions and Notes, Critical and Explanatory. By the RIGHT REV. J. J. STEWART PEROWNE, D.D., Bishop of Worcester. 8vo. Vol. I. 8th edition, revised. 18s. Vol. II. 7th edition, revised. 16s.
- *The Book of Psalms.* Abridged Edition for Schools. Crown 8vo. 7th edition. 10s. 6d.
- SADLER (M. F.).** *The Church Teacher's Manual of Christian Instruction.* Being the Church Catechism, Expanded and Explained in Question and Answer. For the use of the Clergyman, Parent, and Teacher. By the REV. M. F. SADLER, Prebendary of Wells, and Rector of Honiton. 43rd thousand. 2s. 6d.
- * * A Complete List of Prebendary Sadler's Works will be sent on application.
- SCRIVENER (DR.).** *A Plain Introduction to the Criticism of the New Testament.* With Forty-four Facsimiles from Ancient Manuscripts. For the use of Biblical Students. By the late F. H. SCRIVENER, M.A., D.C.L., LL.D., Prebendary of Exeter. 4th edition, thoroughly revised, by the REV. E. MILLER, formerly Fellow and Tutor of New College, Oxford. 2 vols. demy 8vo, 32s.
- *Novum Testamentum Græce, Textus Stephanici, 1550. Accedunt variae lectiones editionum Bezae, Elzeviri, Lachmanni, Tischendorfii, Tregellesii, curante F. H. A. SCRIVENER, A.M., D.C.L., LL.D. Revised edition. 4s. 6d.*
- *Novum Testamentum Græce [Editio Major] textus Stephanici, A.D. 1556. Cum variis lectionibus editionum Bezae, Elzeviri, Lachmanni, Tischendorfii, Tregellesii, Westcott-Hortii, versionis Anglicanæ emendatorum curante F. H. A. SCRIVENER, A.M., D.C.L., LL.D., accedunt parallela s. scripturæ loca. Small post 8vo. 2nd edition. 7s. 6d.*
- An Edition on writing-paper, with margin for notes. 4to, half bound, 12s.
- WHEATLEY.** *A Rational Illustration of the Book of Common Prayer.* Being the Substance of everything Liturgical in Bishop Sparrow, Mr. L'Estrange, Dr. Comber, Dr. Nicholls, and all former Ritualist Commentators upon the same subject. Small post 8vo, 3s. 6d.
- WHITAKER (C.).** *Rufinus and His Times.* With the Text of his Commentary on the Apostles' Creed and a Translation. To which is added a Condensed History of the Creeds and Councils. By the REV. CHARLES WHITAKER, B.A., Vicar of Natland, Kendal. Demy 8vo, 5s.
- Or in separate Parts.—1. Latin Text, with Various Readings, 2s. 6d. 2. Summary of the History of the Creeds, 1s. 6d. 3. Charts of the Heresies of the Times preceding Rufinus, and the First Four General Councils, 6d. each.
- *St. Augustine: De Fide et Symbolo—Sermo ad Catechumenos. St. Leo ad Flavianum Epistola—Latin Text, with Literal Translation, Notes, and History of Creeds and Councils. 5s. Also separately, Literal Translation. 2s.*
- *Student's Help to the Prayer-Book. 3s.*

SUMMARY OF SERIES.

BIBLIOTHECA CLASSICA.
PUBLIC SCHOOL SERIES.
CAMBRIDGE GREEK AND LATIN TEXTS.
CAMBRIDGE TEXTS WITH NOTES.
GRAMMAR SCHOOL CLASSICS.
PRIMARY CLASSICS.
BELL'S CLASSICAL TRANSLATIONS.
CAMBRIDGE MATHEMATICAL SERIES.
CAMBRIDGE SCHOOL AND COLLEGE TEXT BOOKS.
FOREIGN CLASSICS.
MODERN FRENCH AUTHORS.
MODERN GERMAN AUTHORS.
GOMBERT'S FRENCH DRAMA.
BELL'S MODERN TRANSLATIONS.
BELL'S ENGLISH CLASSICS.
HANDBOOKS OF ENGLISH LITERATURE.
TECHNOLOGICAL HANDBOOKS.
BELL'S AGRICULTURAL SERIES.
BELL'S READING BOOKS AND GEOGRAPHICAL READERS.

BIBLIOTHECA CLASSICA.

AESCHYLUS. By DR. PALEY. 8s.
CICERO. By G. LONG. Vols. I. and II. 8s. each.
DEMOSTHENES. By R. WHISTON. 2 Vols. 8s. each.
EURIPIDES. By DR. PALEY. Vols. II. and III. 8s. each.
HERODOTUS. By DR. BLAKESLEY. 2 Vols. 12s.
HESIOD. By DR. PALEY. 5s.
HOMER. By DR. PALEY. 2 Vols. 14s.
HORACE. By A. J. MACLEANE. 8s.
PLATO. Phaedrus. By DR. THOMPSON. 5s.
SOPHOCLES. Vol. I. By F. H. BLAYDES. 5s.
— Vol. II. By DR. PALEY. 6s.
VIRGIL. By CONINGTON AND NETTLESHIP. 3 Vols. 10s. 6d. each.

PUBLIC SCHOOL SERIES.

ARISTOPHANES. Peace. By DR. PALEY. 2s. 6d.
— Acharnians. By DR. PALEY. 2s. 6d.
— Frogs. By DR. PALEY. 2s. 6d.
CICERO. Letters to Atticus. Book I. By A. PRETOR. 4s. 6d.
DEMOSTHENES. De Falsa Legatione. By R. SHILLETO. 6s.
— Adv. Leptinem. By E. W. BEATSON. 3s. 6d.
LIVY. Books XXI. and XXII. By L. D. DOWDALL. 2s. each.
PLATO. Apology of Socrates and Crito. By DR. W. WAGNER. 3s. 6d. and
2s. 6d.
— Phaedo. By DR. W. WAGNER. 5s. 6d.
— Protagoras. By W. WAYTE. 4s. 6d.
— Gorgias. By DR. THOMPSON. 6s.
— Euthyphro. By G. H. WELLS. 3s.
— Euthydemus. By G. H. WELLS. 4s.
— Republic. By G. H. WELLS. 5s.
PLAUTUS. Aulularia. By DR. W. WAGNER. 4s. 6d.
— Trinummus. By DR. W. WAGNER. 4s. 6d.
— Menæchmei. By DR. W. WAGNER. 4s. 6d.
— Mostellaria. By E. A. SONNENSCHNEIN. 5s.

PUBLIC SCHOOL SERIES—continued.

SOPHOCLES. *Trachiniae.* By A. PRETOR. 4s. 6d.

— *Oedipus Tyrannus.* By B. H. KENNEDY. 2s. 6d.

TERENCE. By DR. W. WAGNER. 7s. 6d.

THEOCRITUS. By DR. PALEY. 4s. 6d.

THUCYDIDES. Book VI. By T. W. DOUGAN. 2s.

CAMBRIDGE GREEK AND LATIN TEXTS.

AESCHYLUS. By DR. PALEY. 2s.

CAESAR. By G. LONG. 1s. 6d.

CICERO. *De Senectute, de Amicitia, et Epistolae Selectae.* By G. LONG. 1s. 6d.

— *Orationes in Verrem.* By G. LONG. 2s. 6d.

EURIPIDES. By DR. PALEY. 3 Vols. 2s. each.

HERODOTUS. By DR. BLAKESLEY. 2 Vols. 2s. 6d. each.

HOMER'S Iliad. By DR. PALEY. 1s. 6d.

HORACE. By A. J. MACLEANE. 1s. 6d.

JUVENAL AND PERSIUS. By A. J. MACLEANE. 1s. 6d.

LUCRETIVS. By H. A. J. MUNRO. 2s.

SOPHOCLES. By DR. PALEY. 2s. 6d.

TERENCE. By DR. W. WAGNER. 2s.

THUCYDIDES. By DR. DONALDSON. 2 Vols. 2s. each.

VIRGIL. By PROF. CONINGTON. 2s.

XENOPHON. By J. F. MACMICHAEL. 1s. 6d.

NOVUM TESTAMENTUM GRAECE. By DR. SCRIVENER. 4s. 6d.

CAMBRIDGE TEXTS WITH NOTES.

AESCHYLUS. By DR. PALEY. 6 Vols. 1s. 6d. each.

EURIPIDES. By DR. PALEY. 13 Vols. (*Ion, &c.*) 1s. 6d. each.

HOMER'S Iliad. By DR. PALEY. 1s.

SOPHOCLES. By DR. PALEY. 5 Vols. 1s. 6d. each.

XENOPHON. *Hellenica.* By REV. L. D. DOWDALL. Books I. and II. 2s. each.

— *Anabasis.* By J. F. MACMICHAEL. 6 Vols. 1s. 6d. each.

CICERO. *De Senectute, de Amicitia, et Epistolae Selectae.* By G. LONG. 3 Vols. 1s. 6d. each.

OVID. *Selections.* By A. J. MACLEANE. 1s. 6d.

— *Fasti.* By DR. PALEY. 3 Vols. 2s. each.

TERENCE. By DR. W. WAGNER. 4 Vols. 1s. 6d. each.

VIRGIL. By PROF. CONINGTON. 12 Vols. 1s. 6d. each.

GRAMMAR SCHOOL CLASSICS.

CAESAR, De Bello Gallico. By G. LONG. 4s. or in 3 parts, 1s. 6d. each.

CATULLUS, TIBULLUS, and PROPERTIUS. By A. H. WRATISLAW, and F. N. SUTTON. 2s. 6d.

CORNELIUS NEPOS. By J. F. MACMICHAEL. 2s.

CICERO. *De Senectute, De Amicitia, and Select Epistles.* By G. LONG. 3s.

HOMER. *Iliad.* By DR. PALEY. Books I.-XII. 4s. 6d., or in 2 Parts, 2s. 6d. each.

HORACE. By A. J. MACLEANE. 3s. 6d., or in 2 Parts, 2s. each.

JUVENAL. By HERMAN PRIOR. 3s. 6d.

MARTIAL. By DR. PALEY and W. H. STONE. 4s. 6d.

OVID. *Fasti.* By DR. PALEY. 3s. 6d., or in 3 Parts, 1s. 6d. each.

SALLUST. *Catiline and Jugurtha.* By G. LONG and J. G. FRAZER. 3s. 6d., or in 2 Parts, 2s. each.

TACITUS. *Germania and Agricola.* By P. FROST. 2s. 6d.

VIRGIL. CONINGTON's edition abridged. 2 Vols. 4s. 6d. each, or in 9 Parts, 1s. 6d. each.

— *Bucolics and Georgics.* CONINGTON's edition abridged. 3s.

XENOPHON. By J. F. MACMICHAEL. 3s. 6d., or in 4 Parts, 1s. 6d. each.

— *Cyropaedia.* By G. M. GORHAM. 3s. 6d., or in 2 Parts, 1s. 6d. each.

— *Memorabilia.* By PERCIVAL FROST. 3s.

PRIMARY CLASSICS.

EASY SELECTIONS FROM CAESAR. By A. M. M. STEDMAN. 1s.

EASY SELECTIONS FROM LIVY. By A. M. M. STEDMAN. 1s. 6d.

EASY SELECTIONS FROM HERODOTUS. By A. G. LIDDELL. 1s. 6d.

BELL'S CLASSICAL TRANSLATIONS.

- AESCHYLUS. By WALTER HEADLAM. 6 Vols. *[In the press.]*
 ARISTOPHANES. *Acharnians*. By W. H. COVINGTON. 1s.
 CAESAR'S Gallic War. By W. A. McDEVITTE. 2 Vols. 1s. each.
 CICERO. *Friendship and Old Age*. By G. H. WELLS. 1s.
 DEMOSTHENES. *On the Crown*. By C. RANN KENNEDY. 1s.
 EURIPIDES. 14 Vols. By E. P. COLERIDGE. 1s. each.
 LIVY. Books I.-IV. By J. H. FREERE. 1s. each.
 — Book V. By E. S. WEYMOUTH. 1s.
 — Book IX. By F. STORR. 1s.
 LUCAN: *The Pharsalia*. Book I. By F. CONWAY. 1s.
 OVID. *Fasti*. 3 Vols. By H. T. RILEY. 1s. each.
 — *Tristia*. By H. T. RILEY. 1s.
 SOPHOCLES. 7 Vols. By E. P. COLERIDGE. 1s. each.
 VIRGIL. 6 Vols. By A. HAMILTON BRYCE. 1s. each.
 XENOPHON. *Anabasis*. 3 Vols. By J. S. WATSON. 1s. each.
 — *Hellenica*. Books I. and II. By H. DALE. 1s.

CAMBRIDGE MATHEMATICAL SERIES.

- ARITHMETIC. By C. PENDLEBURY. 4s. 6d., or in 2 Parts, 2s. 6d. each.
 Key to Part II. 7s. 6d. net.
 EXAMPLES IN ARITHMETIC. By C. PENDLEBURY. 3s. or in 2 Parts, 1s. 6d. and 2s.
 ARITHMETIC FOR INDIAN SCHOOLS. By PENDLEBURY and TAIT. 3s.
 ELEMENTARY ALGEBRA. By J. T. HATHORNTHWAITHE. 2s.
 CHOICE AND CHANCE. By W. A. WHITWORTH. 6s.
 EUCLID. By H. DEIGHTON. 4s. 6d., or Books I.-IV., 3s.; Books V.-XI., 2s. 6d.; or Book I., 1s.; Books I. and II., 1s. 6d.; Books I.-III., 2s. 6d.; Books III. and IV., 1s. 6d. Key. 5s. net.
 EXERCISES ON EUCLID, &c. By J. MCDOWELL. 6s.
 ELEMENTARY MENSURATION. By B. T. MOORE.
 ELEMENTARY TRIGONOMETRY. By C. PENDLEBURY. 4s. 6d.
 ELEMENTARY TRIGONOMETRY. By DYER and WHITCOMBE. 4s. 6d.
 PLANE TRIGONOMETRY. By T. G. VVYVAN. 3s. 6d.
 ANALYTICAL GEOMETRY FOR BEGINNERS Part I. By T. G. VVYVAN. 2s. 6d.
 ELEMENTARY GEOMETRY OF CONICS. By DR. TAYLOR. 4s. 6d.
 GEOMETRICAL CONIC SECTIONS. By DR. W. H. BESANT. 4s. 6d.
 Key. 5s. net.
 GEOMETRICAL CONIC SECTIONS. By H. G. WILLIS. 5s.
 SOLID GEOMETRY. By W. S. ALDIS. 6s.
 GEOMETRICAL OPTICS. By W. S. ALDIS. 4s.
 ROULETTES AND GLISSETTES. By DR. W. H. BESANT. 5s.
 ELEMENTARY HYDROSTATICS. By DR. W. H. BESANT. 4s. 6d.
 Solutions. 5s. net.
 HYDROMECHANICS. Part I. *Hydrostatics*. By DR. W. H. BESANT. 5s.
 DYNAMICS. By DR. W. H. BESANT. 10s. 6d.
 RIGID DYNAMICS. By W. S. ALDIS. 4s.
 ELEMENTARY DYNAMICS. By DR. W. GARNETT. 6s.
 ELEMENTARY TREATISE ON HEAT. By DR. W. GARNETT. 4s. 6d.
 ELEMENTS OF APPLIED MATHEMATICS. By C. M. JESSOP. 6s.
 PROBLEMS IN ELEMENTARY MECHANICS. By W. WALTON. 6s.
 EXAMPLES IN ELEMENTARY PHYSICS. By W. GALLATLY. 4s.
 MATHEMATICAL EXAMPLES. By DYER and PROWDE SMITH. 6s.

CAMBRIDGE SCHOOL AND COLLEGE TEXT BOOKS.

- ARITHMETIC. By C. ELSEE. 3s. 6d.
 By A. WRIGLEY. 3s. 6d.
 EXAMPLES IN ARITHMETIC. By WATSON and GOUDIE. 2s. 6d.
 ALGEBRA. By C. ELSEE. 4s.
 EXAMPLES IN ALGEBRA. By MACMICHAEL and PROWDE SMITH. 3s. 6d.
 and 4s. 6d.
 PLANE ASTRONOMY. By P. T. MAIN. 4s.
 STATICS. By BISHOP GOODWIN. 3s.
 NEWTON'S *Principia*. By EVANS and MAIN. 4s.

CAMBRIDGE SCHOOL TEXTS—continued.

- ANALYTICAL GEOMETRY. By T. G. VIVIAN. 4s. 6d.
 COMPANION TO THE GREEK TESTAMENT. By A. C. BARRETT. 5s.
 TREATISE ON THE BOOK OF COMMON PRAYER. By W. G. HUMPHRY. 2s. 6d.
 TEXT BOOK OF MUSIC. By H. C. BANISTER. 5s.
 CONCISE HISTORY OF MUSIC. By DR. H. G. BONAVIA HUNT. 3s. 6d.

FOREIGN CLASSICS.

- FÉNELON'S *Télémaque*. By C. J. DELILLE. 2s. 6d.
 LA FONTAINE'S *Select Fables*. By F. E. A. GASC. 1s. 6d.
 LAMARTINE'S *Le Tailleur de Pierres de Saint-Point*. By J. BOÏELLE. 1s. 6d.
 SAINTINE'S *Picciola*. By DR. DUBEC. 1s. 6d.
 VOLTAIRE'S *Charles XII.* By L. DIRRY. 1s. 6d.
 GERMAN BALLADS. By C. L. BIELEFELD. 1s. 6d.
 GOETHE'S *Hermann und Dorothea*. By E. BELL and E. WÖLFEL. 1s. 6d.
 SCHILLER'S *Wallenstein*. By DR. BUCHHEIM. 5s., or in 2 Parts, 2s. 6d. each.
 — *Maid of Orleans*. By DR. W. WAGNER. 1s. 6d.
 — *Maria Stuart*. By V. KASTNER. 1s. 6d.

MODERN FRENCH AUTHORS.

- BALZAC'S *Ursule Mirouët*. By J. BOÏELLE. 3s.
 CLARETIE'S *Pierrille*. By J. BOÏELLE. 2s. 6d.
 DAUDET'S *La Belle Nivernaise*. By J. BOÏELLE. 2s.
 GREVILLE'S *Le Moulin Frappier*. By J. BOÏELLE. 3s.
 HUGO'S *Bug Jargal*. By J. BOÏELLE. 3s.

MODERN GERMAN AUTHORS.

- HEY'S *Fabeln für Kinder*. By PROF. LANGE. 1s. 6d.
 — with *Phonetic Transcription of Text, &c.* 2s.
 FREYTAG'S *Soll und Haben*. By W. H. CRUMP. 2s. 6d.
 BENEDIX'S *Doktor Wespe*. By PROF. LANGE. 2s. 6d.
 HOFFMANN'S *Meister Martin*. By PROF. LANGE. 1s. 6d.
 HEYSE'S *Hans Lange*. By A. A. MACDONELL. 2s.
 AUERBACH'S *Auf Wache, and Roquette's Der Gefrorene Kuss*. By A. A. MACDONELL. 2s.
 MOSER'S *Der Bibliothekar*. By PROF. LANGE. 2s.
 EBERS' *Eine Frage*. By F. STORR. 2s.
 FREYTAG'S *Die Journalisten*. By PROF. LANGE. 2s. 6d.
 GUTZKOW'S *Zopf und Schwert*. By PROF. LANGE. 2s. 6d.
 GERMAN EPIC TALES. By DR. KARL NEUHAUS. 2s. 6d.
 SCHEFFEL'S *Ekkehard*. By DR. H. HAGER. 3s.

The following Series are given in full in the body of the Catalogue.

- COMBERT'S *French Drama*. See page 31.
 BELL'S *Modern Translations*. See page 34.
 BELL'S *English Classics*. See pp. 24, 25.
 HANDBOOKS OF ENGLISH LITERATURE. See page 26.
 TECHNOLOGICAL HANDBOOKS. See page 37.
 BELL'S *Agricultural Series*. See page 36.
 BELL'S *Reading Books and Geographical Readers*. See pp. 25, 26.

